

AD-A036 797

METCALF AND EDDY INC BOSTON MASS

F/G 13/2


WASTEWATER ENGINEERING AND MANAGEMENT PLAN FOR BOSTON HARBOR-EA--ETC(U)

OCT 75

UNCLASSIFIED

NL

1 OF 2  
ADA036797



6

**WASTEWATER ENGINEERING  
AND MANAGEMENT PLAN**


FOR

**BOSTON HARBOR - EASTERN MASSACHUSETTS METROPOLITAN AREA  
EMMA STUDY.**

C.B.S.

TECHNICAL DATA VOL. ~~23~~ *ume 3B.*  
STUDY OF WASTES FROM LARGE INDUSTRIES.

ADA 036797



ORIGINAL CONTAINS COLOR PLATES: ALL DDC  
REPRODUCTIONS WILL BE IN BLACK AND WHITE.

COPY AVAILABLE TO DDC DOES NOT  
PERMIT FULLY LEGIBLE PRODUCTION

DISTRIBUTION STATEMENT A

Approved for public release;  
Distribution Unlimited

OCTOBER 1975

Copy available to DDC does not  
permit fully legible reproduction

410 091  
MAR 14 1977  
RECEIVED

12 174p.

WASTEWATER ENGINEERING  
AND MANAGEMENT PLAN  
FOR  
Boston Harbor - Eastern Massachusetts Metropolitan Area  
EMMA STUDY

INDEX TO REPORT VOLUMES

SUMMARY REPORT

MAIN REPORT

Technical Data Volumes

1. Planning Criteria
2. Engineering Criteria
3. Industrial Process Wastewater Analysis and Regulation
  - 3A. Study of Certain Industrial Wastes
  - 3B. Study of Wastes from Large Industries
4. Water Oriented Wastewater Utilization Concepts
5. Land Oriented Wastewater Utilization Concepts
6. Formulation of Wastewater Utilization Plan
7. Combined Sewer Overflow Regulation
8. Urban Stormwater Management
  - 8A. Appendix to Urban Stormwater Management
9. MDC Interceptor and Pumping Station Analysis and Improvements
10. Deer Island Wastewater Treatment Plant Analysis and Improvements
11. Nut Island Wastewater Treatment Plant Analysis and Improvements
12. Financing and Management
13. Impact Analysis and Evaluation
  - 13A. Biological Impact Analysis
  - 13B. Socio-economic Impact Analysis
  - 13C. Hygienic Impact Analysis
  - 13D. Visual, Cultural and Design Impact Analysis
14. Public Involvement
15. Recommended Plan and Implementation Program
16. Agency Reviews

**COPY AVAILABLE TO DDC DOES NOT  
PERMIT FULLY LEGIBLE PRODUCTION**

**ORIGINAL CONTAINS COLOR PLATES: ALL DDC  
REPRODUCTIONS WILL BE IN BLACK AND WHITE.**

ACCESSION NO.	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Soft Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION / AVAILABILITY CODES	
FULL	ANAL. AND R. SPECIAL
A	

A STUDY OF WASTES FROM LARGE INDUSTRIES  
EASTERN MASSACHUSETTS METROPOLITAN AREA

## TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
1.0	INTRODUCTION	1
1.1	Purpose	1
1.2	Scope and Limitations	2
1.3	Summary	16
2.0	METHOD	17
2.1	Data Sources	17
2.1.1	NPDES Permit Applications	17
2.1.2	Metropolitan District Commission Files	18
2.1.3	Comparison to Similar Sites	18
2.1.4	Telephone Query	18
2.1.5	Literature Search	18
2.1.6	Discussion of Industrial Literature	19
2.2	Location Surveys	20
2.2.1	Industry Site Lists and Verification	21
2.2.2	The Data Form	24
2.3	Data Retrieval and Plotting	30
2.3.1	Data Verification	30
2.3.2	Data Loading	34
2.3.3	Data Selection	35
2.3.4	Plotting	35

3.0	PRESENTATION AND DISCUSSION OF DATA	36
3.1	The Large Industries	36
3.2	Additional Listings	39
4.0	FUTURE WASTE LOAD PROJECTIONS	47
4.1	Projection Technique	48
4.2	The Economic Factors (E x O)	49
4.3	The Process Factors (R x T)	50
4.4	"F"-Factors and Projections	53

## APPENDICES

		<u>PAGE</u>
Appendix A	All Surveyed Industries	A-1
Appendix B	Industries Discharging 50,000 or More Gallons Per Day	B-1
Appendix C	Industries Discharging Zero Gallons Per Day	C-1
Appendix D	Food Industries (SIC Code 20)	D-1
Appendix E	Textile Industries (SIC Code 22)	E-1
Appendix F	Paper Industries (SIC Code 26)	F-1
Appendix G	Chemical Industries (SIC Code 28)	G-1
Appendix H	Metals Industries (SIC Code 33)	H-1
Appendix I	Points Lost From Plots	I-1
Appendix J	Bibliography	J-1

# LIST OF FIGURES

<u>FIGURE</u>	<u>TITLE</u>	<u>PAGE</u>
1	The Study Area	3
2	The Location System	22
3	Data Collection Form	23
4	All Industries	37
5	Industries Discharging 50,000 or More Gallons Per Day	38
6	Industries Discharging 0 Gallons Per Day	40
7	Food Industries	41
8	Textile Industries	42
9	Paper Industries	44
10	Chemical Industries	45
11	Metals Industries	46
USGS Quadrangle Maps of Study Area		Under Separate Cover

## LIST OF TABLES

<u>TABLE</u>	<u>TITLE</u>	<u>PAGE</u>
1	Eastern Massachusetts Metropolitan Area Communities	4
2	Original Industrial Groups Studied	6
3	Industrial Groups Studied	8
4	Town Codes	25
5	Metals and "Others" Codes	31
6	E x O Factors for Wastewater Predictions	51
7	"R" and "T" Factors for Wastewater Predictions	52
8	"F" Factors for Wastewater Predictions	54
9	Future Wastewater Loads	55

## 1.0

## INTRODUCTION

Controlling and disposing of mankind's waste products has, in the past several years become a critical problem, particularly in view of increased public concern over the quality of the environment. One of the most severe environmental problems facing us today is that of liquid waste disposal.

This is especially true in Eastern Massachusetts; there dense population, concentrated industries, and often antiquated sewage treatment practices have combined to pollute many rivers and groundwater supplies and to present real threats to those which are not yet polluted. The sources of this pollution are basically three: domestic sewage, industrial wastewater, and storm water runoff. Each offers its particular problems and is amenable to different solutions. Before any solutions are sought, however, the scope of the problem at hand must be known.

This report is concerned with the contribution of industrial wastewater to pollution. It describes an effort to provide the basic data on regional wastewater production necessary to a successful plan for its control. Similar efforts may provide the necessary data base for dealing with other liquid waste disposal problems.

## 1.1

### Purpose



The purpose of this study is to collect and interpret existing information on the magnitude and composition of certain industrial and manufacturing process wastewater discharges in the Eastern Massachusetts Metropolitan Area and to project the magnitude of this problem into the future. Additionally, the data collected is to be placed into a computer assisted retrieval and plotting system to allow it to be used as an effective planning tool. The data management system will permit the same treatment of data on other areas not considered in this study.

The geographic focus of this study is Eastern Massachusetts. The study area is bounded approximately by Route 495 and includes all of Suffolk County, most of Norfolk, Middlesex, and Essex Counties as well as small portions of Plymouth County to the south and Worcester County to the west. As shown in Figure 1, the study area contains 109 communities. Of these, thirty-two fall within the SUASCO study area. The remaining seventy-seven fall primarily within the drainage areas of the Neponset and Charles Rivers to the south of Boston and the Mystic, Danvers, and Ipswich Rivers to the north. Table 1 lists the communities within the study area. Those which fall entirely or partly in the SUASCO study area are marked with an asterisk.

The industrial focus of this study is an outgrowth of earlier efforts to characterize industrial wastewater in the area, as reported in "A Study of Certain Industrial Wastes-Eastern Massachusetts Metropolitan Area," (JASON M. CORTELL and ASSOCIATES, INC., March 1974). The earlier study examined discharges from the 27 industrial groups listed in Table 2. The results of that study indicated that the larger discharges (over 50,000 gallons per day) accounted for 92% of the total surveyed industrial wastewater discharge. This clearly suggested that, for maximum data gathering efficiency, only the larger industrial sites should be investigated.

In light of this, the expanded list of specific industries presented in Table 3 was developed. This Table is organized by 1972 Standard Industrial Classification Code and indicates the criteria used to select industrial sites for inclusion in this study.

Three selection criteria were used. For those industries included in the previous study, those sites discharging greater than 50,000 gallons of wastewater per day were included in the current study. For those industries whose water intake is low, any site employing in excess of 250 persons was included. For those industries whose water intake is high, any site employing in excess of 100 persons was included. Those selection criteria were designed conservatively to insure the inclusion of the majority of larger dischargers.



**Figure 1**  
**THE STUDY AREA**

TABLE 1. EASTERN MASSACHUSETTS  
METROPOLITAN AREA COMMUNITIES

ACTON*	CHELMSFORD*	HULL
ARLINGTON	CHELSEA	IPSWICH
ASHLAND*	COHASSET	LEXINGTON*
AVON	CONCORD*	LINCOLN*
BEDFORD*	DANVERS	LITTLETON*
BELLINGHAM	DEDHAM	LYNN
BELMONT	DOVER	LYNNFIELD
BERLIN*	DUXBURY	MALDEN
BEVERLY	ESSEX	MANCHESTER
BILLERICA*	EVERETT	MARBLEHEAD
BOLTON*	FRAMINGHAM*	MARLBOROUGH*
BOSTON	FRANKLIN	MARSHFIELD
BOXBOROUGH*	GLOUCESTER	MAYNARD*
BOXFORD	HAMILTON	MEDFIELD
BRAINTREE	HANOVER	MEDFORD
BROOKLINE	HINGHAM	MEDWAY
BURLINGTON*	HOLBROOK	MELROSE
CAMBRIDGE	HOLLISTON*	MIDDLETOWN
CANTON	HOPKINTON*	MILFORD
CARLISLE*	HUDSON*	MILLIS

TABLE 1. EASTERN MASSACHUSETTS  
METROPOLITAN AREA COMMUNITIES (CONTINUED)

MILTON	SAUGUS	WENHAM
NAHANT	SCITUATE	WESTBOROUGH*
NATICK*	SHARON	WESTFORD*
NEEDHAM	SHERBORN*	WESTON*
NEWTON	SOMERVILLE	WESTWOOD
NORFOLK	SOUTHBOROUGH*	WEYMOUTH
NORTHBOROUGH*	STONEHAM	WILMINGTON
NORTH READING	STOUGHTON	WINCHESTER
NORWELL	STOW*	WINTHROP
NORWOOD	SUDBURY*	WOBURN
PEABODY	SWAMPSCOTT	WRENTHAM
PEMBROKE	TEWKSBURY*	
QUINCY	TOPSFIELD	
RANDOLPH	WAKEFIELD	
READING	WALPOLE	
REVERE	WALTHAM	
ROCKLAND	WATERTOWN	
ROCKPORT	WAYLAND*	
SALEM	WELLESLEY	

\* Communities wholly or partly in the SUASCO study area.

**TABLE 2. ORIGINAL INDUSTRIAL GROUPS STUDIED**

**Pulp and Paper Mills**  
**Paperboard, Builders Paper and Board Mills**  
**Meat Product and Rendering Processing**  
**Dairy Products Processing**  
**Grain Mills**  
**Canned and Preserved Fruits and Vegetable Processing**  
**Canned and Preserved Seafood Processing**  
**Sugar Processing**  
**Textile Mills**  
**Cement Manufacturing**  
**Feedlots**  
**Electroplating**  
**Organic Chemicals Manufacturing**  
**Inorganic Chemicals Manufacturing**  
**Plastics and Synthetic Materials Manufacturing**  
**Soap and Detergent Manufacturing**  
**Fertilizer Manufacturing**  
**Petroleum Refining**  
**Iron and Steel Manufacturing**  
**Nonferrous Metals Manufacturing**  
**Phosphate Manufacturing**

TABLE 2. ORIGINAL INDUSTRIAL GROUPS STUDIED (CONTINUED)

Steam Electric Power Plants

Ferroalloy Manufacturing

Leather Tanning and Finishing

Glass and Asbestos Manufacturing

Rubber Processing and Timber Products Processing

Hospitals

TABLE 3. INDUSTRIAL GROUPS STUDIED

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
0211	Beef Cattle Feedlots	> 50,000 GPD
0213	Hogs	> 50,000 GPD
0214	Sheep and Goats	> 50,000 GPD
025	Poultry and Eggs	> 50,000 GPD
201	Meat Products	> 50,000 GPD
202	Dairy Products	> 50,000 GPD
203	Canned and Preserved Fruits and Vegetables	> 50,000 GPD
204	Grain Mill Products	> 50,000 GPD
205	Bakery Products	> 250 Emp.
206	Sugar and Confectionary Products	> 50,000 GPD
2074-2076 and 2079	Fats and Oils	> 100 Emp.
2077	Animal and Marine Fats and Oils	> 50,000 GPD
208	Beverages	> 100 Emp.
2091	Canned and Cured Fish and Seafoods	> 50,000 GPD
2092	Fresh or Frozen Packaged Fish and Seafood	> 50,000 GPD
2095 and 2097-2099	Miscellaneous Food Preparations and Kindred Products	> 100 Emp.

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
21	Tobacco Manufacturers	> 250 Emp.
22	Textile Mill Products	> 50,000 GPD
23	Apparel and Other Finished Products Made from Fabric and Similar Materials	> 250 Emp.
24	Lumber and Wood Products, Except Furniture	> 50,000 GPD
25	Furniture and Fixtures	> 250 Emp.
261	Pulp Mills	> 50,000 GPD
262	Paper Mills, Except Building Paper Mills	> 50,000 GPD
263	Paperboard Mills	> 50,000 GPD
264	Converted Paper and Paper- board Products, Except Containers and Boxes	> 100 Emp.
265	Paperboard Containers and Boxes	> 100 Emp.
266	Building Paper and Building Board Mills	> 50,000 GPD
27	Printing, Publishing, and Allied Industries	> 250 Emp.
281	Industrial Inorganic Chemicals	> 50,000 GPD
282	Plastic Materials and Synthetic Resins	> 50,000 GPD

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
283	Drugs	> 100 Emp.
2841	Soap and Other Detergents, Except Specialty Cleaners	>50,000 GPD
2842	Specialty Cleaning, Polishing, and Sanitation Preparations	> 100 Emp.
2843	Surface Active Agents, Finishing Agents, Sulfonated Oils and Assistants	> 100 Emp.
2844	Perfumes, Cosmetics, and Other Toilet Preparations	> 100 Emp.
285	Paints, Varnishes, Lacquers, Enamels and Allied Products	> 100 Emp.
286	Industrial Organic Chemicals	>50,000 GPD
2873	Nitrogenous Fertilizers	>50,000 GPD
2874	Phosphate Fertilizers	>50,000 GPD
2875	Fertilizers, Mixing Only	>50,000 GPD
2879	Pesticides and Agricultural Chemicals, NEC	> 100 Emp.
2891	Adhesives and Sealants	>50,000 GPD
2892	Explosives	> 100 Emp.
2893	Printing Ink	> 100 Emp.

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
2895	Carbon Black	> 100 Emp.
2899	Chemicals and Chemical Preparations, NEC	>50,000 GPD
291	Petroleum Refining	>50,000 GPD
295	Paving and Roofing Materials	> 100 Emp.
299	Miscellaneous Products of Petroleum and Coal	> 100 Emp.
301	Tires and Inner Tubes	>50,000 GPD
302	Rubber and Plastic Footware	>50,000 GPD
303	Reclaimed Rubber	> 50,000 GPD
304	Rubber and Plastic Hose and Belting	> 50,000 GPD
306	Fabricated Rubber Products, NEC	> 50,000 GPD
307	Miscellaneous Plastic Products	> 100 Emp.
311	Leather Tanning and Finishing	> 50,000 GPD
313-317 and 319	Leather Products	> 250 Emp.
321	Flat Glass	> 50,000 GPD
322	Glass and Glassware, Pressed or Blown	> 50,000 GPD

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
323	Glass Products, Made of Purchased Glass	> 250 Emp.
324	Cement, Hydraulic	> 50,000 GPD
325	Structural Clay Products	> 250 Emp.
326	Pottery and Related Products	> 250 Emp.
327	Concrete, Gypsum, and Plaster Products	> 50,000 GPD
328	Cut Stone and Stone Products	> 250 Emp.
3291, 3293, 3295-3297 and 3299	Abrasives and Miscellaneous Nonmetallic Mineral Products	> 100 Emp.
3292	Asbestos Products	> 50,000 GPD
331-336	Primary Metals	> 50,000 GPD
339	Miscellaneous Primary Metal Products	> 250 Emp.
341-346, 348 and 349	Fabricated Metal Products, Except Machinery and Transportation Equipment	> 250 Emp.
3471	Electroplating, Plating, Polishing, Anodizing, and Coloring	> 50,000 GPD
3479	Coating, Engraving, and Allied Services, NEC	> 100 Emp.

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
35	Machinery, Except Electrical	> 250 Emp.
36	Electrical and Electronic Machinery, Equipment and Supplies	> 250 Emp.
371	Motor Vehicles and Motor Vehicle Equipment	> 250 Emp.
372	Aircraft and Parts	> 100 Emp.
373	Ship and Boat Building and Repairs	> 100 Emp.
374	Railroad Equipment	> 250 Emp.
375	Motorcycles, Bicycles and Parts	> 250 Emp.
376	Guided Missiles and Space Vehicles and Parts	> 250 Emp.
379	Miscellaneous Transportation Equipment	> 250 Emp.
38	Measuring, Analyzing and Con- trolling Instruments; Photographic, Medical, and Optical Goods; Watches and Clocks	> 250 Emp.
391	Jewelry, Silverware, and Plated Ware	> 250 Emp.
393	Musical Instruments	> 250 Emp.
394	Toys and Amusements, Sporting, and Athletic Goods	> 100 Emp.

TABLE 3. INDUSTRIAL GROUPS STUDIED (CONTINUED)

<u>SIC CODE</u>	<u>SIC CODE NAME</u>	<u>INCLUSION CRITERIA</u>
395	Pens, Pencils and Other Office and Artists' Materials	> 250 Emp.
396	Costume Jewlery, Costume Novelties, Buttons and Miscellaneous Notions, Except Precious Metals	> 250 Emp.
399	Miscellaneous Manufacturing Industries	> 250 Emp.
4911	Electric Services	>50,000 GPD
4931	Electric and Other Services Combined	>50,000 GPD
806	Hospitals	>50,000 GPD

Thus, the scope of the current study is to inventory the discharges of the larger manufacturing industries in the 109 community study area. This report includes data on all industrial sites meeting the selection criteria in Table 3.

To allow planning to meet future wastewater disposal needs, the expected industrial waste loads were projected well into the future. Current levels of industrial waste were projected to the years 1990, 2020 and 2050 to provide a basis for the intermediate and long-range planning of waste treatment facilities.

The limitations of the study are those of scale. The purpose of the study is to collect information on the magnitude and composition of industrial wastewater discharges for industrial groups at the regional level. The techniques used and the data collected are appropriate to this scale. Thus, the data contained herein are only appropriate for use at that scale and for the industries covered. It is not intended to characterize exactly any one site or local area, but rather to provide data on the aggregation of industrial sites in the region based on existing data.

Finally, one of the purposes of this study was to develop a usable data acquisition system and computer plotting routine to allow the manipulation and mapping of the collected data. Such a system is required if the data bank is to become more than an artifact. The system developed for this study allows almost unlimited flexibility in selecting from the data bank and provides maps of the selected industrial locations at a scale of 1:150000 (1"=12,500') for the rapid identification and location of concentrations of industrial dischargers, and at a scale of 1:24000 (1"=2,000') for detailed plotting and correlation to standard scale USGS Quadrangle Maps. In addition, USGS Quadrangle Maps which provide accurate locations for single sites are furnished with this report.

Data were collected on the larger representatives of most industrial groups found in the 109 communities in the Eastern Massachusetts Metropolitan Area. For each of the 253 representatives of these industrial categories, data were collected on the source and amount of industrial water use and the place and amount of industrial process water discharge. Data on the kind and amount of wastes contained in each wastewater stream were collected where known, and estimated where unknown.

This information was then transferred to a computer-assisted data manipulation and plotting system designed for this purpose. This allowed the listing and plotting of all data or selected portions of the data.

The data manipulations performed indicated that the current level of industrial process water discharge in the study area is over 34,200,000 gallons per day for the industrial entities surveyed. Of this, 33,900,000 gallons per day (99% of the total) are being discharged by the 95 largest dischargers, while 49 of the surveyed locations discharged no process water.

Additional manipulations of the data indicated for the industries surveyed the following distribution of process wastewater discharges by industrial group: the chemical industries (SIC Code 28), 26%; the food industry (SIC Code 20), 22%; the paper industries (SIC Code 26), 16%; and the textile industry (SIC Code 22), 8%.

Finally, the data were used as the basis for the projection of future industrial waste loads in the area. These predictions indicate that improvements in water use technology will offset expected growth in industrial production to a great extent. In fact, process wastewater volume from the surveyed industries is expected to remain constant until 1990, followed by a rise to about 50,000,000 gallons per day by 2050. It is possible, however, that these rises may be even less because of the expected implementation of more stringent Federal controls on industrial discharges and the consequent adoption of better treatment processes by the individual industries.

## 2.0

## METHOD

To treat the industrial wastewater production in the study area properly, it was necessary to develop and to use many sources of information. In an ideal situation, each industrial firm would know and divulge full information on its use and discharge of water at a given location. This, however, is seldom the case. In most instances, an individual industrial entity will know its water use but will have no idea of the quality or quantity of its process wastewater. Therefore, it was necessary to develop a method of estimating wastewater quality and quantity for those industries.

### 2.1

#### Data Sources

Several kinds of data sources were used to compile information on industrial discharges. These sources varied widely in quality and completeness. Material was gathered from local public and university libraries, the U. S. Environmental Protection Agency, the Army Corps of Engineers, and the Massachusetts Division of Water Pollution Control. Other information sources included agencies and organizations serving local industries and various Massachusetts State government departments.

#### 2.1.1 NPDES Permit Applications

The most extensive and complete body of industrial discharge data was found in the National Pollution Discharge Elimination System (NPDES) Permit Applications. These applications are filed with the U.S. EPA by any industrial site discharging into navigable waters. Files of these applications are maintained by the EPA offices in Boston and by Massachusetts Division of Water Pollution Control. Both files were searched for applications by firms included in the study. When available, such applications include extensive information on the location, quantity, and constituents of each site's discharge.

### 2.1.2 Metropolitan District Commission Files

The Metropolitan District Commission has sent questionnaires to industries in the MDC communities. The responses to these questionnaires were reviewed to extract usable information. In most cases, the information included the quantity of discharge and a qualitative description of effluent quality.

### 2.1.3 Comparison to Similar Sites

Frequently, no data were available on an industrial site similar in both process and size to another site for which extensive information was available. In such cases, data from the known site were used to estimate effluent quantity and quality for the other site or to refine qualitative information, such as found in the MDC Questionnaire responses.

### 2.1.4 Telephone Query

When existing data banks did not contain information on wastewater at a site, a telephone interview was used to establish the data. In some cases, full information was received in this fashion. Additionally, phone contact was used to confirm general data (employment, SIC Code, water consumption, etc.) at most sites.

### 2.1.5 Literature Search

When all other avenues of information gathering were exhausted, studies of industrial effluent found in the literature were used to estimate wastewater quantity and quality. A bibliography of the literature reviewed for this study is found in Appendix J.

Wastewater figures found in the literature for a particular industry were compared and, where possible, averaged together to provide generalized figures for wastewater and pollutant quantities. An attempt was made to locate as many case studies as possible on an industry so that generalized values would represent a broad cross section of the industry. Where a study was found to present already compiled and summarized wastewater figures for a large number of individual sites, this information was used in the estimation of effluent quality.

#### 2.1.6 Discussion of the Industrial Literature

The bibliography presented in Appendix J was prepared from existing information found in the scientific literature. Thus, its completeness and accuracy are dependent upon the quality of that literature. It became apparent during the course of this study that, for the most part, the availability of wastewater literature on an industry was directly proportional to the severity of its pollution load. For example, Pulp and Papermaking, Textiles, and Leather are large users of water and often heavy polluters, and the wealth of literature on them reflects this. On the other hand, Glass manufacture requires almost no water and uses primarily silica, which is chemically inert, as a raw material. In this case, the literature contains almost no reference to wastewater quality.

Additionally, several of the industrial categories exhibit peculiarities of a particular industry within that category or peculiarities of the representatives of an industry in the study area. These are discussed individually below.

Chemical Industries, Plastics Industries: These groups require special treatment on a site-by-site basis. Each group includes a broad range of different processes, and no general summary of their wastewater quality is possible. Thus, the bibliographies presented for these groups reflect very broad groups of processes and cannot be used for accurate estimation of effluent quality.

Feedlots: For the purposes of this study the feedlot industry is defined as the close-penning and intensive feeding of livestock for the purposes of fattening the animals for market. Agricultural raising of stock where pasturage is important in the feeding of animals is excluded from this category. There are no feedlots, as such, in the study area. A search of public records and contacts with State officials failed to reveal any penned-feeding of beef or sheep. Poultry farms and swine herds were also investigated. All poultry farms were called, and it was discovered that they all confine their birds and collect the manure for sale as fertilizer. In this way, they realize an extra profit. The hog farms in the study area also failed to provide what could be called feedlot conditions. Discussions with Mr. Walter Lewis of the Massachusetts Division of Animal Health indicated that the hog farmers of the area held land in ratio to their numbers of animals and did not close-pen them, as would be the case in a feedlot.

Dairy Products Processing: The representatives of the dairy product industries knew less about their wastes than any other group. Therefore, effluent quality was estimated for nearly all representatives. This resulted in what appears to be an unusually large estimated discharge of mercury, based on literature reports of milk waste contents. The mercury amounts listed for representatives of the dairy products industry may be excessive and should be viewed with some caution.

## 2.2

### Location Surveys

To collect location and site-specific data on the industrial groups covered by the study, a set of industrial designations which would allow an accurate identification of the operations at a particular site was used. The set employed was found in the Standard Industrial Classification Manual-1972, published by the U.S. Office of Management and Budget. The correspondence between industry group names and the Standard Industrial Classification (SIC) Codes is given in Table 3. These codes represent the major process in a plant, even though subprocesses might fall under other codes. An example



of this is the electroplating associated with the production of electronic components. This listing allows the separation of industries into fine breakdowns of product and process. One note is in order about the SIC Codes. The manual assigns the digits of code sequentially, so that all textile mills have 22 as the first two digits of their code. Where groups of industries correspond to two- or three-digit SIC groups, only the major group code is included in Table 3. In some instances, however, a four-digit code must be used to describe a group where processes or water use differs greatly between two- or three-digit group members. This is the case with Electroplating.

Two additional items of preparatory work were necessary for location surveys. The first was the selection of a mapping scale and base maps. The locations surveyed were mapped on USGS Quadrangle Maps at a scale of 1:24000 (1 inch=2000 feet). The location system for the study area is presented in Figure 2, which shows the location of the USGS Quadrangle Maps necessary to cover the study area. A discussion of the use of the location coordinate system is presented in Section 2.2.2.

Finally, a data form was devised to allow the consistent presentation of data on each industrial location and to facilitate the transfer of this information into a data retrieval system. The form is shown in Figure 3 and provides the framework for the inventory discussion in Section 2.2.2, below.

#### 2.2.1 Industry Site Lists and Verification

The list of industrial sites in each SIC Code group covered by the study which meets the employment criteria listed in Table 3 was compiled from the 1973 edition of the Directory of New England Manufacturers. This list was verified by consulting with the Massachusetts Department of Commerce and by individual telephoning. Mr. William Tsasfaras, of the Department of Commerce, indicated that their data files had been used in the preparation of the New England Directory and that the 1973 version should be complete as of January 1, 1973. This was substantiated by spotcheck verification, using the yellow pages of the telephone directory. Finally, about



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

**Figure 2  
THE LOCATION SYSTEM**

CARD 1	Location # : <span style="border: 1px solid black; display: inline-block; width: 40px; height: 15px; vertical-align: middle;"></span> - <span style="border: 1px solid black; display: inline-block; width: 15px; height: 15px; vertical-align: middle;"></span>	SIC CODE : <span style="border: 1px solid black; display: inline-block; width: 40px; height: 15px; vertical-align: middle;"></span>
	Name : <span style="border: 1px solid black; display: inline-block; width: 100px; height: 15px; vertical-align: middle;"></span>	
	Address : <span style="border: 1px solid black; display: inline-block; width: 100px; height: 15px; vertical-align: middle;"></span>	
	Town : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	X - Location : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	Y - Location : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	Seasonal Production : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> % Spring <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> % Summer <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> % Fall <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> % Winter	
	Number of Employees : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
CARD 2	Water Source : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> (SURface, MUNicipal, Oth wells)	
	Water Consumption : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> Thousands of Gallons Per Day	
	Waste Discharge : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> Thousands of Gallons Per Day	
	Place of Discharge : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> (SURface Water, PUBlic Sewer, SUBsurface)	
	Treatment : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> (0, 1, 2, 3)	
	Efficiency : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> Avg. percent removal	
	Pollutants (lb per day)	
	BOD : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	COD : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	Total Solids : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
Nitrogen : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>		
Phosphorous : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>		
Grease and Oils : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>		
pH : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>		
CARD 3	Temperature : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	Metals (list)	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
CARD 4	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
CARD 5	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	
	<span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span> : <span style="border: 1px solid black; display: inline-block; width: 30px; height: 15px; vertical-align: middle;"></span>	

FIGURE 3  
DATA COLLECTION FORM

60% of the locations listed in the study area were called individually. This allowed elimination of those firms which are offices or retail branches of manufacturing companies as well as those which have ceased operation since January 1, 1973, and those which have reduced their number of employees below the criteria values. Thus, the list of industrial sites was positively verified to insure complete coverage and negatively verified to eliminate nonproducing locations. This listing, which identifies by name and address all industrial sites within the study area represented by the categories and criteria listed in Table 3, is a portion of the data presented in Appendix A.

#### 2.2.2 The Data Form

Specific data for the industrial locations are discussed in the order that they appear on the data collection form.

Location #: A location number was assigned to each site inventoried. This number is simply a numerical identifier for a specific site. Location numbers were assigned so that a town is generally represented by a block of sequential numbers. Note, however, that locations taken from the earlier study have maintained their original location numbers.

SIC Code: The four-digit SIC Code for each location was taken from the Directory of New England Manufacturers. The Directory is based on the 1967 version of the Code, but listings were converted to 1972 designations in those cases where there had been a change.

Name, Address and Town: The name, street address and town of each industrial site are listed on the data forms in abbreviated fashion to conserve space. The name and address are abbreviated to 15 characters each, and the town is represented by a three-letter code, as indicated in Table 4.

TABLE 4. TOWN CODES

ACTON	ACT	BOXBOROUGH	BXB	DANVERS	DAN
ARLINGTON	ARL	BOXFORD	BXF	DEDHAM	DED
ASHLAND	ASH	BRAINTREE	BRA	DOVER	DOV
AVON	AVN	BROOKLINE	BRO	DUXBURY	DUX
BEDFORD	BDF	BURLINGTON	BUR	ESSEX	ESX
BELLINGHAM	BGH	CAMBRIDGE	CAM	EVERETT	EVE
BELMONT	BLM	CANTON	CAN	FRAMINGHAM	FRM
BERLIN	BER	CARLISLE	CAR	FRANKLIN	FRN
BEVERLY	BEV	CHELMSFORD	CHE	GLOUCESTER	GLO
BILLERICA	BIL	CHELSEA	CHL	HAMILTON	HAM
BOLTON	BOL	COHASSET	COH	HANOVER	HAN
BOSTON	BOS	CONCORD	CON	HINGHAM	HIN

TABLE 4. TOWN CODES (CONTINUED)

HOLBROOK	HLB	MARRLEHEAD	MAR	NATICK	NAT
HOLLISTON	HOL	MARLBOROUGH	MLB	NEEDHAM	NED
HOPKINTON	HOP	MARSHFIELD	MSH	NEWTON	NEW
HUDSON	HUD	MAYNARD	MAY	NORFOLK	NFK
HULL	HUL	MEDFIELD	MED	NORTHBOROUGH	NBR
IPSWICH	IPS	MEDFORD	MFD	NORTH READING	NRO
LEXINGTON	LEX	MEDWAY	MWY	NORWELL	NWL
LINCOLN	LIN	MELROSE	MEL	NORWOOD	NOR
LITTLETON	LIT	MIDDLETON	MID	PEABODY	PEA
LYNN	LYN	MILFORD	MIF	PEMBROKE	PEM
LYNNFIELD	LYF	MILLIS	MIL	QUINCY	QUI
MALDEN	MAL	MILTON	MTN	RANDOLPH	RAN
MANCHESTER	MAN	NAHANT	NAH	READING	REA

TABLE 4. TOWN CODES (CONTINUED)

REVERE	REV	STON	STW	WESTBOROUGH	WBR
ROCKLAND	RCL	SUDBURY	SUD	WESTFORD	WSF
ROCKPORT	RPT	SWAMPSCOTT	SWP	WESTON	WTN
SALEM	SAL	TENKSBURY	TEW	WESTWOOD	WWD
SAUGUS	SAU	TOPSFIELD	TOP	WEYMOUTH	WEY
SCITUATE	SCI	WAKEFIELD	WAK	WILMINGTON	WIL
SHARON	SHA	WALPOLE	WLP	WINCHESTER	WIN
SHERBORN	SRB	WALTHAM	WAL	WINTHROP	WTP
SOMERVILLE	SOM	WATERTOWN	WAT	WOBBURN	WOB
SOUTHBOROUGH	SBR	WAYLAND	WAY	WRENTHAM	WRE
STONEHAM	SHM	WELLESLEY	WEL		
STOUGHTON	STO	WENHAM	WEN		

Location: The geographical locations of the individual industrial sites were found by consulting maps in the Assessors' offices of the towns in the study area. These locations were then transferred to USGS Quadrangle Maps, which form the basis of the location coordinate system presented earlier in Figure 2. The Quadrangle Maps are included with this report under separate cover.

The units used to enter the location coordinates on the data form correspond to a grid of 200 feet. The scale of the USGS Maps is 1"=2000 feet, so each grid square equals one tenth of an inch at this scale. Thus, one unit of a location coordinate refers to 200 feet in the real world. The USGS Quadrangle Maps which cover the study area were assigned corner coordinates based on this scale, as seen in Figure 2. To find the coordinates of a point on one of the Quadrangle Maps, it is necessary only to note the coordinates of the lower left corner of the quadrangle in Figure 2 and then measure the distance from the lower left corner to the point along the horizontal and vertical directions in tenths of inches and add these to the corner coordinates. The X location refers to the distance along the horizontal axis, and the Y location indicates distance along the vertical axis.

An example might be helpful. Suppose a location is mapped ten inches from the left-hand margin of the Natick Quadrangle Map and five inches from the bottom. Reference to Figure 2 indicates that the lower left corner coordinates of that quadrangle are  $X=510$ ,  $Y=682.5$ . The coordinates of the point of interest are +100 units (10 inches) in the horizontal (X) direction and +50 units (5 inches) in the vertical (Y) direction as measured from the lower left of the quadrangle. Thus, the coordinates of the point are  $X=510 + 100 = 610$  and  $Y=682.5 + 50 = 732.5$ . On the data sheet, these are rounded to the nearest whole unit and would be entered as  $X=610$ ,  $Y=733$ .

Seasonal Production: The variation in seasonal production was taken from the individual phone contacts. Most industries showed uniform production over the year. The chief exceptions to this were the food industries (SIC Code 20). These industries, as expected, show seasonal variations of production reflecting availability of raw produce and livestock. As a group, these industries tend to show higher summer and fall production than winter and spring production.

There were also a few locations in tanneries (SIC Code 3111) and chemicals (SIC Code 28) which showed seasonal variation, but their number was so few that valid generalizations are impossible.

Number of Employees: The number of employees was taken from the Directory of New England Manufacturers and confirmed by the telephone contacts.

Water Use: Major water source, total consumption, process water discharge, major place of discharge, and treatment information were generally collected from phone contact with individual manufacturing plants. If water use figures were not available from this source, the town water departments were contacted to give figures for those industries on municipal systems. Information on water use was also available from NPDES permit applications kept on file by the Environmental Protection Agency and the Division of Water Pollution Control for those industries whose wastewater is discharged to a river or stream, and from the MDC Questionnaire responses for many industries in the MDC communities. Where none of these sources was able to provide this information, estimates of water use were made by using the industrial literature surveys, by comparison to similar sites in the area, or by applying data contained in The Economics of Clean Water, published by the U. S. Environmental Protection Agency in 1972. The Economics of Clean Water contains breakdowns of industrial process water discharge for each area of the country by four-digit SIC Code.

It should be noted that the discharge coded is process water only and does not include cooling water and sanitary water requirements. Thus, many locations that use large quantities of cooling water may show very large total consumption and very low or zero discharges.

The entries for treatment and efficiency represent estimates of the in-house treatment provided at a location. "1" refers to primary treatment, such as screening, settling and neutralization; "2" refers to secondary treatment, normally by bacterial action, and "3" refers to tertiary treatment, such as ion exchange. Estimations were marked by asterisks on the data sheets, which form a part of the backup documentation for this report.

Pollutants: For many of the industrial locations, figures for industrial wastewater pollutants were provided by the IIPDES permit files or by the companies themselves. Where this was not the case, estimates of pollutant loads were made from the industrial literature surveys or by comparison to other similar sites for which data were available. The first eight pollutants are commonly listed and were given assigned locations on the data form. Metals and other pollutants codes used to identify the metals and other pollutants are given in Table 5. For the metals, the total of all oxidation states was used, due to the paucity of information on the valence characteristics of the metals in manufacturing effluent. As before, estimated quantities are marked with an asterisk on the data sheet. Additionally, the source of data used is entered as a metal or other pollutant, as indicated by the note to Table 5. When no discharge was discovered, no data source was entered. In this case, a "-1" appears in the data source listing to indicate that it was left blank. If more than one data source was used, all were coded. Thus, "35" indicates source "3" and source "5" were used.

## 2.3 Data Retrieval and Plotting

To allow efficient use of the data files developed by the location surveys, a computer data retrieval system and a plotting routine have been developed and are in operation. This system consists of a data verification routine, a data loader, a data selection routine and a plotting routine. The system is designed to handle data from this study, but can be expanded to include contiguous areas which are being or will be studied. A full description of the data handling system is found in the User's Manual - ECOSYS - A Computer Program System (JASON M. CORTELL and ASSOCIATES, INC., March 1974).

### 2.3.1 Data Verification

The first stage in using the data retrieval system is to encode the data from location surveys onto computer cards. The card labels and card column numbers on the data form indicate the form of these cards. Five cards are necessary for each location, even if some of them contain only the identification number and sequence number (which is preprinted

TABLE 5. METALS AND "OTHERS" CODES

<u>OTHERS</u>		<u>METALS</u>
Acidity	ACD	AL Aluminum
Algicides	ALG	SB Antimony
Alkalinity	ALK	AS Arsenic
Bromide	BMD	BA Barium
Calcium Chloride	CAC	BE Beryllium
Chloride	CLD	B Boron
Color	CLR	CD Cadmium
Conductance	CON	CA Calcium
Cyanide	CND	CR Chromium
Detergents	DET	CO Cobalt
Dissolved Oxygen	DOX	CU Copper
Fluoride	FLR	AU Gold

TABLE 5. METALS AND "OTHERS" CODES (CONTINUED)

<u>OTHERS</u>		<u>METALS</u>
Hardness	HRD	Iron FE
Lime (as CaCO <sub>3</sub> )	CAO	Lead PB
Bacteria-Coliform	COL	Magnesium MG
Nitrogen-Ammonia	NH3	Manganese MN
-Nitrate	NO3	Mercury HG
-Nitrite	NO2	Molybdenum MO
Phenols	PNL	Nickel NI
Silica	SIL	Potassium K
Sodium Chloride	SCL	Selenium SE
Solids-Suspended	SPS	Silver AG
-Dissolved	DSS	Sodium NA
-Volatile	VLS	Thallium TL

TABLE 5. METALS AND "OTHERS" CODES (CONTINUED)

<u>OTHERS</u>		<u>METALS</u>	
Sulfate	S04	Tin	SN
Sulfide	SFD	Titanium	TI
Sulfite	S03	Zinc	ZN
Surfactants	SRF		
Total Organic Carbon	TOC		
Pesticides	PST		
Chlorinated Hydrocarbons	CHH		
Polychlorinated Biphenyls	PCB		

Note: One special code "XXX" may be entered as either a Metal or Other. This code is used to flag the source of pollutant data by entering a number in the pounds per day column after the XXX designation.  
Designations used in this study were: 1) NPDES Permit Applications, 2) MDC Questionnaire Responses, 3) Comparison to Similar Sites, 4) Literature, and 5) Phone Contact.

on the data sheets). This transfer of information from data sheet to computer card will seldom be without error. For this reason, the first portion of the data retrieval system is a data verifier which checks the coded data for a number of common errors.

Number and Sequence of Cards: Each location number must be represented by five cards in numerical order.

Shifted Data Entry: Blanks have been left in the data format between each data field. This allows a check for shifted data by checking those blanks. Another check is available because all numeric entries are right-justified. Any deviation from this is considered an error by the verifier.

Format: Those columns which contain only numeric data are checked for the presence of alphabetic characters.

Improper Codes: Metals and other pollutants are entered by the code designations shown in Table 5. Any other letters or symbols in those fields are rejected. This is also true for the codes given on the data sheet for water source and place of discharge.

When any of these errors are encountered in a check, a message is printed indicating the total number of errors in the deck and the location and type of each error. This allows the data deck to be corrected before final loading.

### 2.3.2 Data Loading

The data loader takes data which has been verified and corrected and loads it into a computer tape or disk file for storage and later manipulation. The only processing done by the loader is that it distinguishes between zeroes and blanks. Thus, any field showing blanks is loaded as a "-1", and any field showing a zero is given a value of "0" (zero). This allows a distinction to be made between fields for which information is not entered and fields which are known to be zero.

### 2.3.3 Data Selection

When the data has been loaded into a file, a number of selections may be made on the data and listed separately. This allows the selection of that portion of the data file which is of interest. A selection may be made on any one parameter, on several parameters, or on a function of one or more parameters. The only fields which may not be selected on are "Location Number," "Name, Address," and "Location." This was done to preserve anonymity of data on individual locations.

Selection criteria which are available are "greater than," "less than," and "equal to." These may be grouped using logical statements to select ranges (i.e., BOD between 10 and 100 lb. per day) and other groupings of the data. The logical statements which are available are "and," "or" and a negation. The results of any selection made are printed out, followed by a summary of the records selected. This summary includes the number of records read, the number of records selected, the maximum and minimum location coordinates of the records selected and a breakdown of the numerical fields in the records, including the number of observations, the total, and the average. Examples of several selections are given in Section 3, and a full description of the selection routine is given in the User's Manual which accompanies this report.

### 2.3.4 Plotting

When a selection has been made, the selected records can be mapped by the computer. The plotting routine has been designed to use a line printer, so that the plots of the location of the selected points may be obtained simultaneously with the listings. Plots may be had at a scale of 1"=12,500' or 1"=2,000'. The plot routine attempts to place the data at its actual location. If, however, it cannot fit all the points required into an area, it will shift them horizontally as far as 2.5 inches in an attempt to plot them. True plotted points are shown as "XX" and shifted points as "\*\*." If a point cannot be plotted within 2.5 inches of its location, it is not plotted. Such points are listed as "lost due to collision" as part of the plot routine output.

### 3.0 PRESENTATION AND DISCUSSION OF DATA

When the data for the large industrial locations in the Eastern Massachusetts Metropolitan Area had been compiled, the completed data forms were keypunched and computerized. The data retrieval and plotting system was then used to sort the data into various forms for presentation and discussion.

#### 3.1 The Large Industries



Appendix A contains the listing of the 253 large industrial locations in the study area which met the selection criteria in Table 3. The locations of the individual sites are indicated on Figure 4. The tabulation and plotting reveal several significant points about industrial wastewater in the Eastern Massachusetts Metropolitan Area.

First, process water discharges total in excess of 34,000,000 gallons per day from the 253 large sites. Contamination levels are also quite high. This waste stream contains over 74,000 pounds of Biochemical Oxygen Demand and 119,000 pounds of Chemical Oxygen Demand. In addition, many other pollutants are present in the waste stream in large amounts.

Second, the industrial locations tend to concentrate in groups. This is particularly true of the areas around Boston. These dense groupings are of particular interest in planning waste disposal systems.



Finally, an examination of the listings in Appendix A will indicate that a few locations discharge a great deal of process water, while many locations discharge little or no process water. This is true even though only industrial sites with large numbers of employees are included in this survey. These conditions were investigated by selecting from the data file on the size of discharge.

Appendix B and Figure 5 show those industries, regardless of SIC category, discharging greater than 50,000 gallons per day. Although there are only 95 such locations, they discharge about 99% of the total daily process wastewater load of the



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

**Figure 4  
ALL INDUSTRIES**



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

**Figure 5**

**INDUSTRIES DISCHARGING 50,000  
OR MORE GALLONS PER DAY**

surveyed industries. The sites are scattered throughout the area, but concentrations of them occur in Boston and the Peabody-Salem area.

These large dischargers are particularly interesting since they may be more easily controlled than the more numerous small dischargers.

Another point of interest is the SIC classifications of these discharges. Although many codes are represented in the list, Code 20 (Foods), with 29 sites discharging greater than 50,000 gallons per day, Code 31 (Tanning), with 17 sites in this list, and Codes 28, 29, and 30 (Chemicals, Petroleum, and Rubber) with 13 representatives account for the major portion of the larger dischargers (59 sites out of 95 total).

Appendix C and Figure 6 indicate those industrial locations which discharge no process wastewater. There are 124 such locations in the study area. These zero dischargers are not confined to any well-defined group of SIC Codes.



### 3.2

#### Additional Listings

To provide a further breakdown of the surveyed industrial categories, six additional selections were made and plotted. These additional breakdowns are used in Section 4 to allow predictions of future waste loads.

Appendix D and Figure 7 show all of the food industries (SIC Code 20) in the study area. There are 37 such locations concentrated in Boston and north. Their total daily discharge is 7,884,000 gallons (23% of the total for all industries surveyed). As would be expected from the organic nature of their products, they are high producers of BOD load, discharging 46,000 pounds per day (62% of the total BOD discharge by the surveyed industries).


Appendix E and Figure 8 present the 20 representatives of the textile industry (SIC Code 22). These locations, concentrated in Boston, Waltham, Watertown, Stoughton, and Avon, discharge a total of 2,100,000 gallons of process wastewater per day, accounting for 6% of total discharge from the surveyed industries.



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

**Figure 6**

**INDUSTRIES DISCHARGING  
0 GALLONS PER DAY**



SCALE IN FEET  
0 12,500 25,000 37,500 50,000




Jason M. Cortell  
and Associates  
Wellesley Hills, Mass.



## A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA

Figure 7

### FOOD INDUSTRIES



**Figure 8**


## TEXTILE INDUSTRIES

Appendix F and Figure 9 show the 22 paper industry (SIC Code 26) locations. Collectively, these locations discharge 5,170,000 gallons of process wastes per day (15% of the total), with one site (location #352) discharging over four million gallons per day.

Appendix G and Figure 10 list and map the chemical and allied products producers (SIC Codes 28, 29, and 30) in the study area. These 23 plants discharge 10,090,000 gallons of process water per day. This represents 29% of the total industrial discharge and indicates that this group is the largest single source of industrial process wastewater in the group of large industrial sites covered by this study.

Finally, Appendix H and Figure 11 show the metals and metal products industry (SIC Codes 33, 34, 35, and 37) in the area. This group, with 47 representatives, discharges 1,900,000 gallons of wastewater per day, 6% of the total process water discharge from the surveyed sites.

Together, these five groups discharge 27,150,000 gallons of industrial process wastewater per day. This is roughly 80% of the total discharge from the surveyed industries and confirms the results of other studies, (Merrimack: Designs for a Clean River), which indicate that these industries are normally the heaviest users and dischargers of water among the various industries. The one unusual fact which is apparent from this breakdown is the small contributions of the metal and textile industries, which are often among the heaviest producers of wastewater. The explanation for this lies in the form these two industries have taken in Eastern Massachusetts. The area's metal industries, far removed from major coal and ore sources, engage in little smelting. Rather, the metal producers purchase raw stock elsewhere and are primarily involved in producing various objects from this purchased stock, using water mostly for cooling only. The textile industry in the area is dominated by garment manufacture and the weaving of broad goods from pre-dyed yarns, neither of which requires large use of water.



SCALE IN FEET  
0 12,500 25,000 50,000


Jason M. Cortell  
and Associates  
Wellesley Hills, Mass.



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

Figure 9

## **PAPER INDUSTRIES**





SCALE IN FEET  
0 12,500 25,000 37,500 50,000

Jason M. Correll  
and Associates  
Wellesley Hills, Mass.



## A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA

Figure 10  
CHEMICAL INDUSTRIES



# **A STUDY OF INDUSTRIAL WASTES EASTERN MASSACHUSETTS METROPOLITAN AREA**

**Figure II**  
**METALS INDUSTRIES**

In estimating the future industrial wastewater loads within the study area, several assumptions were made. This was necessitated by the fact that quantitative projections have normally been undertaken for industrial water consumption rather than wastewater discharge.

It was assumed, therefore, that discharge is directly related to consumption and is, in fact, a constant percentage of consumption. This implies that, as industrial processes become more efficient in their use of water, both intake and discharge will decrease by similar amounts.

The basis for this assumption is that recycling can be expected to shift both process water consumption and discharge downward as follows. Suppose a plant uses water once through and has a five percent evaporative loss in its process. One hundred gallons of intake would entail ninety-five gallons of discharge. Now let us suppose that the water is recycled for a second pass. An original 100 gallons would be reduced to 95 gallons on the first pass and to 90.25 gallons on the second pass. Thus, the assumption that, with recycling, consumption and discharge will decrease by similar amounts is somewhat conservative in that evaporative losses will slightly reduce the ratio of discharge to consumption.

It was further assumed that the concentrations of the various pollutants in a wastewater stream will remain constant with time. This implies that a reduction or increase in total effluent volume will cause a like decrease or increase in the total amount of pollutants. This assumption is based on the observation that a more efficient use of water is likely to increase the ease of recovery of waste products and to make some in-house treatment less difficult and expensive by reducing the total volume of flow.

Both of these assumptions are slightly conservative and will tend to overestimate future waste loads, rather than underestimate them. It is likely that, with process improvements, more efficient use of water will slightly reduce the ratio of discharge to consumption. Additionally, the controls on industrial wastes which are likely to be instituted as a result of the Federal Water Pollution Control

Act Amendments of 1972 (Public Law 92-500) will most probably cause reductions in pollutant concentrations in industrial wastewaters. While the Act's goal of "Zero Discharge" by 1985 might not be realized, it does suggest that industrial wastes may be far better controlled in the future than currently.

Thus, the projections made herein for the industrial groups covered in this study are designed to serve as a reasonable upper bound for planning purposes. How nearly these upper bounds are reached depends on the level of enforcement of Public Law 92-500 and on future Federal and State legislation designed to control industrial wastes.

#### 4.1 Projection Technique

Using the above assumptions, the technique chosen to predict future industrial wastewater discharges was to develop a projection factor by which existing wastewater volumes could be multiplied to estimate future volumes.

The methodology for the estimation of such a factor was developed by the NEWS Group of the U. S. Army Corps of Engineers and was presented by Robert H. Stewart and Ivan Metzger in a paper entitled "Industrial Water Forecasts" at the 1970 Conference of the American Water Works Association.

The projection factor, called "F", is defined as

$$F = \frac{E \times O}{R \times T}$$

where:

E = Employment factor  
O = Output factor  
R = Recirculation factor  
T = Technology factor

The four independent factors are designed to account for the major variables governing changes in industrial water use.

The Employment Factor is defined as the ratio of future employment to current employment. Thus, as employment rises, production is assumed to rise which causes an increase in water use and discharge.

The Output Factor is the ratio of future product output per employee to current output per employee and causes the estimate of discharge to rise as employees produce more goods.

The Recirculation Factor is designed to take into account future economies of water use. It is defined as the future recirculation of water divided by the current recirculation of water. Thus, if an industry increased its recirculation, the estimated discharge will be reduced.

The Technology Factor is defined as the present water use per unit product divided by the future water use per unit product. Thus, if an industry produces a unit of product with less water, the value of "T" increases and the value of "F" decreases.

The combination of these four factors into one projection factor allows for an estimate of the net effects of growth or decline of an industry (measured by "E"), changes in employee efficiency (measured by "O") and changes in processes (measured by "R" and "T").

#### 4.2

#### The Economic Factors (E x O)

A simple determination of the Employment and Output Factors can be made by noting a relationship between them.

$$E = \frac{\text{future employment}}{\text{current employment}}$$

$$O = \frac{\text{future output per employee}}{\text{current output per employee}}$$

This implies that:

$$E \times O = \frac{\text{future total output}}{\text{current total output}}$$

The most common measure of industrial output is constant dollar production. This allows a direct determination of  $E \times O$  from economic projections of future constant dollar production. These projections are available from the 1972 Obers Projections-Regional Economic Activity, in the U.S. published by the U. S. Water Resources Council. The figures used are those presented for the Massachusetts Coastal Zone, which is the Obers study area most nearly approximating the Eastern Massachusetts Metropolitan Area.

Table 6 presents the  $E \times O$  factors taken from the Obers Projections for the major industrial groups. It should be noted that the values for 2050 were linearly extrapolated from the values for 2000, 2010 and 2020 given by Obers. These factors indicate that production growth is expected in all groups, but that Paper, Chemicals and other Manufacturing will be the major areas of growth.

#### 4.3 The Process Factors ( $R \times T$ )

The Recirculation and Technology factors are, at best, only knowledgeable estimates of future conditions. These factors have been estimated for other studies. The state of the art is not such that the locational sensitivity of these factors can be accurately assessed. Therefore, the "R" and "T" values used for this projection were derived from those presented by Stewart and Metzger and from the values used in Alternative Regional Water Supply Plans for Northern New Jersey, New York City, Western Connecticut Metropolitan Area, November, 1971, prepared for the New England Water Supply Study (Corps of Engineers) by Metcalf and Eddy. In both of these studies, the "R" and "T" factors have been assumed to grow linearly with time. Thus, they were extrapolated on a straight line to yield values for 2050. The "R" and "T" factors are presented in Table 7.

An examination of these factors indicates that both recirculation of water and technological economy of water will both increase in the future. This is especially noticeable in the chemical industries. These increasing economies will tend to offset the growth in discharge which would be predicted by the economic factors alone.

TABLE 6. E x O FACTORS FOR WASTEWATER PREDICTIONS

E x O

<u>Group</u>	<u>1973</u>	<u>1990</u>	<u>2020</u>	<u>2050</u>
Food (SIC 20)	1.0	1.59	3.46	5.52
Textile (SIC 22)	1.0	1.17	1.70	2.29
Paper (SIC 26)	1.0	1.75	5.08	8.91
Chemical (SIC 28)	1.0	2.04	7.18	13.20
Primary Metals (SIC 33)	1.0	1.40	2.44	3.55
Others	1.0	1.73	4.96	8.67

TABLE 7. "R" AND "T" FACTORS FOR WASTEWATER PREDICTIONS

Group	<u>1973</u>		<u>1990</u>		<u>2020</u>		<u>2050</u>	
	R	T	R	T	R	T	R	T
Food (SIC 20)	1.0	1.0	1.3	1.1	1.9	1.3	2.5	1.5
Textile (SIC 22)	1.0	1.0	1.4	1.1	2.1	1.3	2.8	1.5
Paper (SIC 26)	1.0	1.0	1.4	1.1	2.1	1.4	2.8	1.7
Chemical (SIC 28)	1.0	1.0	1.9	1.3	3.5	1.7	5.1	2.1
Primary Metals (SIC 33)	1.0	1.0	1.4	1.1	2.1	1.3	2.8	1.5
Others	1.0	1.0	1.4	1.1	2.0	1.4	2.6	1.7

Combining the economic and process factors given in the preceding sections gives the weighting factors for predicting future waste load. These factors are given in Table 8. These figures indicate that a combination of relatively slow growth and moderate technological improvements can be expected to reduce overall discharges for the textile industry and for the primary metals industry. In all others, production growth will outstrip technology improvements, and a net increase in discharge is expected.

The implications of this for the total process wastewater load in the study area may be investigated by using the industrial breakdowns presented in Section 3.2. Table 9 shows the computation of future waste loads from these breakdowns.

An examination of these predictions indicates that, for the industries surveyed, some overall growth in industrial wastewater discharge is to be expected in the study area. In fact, process wastewater loads for the surveyed industries are expected to remain essentially constant through 1990 and then to increase by 39% by 2020 and 48% by 2050.

Since the derivations of the growth factors made conservative assumptions regarding future legal action in the area of industrial waste control, some confidence may be had in these estimates. Thus, it appears that the industrial wastewater load from the surveyed industrial groups in the study area may remain fairly constant during the next two decades and then rise to 50 million gallons by 2050.

TABLE 8. "F" FACTORS FOR WASTEWATER PREDICTIONS

$$F = \frac{E \times O}{R \times T}$$

<u>Group</u>	<u>1973</u>	<u>1990</u>	<u>2020</u>	<u>2050</u>
Food (SIC 20)	1.0	1.1	1.4	1.5
Textile (SIC 22)	1.0	0.8	0.6	0.5
Paper (SIC 26)	1.0	1.1	1.7	1.9
Chemical (SIC 28)	1.0	0.8	1.2	1.2
Primary Metals (SIC 33)	1.0	0.9	0.9	0.8
Others	1.0	1.1	1.8	2.0

TABLE 9. FUTURE WASTEWATER LOADS

Group	<u>1973</u> D	<u>1990</u> F D	<u>2020</u> F D	<u>2050</u> F D
Food (SIC 20)	7,880	1.1 8,670	1.4 11,030	1.5 11,820
Textile (SIC 22)	2,100	0.8 1,680	0.6 1,260	0.5 1,050
Paper (SIC 26)	5,170	1.1 5,690	1.7 8,780	1.9 9,820
Chemical and Allied Industries (SIC 28,29 & 30)	10,090	0.8 8,070	1.2 12,110	1.2 12,110
Metals and Metal Products (SIC 33,34,35 & 37)	1,900	0.9 1,710	0.9 1,710	0.8 1,520
Others	<u>7,070</u>	1.1 <u>7,780</u>	1.8 <u>12,730</u>	2.0 <u>14,140</u>
Total	34,200	33,600	47,620	50,460

Notes: D = Discharge in Thousands of Gallons Per Day  
 $D_x = F_x \times D_{1973}$

All Figures Rounded to 3 Digits

**APPENDIX A**  
**ALL SURVEYED INDUSTRIES**

PAGE NUMBER 1 OF LISTING ALL INDUSTRIES

LOCATION# 8. SIC CODE 2819. NAME: NYACOL INC ADDRESS: MEGUN RD TOWN: ASH X-LOC 375. Y-LOC 703.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 44. DATA SOURCE CODE 5. EFFICIENCY 50.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .17E+04 SOL .83E+04 PH 7.5  
METALS: CR 2.1 CU 3.3 HG .10 NI 1.7  
OTHERS: CLD .85E+04 PNL .10 SO4 .51E+04 CAC .75E+03

LOCATION# 14. SIC CODE 2026. NAME: MARTINES BROS ADDRESS: 186 GREAT RD TOWN: BDF X-LOC 648. Y-LOC 1119.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 99. DATA SOURCE CODE 4. EFFICIENCY 0.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 196.7 DISCH(KGD) 55.30 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .87E+03 SOL .21E+04 NIT 34. PHO 27.  
METALS: CA 52. HG 11. NA .37E+03  
OTHERS: MH3 2.0 SPS .26E+03 4.0

LOCATION# 23. SIC CODE 2231. NAME: MILLERICA CO ADDRESS: FAULKNER STREET TOWN: BIL X-LOC 633. Y-LOC 1306.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200. DATA SOURCE CODE 1. EFFICIENCY 0.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 290.0 DISCH(KGD) 280.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .35E+03 COD .16E+04 SOL .26E+04 NIT 9.0 PHO .52E+03 GRE .18E+03  
METALS: CA .12E+03 CR 3.6 NA .22E+04  
OTHERS: CLD .16E+03 MH3 1.9 NO3 .94 PNL .36 SO4 .74E+03 SFD 4.5

LOCATION# 26. SIC CODE 3339. NAME: DYNARET TECH ADDRESS: 8 A ST TOWN: BUR X-LOC 714. Y-LOC 1133.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 3. DATA SOURCE CODE 5. EFFICIENCY 0.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 60.00 DISCH(KGD) 60.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .00 COD .00 SOL .00 NIT .00 PHO .00 GRE .00 PH .00  
OTHERS: 5.0

LOCATION# 32. SIC CODE 2297. NAME: SOUTHWELL COMOG ADDRESS: 51 MIDDLESEX ST TOWN: CHE X-LOC 501. Y-LOC 1384.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE 1. EFFICIENCY 40.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) 77.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 40.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .17E+04 MH3 32. NO3 1.2 NO2 .40E+01 PHL .16 SO4 .15E+03 SFD .10 SRF .16E+04  
OTHERS: CLD .17E+04 MH3 32. NO3 1.2 NO2 .40E+01 PHL .16

LOCATION# 52. SIC CODE 2283. NAME: M.J. WHITTAL ASD ADDRESS: TOWN: FRM X-LOC 473. Y-LOC 818.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE 4. EFFICIENCY 0.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 280.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .15E+04 COD 79. SOL .42E+01 NIT 21. PHO .59E+01 GRE 22.  
OTHERS: 4.0

LOCATION# 70. SIC CODE 2033. NAME: N ENG APPLE PRO ADDRESS: HARVARD RD TOWN: LIT X-LOC 319. Y-LOC 1208.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 80. DATA SOURCE CODE 3. EFFICIENCY 0.0 TWP 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRTMT 2. EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD 17. COD 42. SOL .14E+03 PH 7.3

UTHERPSI CLD 26. NUJ .42E+02 RD2 .41E+02

LOCATION# 92. SIC CODE 2092. NAME: COMMODE FOODS ADDRESS: 12 BROOKSIDE RD TOWN: HSP X-LOC 480. Y-LOC 1335.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 104. DATA SOURCE CODE 3.  
 WATER USE: SMC: MUN CONSUMP(KGD) 113.0 DISCH(KGD) 100.0 PLC OF DISCH: SUR TRTNMT 1. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .13E+03 COD .25E+03 SOL .33E+03 NIT 1.3 PHO .43 GRE 11.  
 OTHERS: NH3 .75E+01 NO3 1.2

LOCATION# 130. SIC CODE 2871. NAME: CORENCO CORP ADDRESS: 525 WOBURN TOWN: TEW X-LOC 630. Y-LOC 1337.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 180. DATA SOURCE CODE 1.  
 WATER USE: SMC: SUR CONSUMP(KGD) 1300. DISCH(KGD) 1300. PLC OF DISCH: SUR TRTNMT 2. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 COD .23E+04 SOL .48E+04 NIT .53E+03 PHO 1.6 GRE .30E+03  
 METALS: AL .11E+03 CA 70. FE 26. MG 96. K .74E+03 NA .79E+03  
 OTHERS: CLD .82E+03 FUR 42. NH3 .25E+03 NO3 11. SO4 .72E+03 SPD .00 SO3 .13E+03

LOCATION# 137. SIC CODE 3292. NAME: JOHNS-MARVILLE ADDRESS: TOWN: BIL X-LOC 681. Y-LOC 1294.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 95. DATA SOURCE CODE 5.  
 WATER USE: SMC: SUR CONSUMP(KGD) 70.00 DISCH(KGD) 55.00 PLC OF DISCH: SUB TRTNMT 1. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: CAD .00 S.O

LOCATION# 147. SIC CODE 2297. NAME: GILET WOOL SCOU ADDRESS: PRINCETON ST TOWN: CHE X-LOC 490. Y-LOC 1389.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 52. DATA SOURCE CODE 1.  
 WATER USE: SMC: SUR CONSUMP(KGD) 112.0 DISCH(KGD) 110.0 PLC OF DISCH: SUR TRTNMT 1. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .28E+03 COD .12E+04 SOL .81E+03 NIT 31. PHO .85 GRE .23E+03 PH 6.0  
 METALS: CA 45. CR 50. K 1.3 NA 63.  
 OTHERS: CLD .48E+03 NO2 20. PNL 13. SO4 24. SPD .30 SRF 65.

LOCATION# 172. SIC CODE 2013. NAME: BOSTON SAUSAGE ADDRESS: CONSTITUTION WH TOWN: BSD X-LOC 980. Y-LOC 891.  
 SEASONAL PRODUCTION SPR 28.8 SUM 16.8 FLL 28.8 WIN 20.8 EMPLOYEES 163. DATA SOURCE CODE 4.  
 WATER USE: SMC: MUN CONSUMP(KGD) 313.0 DISCH(KGD) 234.0 PLC OF DISCH: PUB TRTNMT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .16E+04 COD .00  
 OTHERS: 4.0

LOCATION# 177. SIC CODE 2031. NAME: RITE FOODS INC ADDRESS: 145 NORTHERN TOWN: BSD X-LOC 983. Y-LOC 870.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 9. DATA SOURCE CODE 4.  
 WATER USE: SMC: MUN CONSUMP(KGD) 995.0 DISCH(KGD) 870.0 PLC OF DISCH: PUB TRTNMT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 SOL .14E+04 GRE .36E+03  
 OTHERS: 4.0

LOCATION# 183. SIC CODE 2092. NAME: BOS BONNIE FISH ADDRESS: TRILLING WAY TOWN: BSD X-LOC 988. Y-LOC 860.  
 SEASONAL PRODUCTION SPR 34.8 SUM 22.8 FLL 22.8 WIN 22.8 EMPLOYEES 100. DATA SOURCE CODE 3.  
 WATER USE: SMC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 96.00 PLC OF DISCH: PUB TRTNMT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .62E+03 SOL .37E+04 GRE 4.0  
 OTHERS: 3.0

LOCATION# 227. SIC CODE 2013. NAME: COLUMBIA PACANG ADDRESS: 155 SOUTHAMPTON TOWN: BSD X-LOC 928. Y-LOC 830.

SEASONAL PRODUCTION SPR 22.0 SUM 34.0 FLL 22.0 WTN 22.0 EMPLOYEES 300. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 210.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .12E+04 SOL .90E+03 NIT .20E+03 PH 7.3  
OTHERS: 4.0  
LOCATION: 234. SIC CODE 2013. NAME: N ENG PROVISION ADDRESS: 960 MASS AVE TOWN: BOD X-LOC 926. Y-LOC 927.  
SEASONAL PRODUCTION SPR 20.0 SUM 40.0 FLL 20.0 WTN 20.0 EMPLOYEES 430. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 250.0 DISCH(KGD) 215.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .14E+04 SOL .10E+04 NIT .24E+03 PH 7.3  
OTHERS: 4.0  
LOCATION: 268. SIC CODE 2013. NAME: COLONIAL PROVIS ADDRESS: 1100 MASS AVE TOWN: BOD X-LOC 931. Y-LOC 918.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 600. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 460.0 DISCH(KGD)-1.000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
OTHERS: 4.0  
LOCATION: 282. SIC CODE 2015. NAME: BROADWAY POULTR ADDRESS: 412 DORCHESTER TOWN: BOD X-LOC 942. Y-LOC 938.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 149. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .80E+03  
OTHERS: 4.0  
LOCATION: 297. SIC CODE 275. NAME: US GYPSUM CO ADDRESS: 200 TERMINAL TOWN: BOD X-LOC 969. Y-LOC 953.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 101. DATA SOURCE CODE 1. T-LOC 0.  
WATER USE: SRC: SUR CONSUMP(KGD) 2650. DISCH(KGD) 2570. PLC OF DISCH: SUR TRTMT 0. EFFICIENCY 0.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .14E+03 COD .20E+05 NIT 4.2 PHO 2.9 GRE .10E+05 PH 6.5  
METALS: CA .10E+06 CR 16. .90E+03 MG .10E+06 HG .40E+03 K .10E+06 SE .92E+03  
OTHERS: PHL 30. .12E+05 SO4 .40E+03 SO3 .40E+03  
LOCATION: 305. SIC CODE 2062. NAME: AMERICAN SUGAR ADDRESS: 425 MEDFORD ST TOWN: BOD X-LOC 931. Y-LOC 924.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 350. DATA SOURCE CODE 1. T-LOC 0.  
WATER USE: SRC: SUR CONSUMP(KGD) .10E+05 DISCH(KGD) 805.0 PLC OF DISCH: SUR TRTMT 1. EFFICIENCY 50.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .62 COD .48 SOL 1.4 NIT .23 PHO 1.0 PH 5.8  
OTHERS: 1.0  
LOCATION: 310. SIC CODE 2021. NAME: HOOD & SONS ADDRESS: 500 RUTHERFORD TOWN: BOD X-LOC 931. Y-LOC 920.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 5376. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 1400. DISCH(KGD) 1400. PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 T-LOC 0.  
POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .20E+05 SOL .52E+05 NIT .80E+03 PHO .70E+03  
METALS: CA .11E+04 HG .20E+03 K .11E+04 NA .93E+04  
OTHERS: NH3 70. 4.0  
LOCATION: 311. SIC CODE 2024. NAME: HOOD & SONS ADDRESS: 56 ROLAND ST TOWN: BOD X-LOC 911. Y-LOC 922.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WTN 25.0 EMPLOYEES 249. DATA SOURCE CODE 4. T-LOC 0.  
WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 T-LOC 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .13E+04 SOL .26E+04 NIT 40. PHO 35.  
 METALS: CA 60. HG 10. K 60. NA .50E+03  
 OTHERS: NH3 3.0 4.0

LOCATION# 319. SIC CODE 2062. NAME: REVERE SUGAR RE ADDRESS: 333 MEDFORD ST TOWN: BOD X-LOC 934. Y-LOC 933.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 489. DATA SOURCE CODE 1.  
 WATER USE: SRC: SUR CONSUMP(KGD) .1492E+03 DISCH(KGD) 299.5 PLC OF DISCH: SUR TRTMT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 46. COD .57E+03 SOL .78E+05 NIT .63 PHO .36 PH 8.0  
 METALS: CA .91E+03 FE .25 HG .28E+04 K .89E+03 NA .24E+05 ZN .38E+01  
 OTHERS: CLD 3.2 NO3 .36 SO4 .59E+04 SO3 .70

LOCATION# 325. SIC CODE 3111. NAME: DT HONEY LEATHR ADDRESS: 89 BICKFORD TOWN: BOD X-LOC 881. Y-LOC 818.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 35. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .58E+03 COD .00  
 METALS: CR 23.  
 OTHERS: SCL .17E+04 SFD 58. 4.0

LOCATION# 344. SIC CODE 2013. NAME: MORRISON & SCHF ADDRESS: 35 HIGHBORN ST TOWN: BOD X-LOC 994. Y-LOC 874.  
 SEASONAL PRODUCTION SPR 20.8 SUM 30.8 FLL 20.8 WIN 30.8 EMPLOYEES 65. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 64.50 DISCH(KGD) 51.60 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .34E+03 SOL .24E+03 NIT 58. PH 7.3  
 OTHERS: 4.0

LOCATION# 352. SIC CODE 2621. NAME: TILSTON HOLLIN ADDRESS: 892 RIVER ST TOWN: BOD X-LOC 882. Y-LOC 709.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 260. DATA SOURCE CODE 1.  
 WATER USE: SRC: SUR CONSUMP(KGD) 4470. DISCH(KGD) 4380. PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .17E+04 COD .38E+04 SOL .15E+05 NIT .18E+03 PHO 88. PH 6.8  
 OTHERS: MH3 77. NO3 4.9 1.0

LOCATION# 354. SIC CODE 2651. NAME: PERKIT FOLD BOX ADDRESS: 36 POYDRAS ST TOWN: BSN X-LOC 884. Y-LOC 704.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 55. DATA SOURCE CODE 2.  
 WATER USE: SRC: SUR CONSUMP(KGD) 250.0 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL .63E+03  
 METALS: NA 5.0  
 OTHERS: CLR 10. 2.0

LOCATION# 361. SIC CODE 2261. NAME: DANIELS NATHAN ADDRESS: 286 CONGRESS ST TOWN: BOD X-LOC 948. Y-LOC 888.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 40. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) 55.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .21E+03 COD .56E+03 SOL .22E+04 PH 12.  
 METALS: CA 4.0 NA .67E+03  
 OTHERS: ALK .11E+04 SPS 55. SO4 .32E+03

LOCATION# 369. SIC CODE 2092. NAME: O'DONNELL USEN ADDRESS: 157 MAIN ST TOWN: CLO X-LOC 1479. Y-LOC 1456.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 500. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 72.40 DISCH(KGD) 72.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD .47E+03 NIT .00  
 OTHERS 3.0

LOCATION# 382, SIC CODE 3069, NAME: ARMSTRONG CORK ADDRESS: OFF HANCOCK ST TOWN: BRA X-LOC 1021, Y-LOC 889,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 770, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 4700, DISCH(KGD) 1775, PLC OF DISCH: SUR TRTNMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD 53, COD .65E+03 SOL .27E+04 NIT 13, PHO 12, GRE .14E+03 PH 6.4  
 METALS: CA .60 CR 3.7 NA 2.7  
 OTHERS: CLD .72E+03 NO3 2.1 PNL .78E+01 SO4 73, SO3 .18E+01

LOCATION# 418, SIC CODE 3069, NAME: GENERAL LATEX ADDRESS: 666 MAIN ST TOWN: CAM X-LOC 891, Y-LOC 886,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 107, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD .56E+03 COD .35E+05 SOL .12E+05 NIT .16E+03 PHO .60 PH 4.5  
 OTHERS: CLD .38E+03 NO3 13, PNL .19E+04 SO4 .13E+04 SFD 1.4

LOCATION# 422, SIC CODE 2812, NAME: GRACE W R CHEM ADDRESS: 62 WHITTIER TOWN: CAM X-LOC 930, Y-LOC 953,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 1300, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 144.0 DISCH(KGD) 108.0 PLC OF DISCH: SUR TRTNMT 1, EFFICNCY 75.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD .14E+03 COD .76E+04 SOL .30E+04 NIT 12, PHO .67 PH 7.5  
 METALS: AL 2.5 AS .12 CD .24E-01 CA 14, FE 26, PB .24 NA .22E+03 TI .24E-01 ZN .48E-01  
 OTHERS: CLD 9.6 PNL .72E-02 SO4 4.8 SFD .77

LOCATION# 430, SIC CODE 2071, NAME: NABISCO CONFECT ADDRESS: 810 MAIN ST TOWN: CAM X-LOC 887, Y-LOC 888,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 1000, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 108.8 DISCH(KGD) 81.99 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD 27,  
 OTHERS 4.0

LOCATION# 437, SIC CODE 3471, NAME: CAM THERMIONIC ADDRESS: 445 CONCORD AVE TOWN: CAM X-LOC 817, Y-LOC 937,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 300, DATA SOURCE CODE 5,  
 WATER USE: SRC: MUN CONSUMP(KGD) 75.00 DISCH(KGD) 75.00 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI SOL 30, PH 4.0  
 METALS: CD .54 CU .43 PB .30 NI 2.3 AG .20 NA 3.8 SN 1.2 ZN .98  
 OTHERS: CLD 7.2 CND 2.8 DET 10, SO4 2.8

LOCATION# 452, SIC CODE 2026, NAME: CUMBERLAND FARM ADDRESS: 777 DEDHAM ST TOWN: CAM X-LOC 813, Y-LOC 878,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 499, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERALI BOD .26E+04 SOL .52E+04 NIT 80, PHO 70,  
 METALS: CA .10E+03 HG 20, K 10, NA 90,  
 OTHERS: NH3 10, 4.0

LOCATION# 454, SIC CODE 2211, NAME: DRAPER BROTHERS ADDRESS: 28 DRAPER LANE TOWN: CAM X-LOC 828, Y-LOC 841,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 350, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 350.0 DISCH(KGD) 350.0 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .19E+04 COD .38E+04 SOL .15E+05  
 METALS: CA 28. NA .45E+04  
 OTHERS: ALK .75E+04 SP5 .38E+03 SO4 .20E+04

LOCATION: 510. SIC CODE 4911. NAME: BOS ED HYSTIC S ADDRESS: TOWN: EVE X-LOC 929. Y-LOC 937.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 200. DATA SOURCE CODE 1.  
 WATER USE: SRC: SUR CONSUMP(KGD)-1.000 DISCH(KGD) 146.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 19. COD 76. SOL .92E+03 NIT 9.0 PHO 11. PH 9.4  
 METALS: NA .25E+03 ZN .10E+03  
 OTHERS: CLD .20E+03 PHL 33. SO4 .35E+03

LOCATION: 519. SIC CODE 2819. NAME: MONSANTO CO ADDRESS: 1 CHEMICAL LANE TOWN: EVE X-LOC 926. Y-LOC 948.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 400. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD)-1.000 DISCH(KGD) 760.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

OTHERS: CLD .22E+05 NH3 .32E+04 SIL .32E+03 SO4 .11E+05  
 LOCATION: 526. SIC CODE 4291. NAME: GAF CORP IND PR ADDRESS: HAYWARD ST TOWN: FRN X-LOC 461. Y-LOC 379.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 125. DATA SOURCE CODE 1.  
 WATER USE: SRC: OWN CONSUMP(KGD) 450.0 DISCH(KGD) 230.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .21E+03 COD .35E+03 SOL .35E+04 NIT .11E+03 PHO 4.7 GRE 5.1 PH 9.0  
 METALS: CR 9.3 ZN .14E+03  
 OTHERS: CLD .66E+03 NO3 3.9 NO2 .00 PHL 95. SO4 .39E+03 SRF 1.7

LOCATION: 531. SIC CODE 2031. NAME: ADE FOOD CO ADDRESS: PR 417 MAIN ST TOWN: GLO X-LOC 1492. Y-LOC 1464.  
 SEASONAL PRODUCTION SPR 22.9 SUM 34.9 FUL 22.9 WIN 22.9 EMPLOYEES 23. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 65.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .42E+03 SOL .25E+04 GRE 3.0  
 OTHERS: 3.0

LOCATION: 537. SIC CODE 2092. NAME: GORTON CORP ADDRESS: 327 MAIN ST TOWN: GLO X-LOC 1494. Y-LOC 1460.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 999. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .10E+04 SOL .61E+04 GRE 6.0  
 OTHERS: 3.0

LOCATION: 576. SIC CODE 2033. NAME: FRIEND BROS INC ADDRESS: 730 EASTERN AVE TOWN: HAL X-LOC 982. Y-LOC 1010.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 99. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 72.00 DISCH(KGD) 72.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 6.0  
 OTHERS: 4.0

LOCATION: 633. SIC CODE 2024. NAME: HENDRIES INC ADDRESS: 131 ELLIOT ST TOWN: HND X-LOC 918. Y-LOC 719.  
 SEASONAL PRODUCTION SPR 25.9 SUM 25.9 FUL 25.9 WIN 25.9 EMPLOYEES 200. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 56.00 DISCH(KGD) 56.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

METALS: CA 50, HG 10, K 50, NA .37E+03  
 OTHERS: NH3 1.0 4.0

LOCATION# 652, SIC CODE 3069, NAME: STONE WOODWARD ADDRESS: 181 OAK ST TOWN: NTN X-LOC 724, Y-LOC 786.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 74, DATA SOURCE CODE 3.  
 WATER USE: SRC: SUR CONSUMP(KGD) 93.00 DISCH(KGD) 93.00 PLC OF DISCH: SUR TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .50E+03 COD .34E+05 SOL .12E+05 NIT .15E+03 PHO 1.0 PH 4.5  
 OTHERS: CLD .38E+03 M03 12, PNL .18E+04 S04 .13E+04 SFD 1.0

LOCATION# 654, SIC CODE 2231, NAME: BUCKLEY MANN ADDRESS: LAWRENCE ST TOWN: NFK X-LOC 536, Y-LOC 403.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 75, DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 108.0 DISCH(KGD) 105.0 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 90.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .13E+03 COD .59E+03 SOL .97E+03 NIT 3.0 PHO .20E+03 GRE 70.  
 METALS: CA 46, CR 1.0 NA .84E+03  
 OTHERS: CLD 60, S04 .28E+03 SFD 2.0

LOCATION# 677, SIC CODE 3111, NAME: BOHN LEATH SPT ADDRESS: 2 SUMMIT TOWN: PEA X-LOC 1095, Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 29, DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 58.00 DISCH(KGD) 58.00 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .48E+03 SOL .38E+04 NIT 29.  
 METALS: CR 19.  
 OTHERS: SCL .14E+04 SFD 48, 4.0

LOCATION# 687, SIC CODE 2891, NAME: EASTMAN GELATIN ADDRESS: 227 WASHINGTON TOWN: PEA X-LOC 1095, Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 373, DATA SOURCE CODE 1.  
 WATER USE: SRC: OAN CONSUMP(KGD) 5500, DISCH(KGD) 2900, PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 19, COD 85, SOL .82E+03 NIT 3.6 PHO 2.0 PH 6.9  
 METALS: CR .55, ZN .55E-01  
 OTHERS: CLD .25E+03 S04 89, 1.0

LOCATION# 688, SIC CODE 3111, NAME: EASTMAN TANNING ADDRESS: 41 HARDY ST TOWN: PEA X-LOC 1128, Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 30, DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 60.00 DISCH(KGD) 60.00 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 90.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .50E+03 SOL .40E+04 NIT 30.  
 METALS: CR 20.  
 OTHERS: SCL .15E+04 SFD 5.0 4.0

LOCATION# 689, SIC CODE 3111, NAME: FERMION TANNING ADDRESS: 11 WALNUT ST TOWN: PEA X-LOC 1130, Y-LOC 1186.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 85, DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 175.0 DISCH(KGD) 175.0 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 90.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 SOL .11E+05 NIT 88, PH 7.0  
 METALS: CP 58.  
 OTHERS: SCL .43E+04 SFD .14E+03 4.0

LOCATION# 690, SIC CODE 3111, NAME: GNECCO GELATIN ADDRESS: 87 HONLEY TOWN: PEA X-LOC 1115, Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 1,000 DISCH(KGD) 1,000 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 90.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI CR 66.  
 METALS: SCL .50E+04 NFD .18E+03 4.0  
 OTHERS: SCL .50E+04 NFD .18E+03 4.0  
 LOCATION# 593. SIC CODE J111. NAME: HENRY LEATHER ADDRESS 150 MAIN ST TOWN: PEA X-LOC 1089. Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 35. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .59E+03 SOL .46E+04 NIT 35.  
 METALS: CR 23.  
 OTHERS: SCL .17E+04 SFD 58. 4.0  
 LOCATION# 698. SIC CODE J111. NAME: HATZ TANNING ADDRESS 119 FOSTER ST TOWN: PEA X-LOC 1111. Y-LOC 1170.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 35. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .59E+03 SOL .46E+04 NIT 35.  
 METALS: CR 23.  
 OTHERS: SCL .17E+04 SFD 58. 4.0  
 LOCATION# 709. SIC CODE J111. NAME: SHAWMUT TANNING ADDRESS 45 WALNUT ST TOWN: PEA X-LOC 1129. Y-LOC 1184.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 49. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 98.00 DISCH(KGD) 98.00 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .81E+03 SOL .65E+04 NIT 49.  
 METALS: CR 32.  
 OTHERS: SCL .24E+04 SFD 81. 4.0  
 LOCATION# 713. SIC CODE J111. NAME: TANNERS SPECIAL ADDRESS 145 LOWELL ST TOWN: PEA X-LOC 1108. Y-LOC 1192.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 49. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 98.00 DISCH(KGD) 98.00 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .81E+03 SOL .65E+04 NIT 49.  
 METALS: CR 32.  
 OTHERS: SCL .24E+04 SFD 81. 4.0  
 LOCATION# 716. SIC CODE J111. NAME: TAN RITE LEATH ADDRESS 39 WALLIS ST TOWN: PEA X-LOC 1124. Y-LOC 1196.  
 SEASONAL PRODUCTION SPR 31.0 SUM 23.0 WIN 23.0 EMPLOYEES 99. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD)-1.000 DISCH(KGD)-1.000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI CR 58.  
 METALS: SCL .43E+04 SFD .14E+03 4.0  
 OTHERS: SCL .43E+04 SFD .14E+03 4.0  
 LOCATION# 718. SIC CODE J111. NAME: VICTORY TANNING ADDRESS 23 UPTON ST TOWN: PEA X-LOC 1120. Y-LOC 1188.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 45. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .75E+03 SOL .60E+04 NIT 45.  
 METALS: CR 30.  
 OTHERS: SCL .22E+04 SFD 75. 4.0  
 LOCATION# 749. SIC CODE J111. NAME: NORMAN LEWIS CO ADDRESS 164 BROADWAY TOWN: REV X-LOC 997. Y-LOC 966.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 65. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 130.0 DISCH(KGD) 130.0 PLC OF DISCH: PUB TRTNT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .11E+04 SOL .86E+04 NIT 65.  
 METALS: CR 43.  
 OTHERS: SCL .32E+04 SFD .11E+03 4.0

LOCATION: 754. SIC CODE 2042. NAME: CLARK BABBIT ADDRESS: STATE ST TOWN: RCL X-LOC 1108. Y-LOC 460.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 84. DATA SOURCE CODE 1.  
 WATER USE: SRC: OWN CONSUMP(KGD) 330.0 DISCH(KGD) 300.0 PLC OF DISCH: SUR TRTMT 0. EFFICIENCY 0.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .45E+03 COD .46E+03 SOL .17E+04 NIT 99. PHO .16E+03 GRE .27E+03 PH 6:1  
 METALS: CLO 85. SRF 20 1.0  
 OTHERS: SCL .11E+05 SFD .37E+03 4.0

LOCATION: 764. SIC CODE 3111. NAME: FLYNN JOHN SONS ADDRESS: 80 BOSTON ST TOWN: SAL X-LOC 1141. Y-LOC 1175.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 235. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 450.0 DISCH(KGD) 450.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .37E+04 SOL .30E+05 NIT .22E+03 PH 7.0  
 METALS: CR .15E+03  
 OTHERS: SCL .11E+05 SFD .37E+03 4.0

LOCATION: 770. SIC CODE 3111. NAME: HANTHORPE TAN ADDRESS: 18 GOODHUE ST TOWN: SAL X-LOC 1142. Y-LOC 1174.  
 SEASONAL PRODUCTION SPR 26.8 SUM 22.8 WIN 26.8 EMPLOYEES 150. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 300.0 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 77.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .25E+04 SOL .20E+05 NIT .15E+03 PH 7.0  
 METALS: CR 99.  
 OTHERS: SCL .75E+04 SFD .25E+03 4.0

LOCATION: 775. SIC CODE 3111. NAME: LEACH HECKEL LE ADDRESS: 72 FLINT ST TOWN: SAL X-LOC 1146. Y-LOC 1179.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 73. DATA SOURCE CODE 4.  
 WATER USE: SRC: OWN CONSUMP(KGD) 300.0 DISCH(KGD) 300.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 80.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .25E+04 SOL .20E+05 NIT .15E+03 PH 7.0  
 METALS: CR 99.  
 OTHERS: SCL .75E+04 SFD .25E+03 4.0

LOCATION: 788. SIC CODE 3111. NAME: SALEM SUDE INC ADDRESS: 7 IRVING ST TOWN: SAL X-LOC 1142. Y-LOC 1189.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 49. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .83E+03 SOL .66E+04 NIT 50.  
 METALS: CR 33.  
 OTHERS: SCL .25E+03 SFD 83. 4.0

LOCATION: 812. SIC CODE 2013. NAME: M4 MADES CO INC ADDRESS: 67 SOUTH ST TOWN: SOM X-LOC 995. Y-LOC 909.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 110. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 80.0 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .46E+03 SOL .32E+03 NIT 79. PH 7.3  
 METALS: CR 4.0  
 OTHERS: SCL .25E+03 SFD 83. 4.0

LOCATION: 860. SIC CODE 2297. NAME: KENDALL FIBER ADDRESS: WEST ST TOWN: NLP X-LOC 890. Y-LOC 490.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 1500. DATA SOURCE CODE 1.  
 WATER USE: SRC: SUN CONSUMP(KGD) 900.0 DISCH(KGD) 750.0 PLC OF DISCH: SUR TRTMT 0. EFFICIENCY 0.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .36E+03 NIT .00 PHO .00 GRE .00 PH 8.0  
 OTHERS: 1.0

LOCATIONS 862. SIC CODE 2621. NAME: BIRD SON PAPER ADDRESS: WASHINGTON ST TOWN: WLP X-LOC 496.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 170. DATA SOURCE CODE 1.  
 WATER USE: SRC: SUR CONSUMP(KGD) 700.0 DISCH(KGD) 650.0 PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 OTHERS: NH3 11. NO3 70 1.0

LOCATIONS 820. SIC CODE 4911. NAME: BOS EDI EDG STA ADDRESS: 1 BRIDGE ST TOWN: NEY X-LOC 1070. Y-LOC 872.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 170. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD)-1.000 DISCH(KGD) 103.0 PLC OF DISCH: SUR TINTMT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 13. COD 54. SOL .65E+03 NIT 7.0 PHO 8.0 PH 8.4  
 METALS: NA .17E+03 ZN 72.  
 OTHERS: CLD .14E+03 PNL 24. SO4 .25E+03

LOCATIONS 932. SIC CODE 2818. NAME: STEPAN CHEMICAL ADDRESS: 51 EAMES ST TOWN: MIL X-LOC 808. Y-LOC 1192.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 99. DATA SOURCE CODE 5.  
 WATER USE: SRC: MUN CONSUMP(KGD) 247.7 DISCH(KGD) 247.7 PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 99.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL 19. PH 8.5  
 OTHERS: CLD .21E+04 SO4 .41E+04 5.0

LOCATIONS 935. SIC CODE 2891. NAME: SWIFT EDIBL GIL ADDRESS: 134 CROSS ST TOWN: WIN X-LOC 840. Y-LOC 1077.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 75. DATA SOURCE CODE 3.  
 WATER USE: SRC: OAN CONSUMP(KGD) 650.0 DISCH(KGD) 645.0 PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 3.8 COD 17. SOL .16E+03 NIT .70 PHO .40 PH 6.9  
 METALS: CR .10 ZN .10E-01  
 OTHERS: CLD 90. SO4 17. 3.0

LOCATIONS 941. SIC CODE 2891. NAME: ATLAN GELATIN ADDRESS: 17 MILL AVE TOWN: WOB X-LOC 860. Y-LOC 1096.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 300. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 3000. DISCH(KGD) 1700. PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 10. COD 42. SOL .41E+03 NIT 1.7 PHO 1.0  
 METALS: CR .27 ZN .20E-01  
 OTHERS: CLD .17E+03 SO4 45. 3.0

LOCATIONS 943. SIC CODE 2024. NAME: BORDEN CO ADDRESS: 16 CONN ST TOWN: WOB X-LOC 818. Y-LOC 1088.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 19. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 54.00 DISCH(KGD) 54.00 PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .10E+04 SOL .20E+04 NIT 30. PHO 20.  
 METALS: CA 40. HG 10. NA .40E+03  
 OTHERS: NH3 2.0 4.0

LOCATIONS 961. SIC CODE 3111. NAME: JOHN RILEY CO ADDRESS: 228 SALEM ST TOWN: WOB X-LOC 837. Y-LOC 1117.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 150. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TINTMT 1. EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .17E+04 SOL .13E+05 NIT .10E+03 PH 8.0  
 METALS: CR 66.  
 OTHERS: SCL .30E+04 SFD .18E+03 4.0  
 LOCATION: 5002. SIC CODE J822. NAME: FENAL INC ADDRESS: MAIN ST TOWN: ASH X-LOC 396. Y-LOC 693.  
 SEASONAL PRODUCTION SPR 26.8 SUM 39.8 MIN 6.8 EMPLOYEES 550. DATA SOURCE CODE 12.  
 WATER USE: SRC: OAN CONSUMP(KGD)-1.000 DISCH(KGD)-1.000 PLC OF DISCH: PUB TRTMT 3. EFFICIENCY 95.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 METALS: CD .10E+01 CR .10E+01 CU .60E+01 NC .20 NI .20E+02 SN .10E+01 ZN .30E+01  
 OTHERS: CLD 12. CND 4.9 SO3 5.4  
 LOCATION: 5003. SIC CODE J873. NAME: GENERAL ELECTRIC ADDRESS: 75 HOMER AVE TOWN: ASH X-LOC 396. Y-LOC 700.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 1600. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 330.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TMP 70.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: PH 6.8  
 LOCATION: 5010. SIC CODE J841. NAME: AMER OPTICAL CP ADDRESS: CROSBY DR TOWN: BDF X-LOC 691. Y-LOC 1191.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 249. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5011. SIC CODE J832. NAME: BAIRD-ATOMIC IN ADDRESS: 125 MIDDLESEX T TOWN: BDF X-LOC 691. Y-LOC 1169.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 400. DATA SOURCE CODE 35.  
 WATER USE: SRC: MUN CONSUMP(KGD) 36.00 DISCH(KGD) 29.00 PLC OF DISCH: PUB TRTMT 2. EFFICIENCY 80.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 METALS: CD .60 CU .90 NA .30E+02  
 LOCATION: 5012. SIC CODE J679. NAME: BASF SYSTEMS IN ADDRESS: CROSBY DR TOWN: BDF X-LOC 689. Y-LOC 1157.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 600. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5014. SIC CODE J811. NAME: GCA CORP ADDRESS: BURLINGTON RD TOWN: BDF X-LOC 697. Y-LOC 1141.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 800. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5015. SIC CODE J504. NAME: MILLIPORE CORP ADDRESS: ASHBY RD TOWN: BDF X-LOC 682. Y-LOC 1108.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 600. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5016. SIC CODE J781. NAME: RAYTHEON CO ADDRESS: MARINELL RD TOWN: BDF X-LOC 615. Y-LOC 1086.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 MIN 25.8 EMPLOYEES 999. DATA SOURCE CODE 12.  
 WATER USE: SRC: MUN CONSUMP(KGD) 160.0 DISCH(KGD) 120.0 PLC OF DISCH: PUB TRTMT 3. EFFICIENCY 95.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 14. COD 41. SOL 14. NIT .70 PHO .70 GRE 1.5 PH 6.0  
 METALS: B 1.0 CR .50E+01 CU .10 FE .13 MN .50E+01 NI .50E+01 SN .10  
 OTHERS: ALK 50. CLD 30. CND 1.0 PNL .40 SDA 4.6 SFD .10

LOCATION# 5017, SIC CODE 3679, NAME: SANDERS ASSOC., ADDRESS: CROSBY DR TOWN: BDF X-LOC 691, Y-LOC 1149,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 530, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5020, SIC CODE 3451, NAME: US4, HACH DIV ADDRESS: 181 ELLIOTT ST TOWN: BEV X-LOC 1172, Y-LOC 1238,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2100, DATA SOURCE CODE -1,  
 WATER USE: SRC: SUR CONSUMP(KGD) .1460E+05 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5021, SIC CODE 3679, NAME: VARIAN ASSOC ADDRESS: 8 SALEN RD TOWN: BEV X-LOC 1176, Y-LOC 1271,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 240.0 DISCH(KGD) 210.0 PLC OF DISCH: SUR TRTMT 3, EFFICNCY 95.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 7.6 COD 17, SOL .35E+03 NIT 2.4 PHO .50 GRE 11, PH 5.9  
 METALS: CR .90E-01 FE 1.7 PB .80E-01 MG 7.6 HG .30E-01 K 1.6 SE .40 TI .10 ZN .10  
 OTHERS: BND .20 CLD 50, CND .20E-01 FLR .60 MRD 4.5 SFD .30

LOCATION# 5030, SIC CODE 3421, NAME: GILLETTE SAFETY ADDRESS: GILLETTE PARK TOWN: BSD X-LOC 946, Y-LOC 851,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2500, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) .2720E+05 DISCH(KGD) 820.0 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .10E+03 COD .42E+03 SOL .50E+04 NIT 50, PHO 60, PH 8.4

LOCATION# 5031, SIC CODE 2711, NAME: HERALD AMERICAN ADDRESS: 300 HARRISON AV TOWN: BSD X-LOC 934, Y-LOC 856,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5032, SIC CODE 2711, NAME: BOSTON GLOBE ADDRESS: 135 MORRISSEY BL TOWN: BSD X-LOC 947, Y-LOC 807,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2400, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 36.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5035, SIC CODE 2651, NAME: HUB FLD BOX ADDRESS: 16-18 BINFORD S TOWN: BSD X-LOC 951, Y-LOC 860,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 120, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5039, SIC CODE 3829, NAME: TERADYNE INC ADDRESS: 183 ESSEX ST TOWN: BSD X-LOC 941, Y-LOC 867,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 480, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5041, SIC CODE 2051, NAME: STOPESHOP INC ADDRESS: 226 CAUSEWAY ST TOWN: BSD X-LOC 938, Y-LOC 894,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5042, SIC CODE 2711, NAME: CHRISTIAN SCI ADDRESS: 1 NORWAY ST TOWN: BSD X-LOC 906, Y-LOC 854,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1013, DATA SOURCE CODE -1.

WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5043, SIC CODE 2311, NAME: COSHOPOLITAN CO ADDRESS: 712 BEACON ST TOWN: BSD X-LOC 883, Y-LOC 861.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5045, SIC CODE 1085, NAME: MR BOSTON DISTL ADDRESS: 1010 MASS AVE TOWN: BSD X-LOC 930, Y-LOC 821.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 285. DATA SOURCE CODE 3.  
WATER USE: SRC: MUN CONSUMP(KGD) 525.0 DISCH(KGD) 190.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .65E+03 COD .70E+03 SOL .66E+03 NIT 15.

LOCATION# 5048, SIC CODE 2051, NAME: KASAROFFS M BAKE ADDRESS: 219 BLUE HILL A TOWN: BSD X-LOC 916, Y-LOC 804.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 156. DATA SOURCE CODE 3.  
WATER USE: SRC: MUN CONSUMP(KGD) 2.000 DISCH(KGD) .5000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5049, SIC CODE 2652, NAME: PARIS PAPER BOX ADDRESS: 15 RUSFIELD ST TOWN: BSD X-LOC 925, Y-LOC 825.  
SEASONAL PRODUCTION SPR 17.0 SUM 17.0 FLL 50.0 WIN 26.0 EMPLOYEES 100. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5050, SIC CODE 1694, NAME: POLLAK JOSEPH C ADDRESS: 195 FREEPORT ST TOWN: BSD X-LOC 945, Y-LOC 780.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 286. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5052, SIC CODE 3861, NAME: KEYSTONE MFG CP ADDRESS: 151 HALLET ST TOWN: BSD X-LOC 955, Y-LOC 743.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999. DATA SOURCE CODE 1.  
WATER USE: SRC: MUN CONSUMP(KGD) 170.0 DISCH(KGD) 110.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 81. COD .22E+03 SOL .61E+03 NIT 37. PHO .66E+03 GRE .70 PH 6.2  
METALS: CU .35 FE .18E+01 MN .35E+01 NI .53 ZN .26  
OTHERS: CND .50E+02

LOCATION# 5054, SIC CODE 2311, NAME: MALCOLM KENNETH ADDRESS: 1235 ADAMS ST TOWN: BSD X-LOC 926, Y-LOC 723.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5055, SIC CODE 2385, NAME: CABLE RAINCOAT ADDRESS: 130 AUCKLAND AV TOWN: BSD X-LOC 942, Y-LOC 792.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .1.000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5056, SIC CODE 2731, NAME: SPERRY RAND ADDRESS: 55 MCCRISSEY BD TOWN: BSD X-LOC 952, Y-LOC 808.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450. DATA SOURCE CODE 34.  
WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5057, SIC CODE J679, NAME: COUCH, SH DIVISB ADDRESS: 36 RIVER ST TOWN: BSD X-LOC 923, Y-LOC 722,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5058, SIC CODE J643, NAME: COLE-HERSEE CO ADDRESS: 20 OLD COLONY A TOWN: BSD X-LOC 942, Y-LOC 840,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 130.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5059, SIC CODE J711, NAME: COURT SQ PRESS ADDRESS: 14-16 GREENBAUM TOWN: BSD X-LOC 941, Y-LOC 850,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5060, SIC CODE J398, NAME: N E METALLURGIC ADDRESS: 475 DORCHESTER TOWN: BSD X-LOC 942, Y-LOC 832,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 300, DATA SOURCE CODE 4,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5061, SIC CODE J731, NAME: BETHLEHEM STEEL ADDRESS: 256 MARGINAL ST TOWN: BSD X-LOC 977, Y-LOC 890,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 499, DATA SOURCE CODE 5,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5062, SIC CODE J731, NAME: BRIGHTFIELD CORP ADDRESS: 246 BORDER ST TOWN: BSD X-LOC 966, Y-LOC 933,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 115, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5063, SIC CODE J731, NAME: GENERAL SHIP ADDRESS: 336 BORDER ST TOWN: BSD X-LOC 966, Y-LOC 917,  
 SEASONAL PRODUCTION SPR 25.0 SUM 30.0 FLL 25.0 WLN 20.0 EMPLOYEES 150, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5065, SIC CODE 2643, NAME: AVER CELLOPHANE ADDRESS: 19 BARTLETT SQ TOWN: BSD X-LOC 877, Y-LOC 791,  
 SEASONAL PRODUCTION SPR 26.0 SUM 22.0 FLL 26.0 WLN 26.0 EMPLOYEES 115, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 23.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5066, SIC CODE 2771, NAME: COLOURPICTURE ADDRESS: 76 ATHONTON ST TOWN: BSD X-LOC 881, Y-LOC 807,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5069, SIC CODE J479, NAME: EDWARDS T J INC ADDRESS: 25 WILLIAMS ST TOWN: BSD X-LOC 875, Y-LOC 784,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5070, SIC CODE 2086, NAME: COCA-COLA ADDRESS: 400 SOLDIERS FD TOWN: BSD X-LOC 989, Y-LOC 983,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 250, DATA SOURCE CODE 1,  
WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRMTNT 1, EFFICIENCY 50.8 IMP 88,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .31E+03 COD .15E+03 SOL .34E+03 NIT 6.9 PHO .00 PH 11,  
OTHERS: ALK .13E+03 NH3 1.2 NO2 4.3

LOCATION# 5071, SIC CODE 3600, NAME: ANDERSON POKER ADDRESS: 145 NEWTON ST TOWN: BSD X-LOC 998, Y-LOC 976,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 260, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5072, SIC CODE 3573, NAME: MONEYWELL INC ADDRESS: 391 LIFE ST TOWN: BSD X-LOC 999, Y-LOC 976,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 980, DATA SOURCE CODE 35,  
WATER USE: SRC: MUN CONSUMP(KGD) 548.0 DISCH(KGD) 274.0 PLC OF DISCH: PUB TRMTNT 1, EFFICIENCY 50.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 80, SOL .70E+03 NIT .30E+03 PHO .10E+03 PH 7.2

LOCATION# 5073, SIC CODE 2099, NAME: JOHNSON H A CO ADDRESS: 155 N BEACON ST TOWN: BSD X-LOC 998, Y-LOC 975,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 219, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 76.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5074, SIC CODE 3613, NAME: ALLIS-CHALMERS ADDRESS: 1344 HYDE PK AV TOWN: BSN X-LOC 951, Y-LOC 888,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 430, DATA SOURCE CODE 1,  
WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) 20.00 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

METALS: AL .40E-02 FE .30E-01 PB .10E-03 MO .10E-03 NI .10E-03 NA .50E-03 ZN .20E-03  
OTHERS: ALK .30E-01 CLD .20E-01

LOCATION# 5076, SIC CODE 3984, NAME: WESTINGHOUSE ADDRESS: DANON ST TOWN: BSN X-LOC 838, Y-LOC 872,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 980, DATA SOURCE CODE 1,  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) 10.00 PLC OF DISCH: PUB TRMTNT 1, EFFICIENCY 50.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .80 COD 4.3 SOL 16, NIT .60E-02  
METALS: CR .20E-02 ZN .20E-02

LOCATION# 5080, SIC CODE 2392, NAME: VAICO HFG CO IN ADDRESS: 109 BROOKLINE A TOWN: BSD X-LOC 983, Y-LOC 987,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 350, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5081, SIC CODE 2641, NAME: GRAPHIC ART FIN ADDRESS: 32 CAMBRIDGE ST TOWN: BSD X-LOC 921, Y-LOC 926,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 100, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) .5000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.8 IMP 0,

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5090, SIC CODE 2337, NAME: COLLEGE TOWN IN ADDRESS: COLLEGE TOWN DR TOWN: BSA X-LOC 981, Y-LOC 988,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WLN 25.8 EMPLOYEES 350, DATA SOURCE CODE -1,

\*AFTER USEI SPC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5091, SIC CODE 3291, NAME1 MICH APARTIVE ADDRESS1 PEARL ST TOWN1 BRA X-LOC 1013, Y-LOC 897,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 188, DATA SOURCE CODE 5,  
WATER USEI SPC1 MUN CONSUMP(KGD) 34.00 DISCH(KGD) 13.00 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 BOD .50 COD 2.0 SOL 77, NIT .30 PHO .40 PH 8.4  
METALS1 CA 2.3 CR .60 NA .10E+03 ZN 30.  
OTHERS1 CLD 60, PHL 50, SO4 .10E+03

LOCATION# 5093, SIC CODE 3494, NAME1 WALWORTH CO INC ADDRESS1 1515 WASHINGTON TOWN1 BRA X-LOC 1004, Y-LOC 570,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 375, DATA SOURCE CODE 1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 33.00 DISCH(KGD) 2.000 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.0 IMP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 BOD 2.8 COD 4.1 SOL 15, NIT .30E-01 PHO .50E-02 GRE .70E-01 PH 6.5  
METALS1 AL .40 AS .20E-02 CU .10E-01 FE .30E-02 PB .10E-01 MG .30E-01 NA .90 SN .30E-02 ZN 13.  
OTHERS1 ALK 2.1 CLD 4.5 SO4 2.7

LOCATION# 5100, SIC CODE 3079, NAME1 ELECTRONIZED CH ADDRESS1 50 BEDFORD ST TOWN1 BUR X-LOC 770, Y-LOC 1106,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE 2,  
WATER USEI SPC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) 10.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 GRE 47, PH 6.6  
METALS1 SB .80E-02 CD .10E-03 CA 1.7 FE .20 PB .10E-03 MG .39 ZN .46E-01  
OTHERS1 CLD 4.4 SIL .18 SO4 1.6

LOCATION# 5101, SIC CODE 3693, NAME1 H V ENGINEERING ADDRESS1 50 BEDFORD ST TOWN1 BUR X-LOC 795, Y-LOC 1105,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 775, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) 9.000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 BOD .50 COD 2.0 SOL 30, NIT 1.0 PHO .20E-01 PH 8.8  
METALS1 CA 15, CR .10 CU .40 FE .80 MG 4.3 MN .40 MO .60 K .30 NA 30.  
OTHERS1 ALK 9.8 BMD .60E-01 CLD .11E+03 CHD .20E-01 FLR 21, SO4 22.

LOCATION# 5104, SIC CODE 3662, NAME1 RCA AEROSPACE ADDRESS1 RTE 3662 TOWN1 BUR X-LOC 701, Y-LOC 1135,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2200, DATA SOURCE CODE 1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 80.00 DISCH(KGD) 76.00 PLC OF DISCH: PUB TRTMT 3. EFFICNCY 95.0 IMP 50.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 BOD 21, COD .10 SOL 12, NIT .80 PH 6.0  
OTHERS1 ALK 17.

LOCATION# 5110, SIC CODE 3612, NAME1 ADVENT CORP ADDRESS1 195 ALBANY ST TOWN1 CAM X-LOC 894, Y-LOC 881,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 270, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION 5111. SIC CODE 3841. NAME: AMER SCIENG IN ADDRESS: 955 MASS AVE TOWN: CAN X-LOC 870. Y-LOC 899.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5112. SIC CODE 3851. NAME: ANALOG DEVICES ADDRESS: 221 FIFTH ST TOWN: CAN X-LOC 904. Y-LOC 894.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 499. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5115. SIC CODE 2633. NAME: CONTINENTAL CAN ADDRESS: FARGETT ST TOWN: CAN X-LOC 821. Y-LOC 939.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 163. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 66.00 DISCH(KGD) 53.00 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 100.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5117. SIC CODE 3079. NAME: DATA PACKAGING ADDRESS: 205 BROADWAY TOWN: CAN X-LOC 892. Y-LOC 894.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5119. SIC CODE 3622. NAME: ELECTRONICS CRP ADDRESS: 1 MEMORIAL DR TOWN: CAN X-LOC 909. Y-LOC 889.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 750. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5120. SIC CODE 3143. NAME: FENTON SHOE CRP ADDRESS: 129 FRANKLIN ST TOWN: CAN X-LOC 882. Y-LOC 887.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 425. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5123. SIC CODE 3651. NAME: K L H RESCEY C ADDRESS: 30 CROSS ST TOWN: CAN X-LOC 845. Y-LOC 884.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5124. SIC CODE 2771. NAME: METRO GREETINGS ADDRESS: 215 FIRST ST TOWN: CAN X-LOC 912. Y-LOC 889.  
 SEASONAL PRODUCTION SPR 20.0 SUM 30.0 FLL 30.0 WIN 20.0 EMPLOYEES 270. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5125. SIC CODE 3843. NAME: MIERSON TOOTH C ADDRESS: 66-90 HAMILTON TOWN: CAN X-LOC 875. Y-LOC 879.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5126. SIC CODE 2342. NAME: REVELATION BRA ADDRESS: 143 ALBANY ST TOWN: CAN X-LOC 886. Y-LOC 893.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 340. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5131, SIC CODE 2642, NAME: BOSTON ENVELOPE ADDRESS: 150 ROYAL ST. TOWN: CAN X-LOC 833, Y-LOC 602.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5132, SIC CODE 3829, NAME: INSTRON CORP ADDRESS: 2500 WASH ST. TOWN: CAN X-LOC 838, Y-LOC 603.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5133, SIC CODE 1079, NAME: PHILLIPS MFG ADDRESS: INDUSTRIAL DR. TOWN: CAN X-LOC 879, Y-LOC 507.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 150. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5134, SIC CODE 2842, NAME: SHIELD CHEM CO ADDRESS: 21 UNIVERSITY TOWN: CAN X-LOC 788, Y-LOC 575.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 100. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 14.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5138, SIC CODE 3281, NAME: FLETCHER H E CO ADDRESS: GROTON RD. TOWN: CHE X-LOC 462, Y-LOC 1376.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 250. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 263.0 DISCH(KGD) 256.0 PLC OF DISCH: PUB TRMTNT 1, EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL 21E+05

LOCATION# 5140, SIC CODE 3851, NAME: AHER OPTICAL CP ADDRESS: COOL-RAY PARK TOWN: CHL X-LOC 956, Y-LOC 944.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 500. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 11.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5142, SIC CODE 2396, NAME: EMERSON TEXTILE ADDRESS: 181 SPENCER AVE TOWN: CHL X-LOC 989, Y-LOC 953.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 325. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5147, SIC CODE 3825, NAME: GENERAL RADIO ADDRESS: 300 BAKER AVE TOWN: CON X-LOC 492, Y-LOC 1064.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 1100. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 45.00 DISCH(KGD) 36.00 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 9.0 SOL 90, NIT 45, PHO 14, PH 7.2

LOCATION# 5150, SIC CODE 3641, NAME: GTE SYLVANIA IN ADDRESS: 75 SYLVAN ST. TOWN: DAN X-LOC 1095, Y-LOC 1341.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 1000. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 570.0 DISCH(KGD) 140.0 PLC OF DISCH: SUB TRMTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 10, CUD 34, SOL .48E+03 NIT 21, PHO .30 PH 8.8  
 METALS: AL 1.0 CA .17E+03 CR .80E-01 FE .60 NI .30 NA .24E+03 ZN .60E+01  
 OTHERS: ALK 89, BMD .50 CLD .11E+03 SO4 28.

LOCATION# 3151, SIC CODE 3507, NAME: HOWATT INC ADDRESS: 128 MAPLE ST TOWN: DAN X-LOC 1102, Y-LOC 1262,  
 SEASONAL PRODUCTION SPR 24.0 SUM 24.0 FLL 24.0 WIN 28.0 EMPLOYEES 250, DATA SOURCE CODE 5,  
 WATER USE: SRC: OAN CONSUMP(KGD) .4000 DISCH(KGD) .1000 PLC OF DISCH: SUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3155, SIC CODE 2653, NAME: ALLIED CONTAINER ADDRESS: 1 ALLIED DR TOWN: DED X-LOC 704, Y-LOC 641,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 73.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3156, SIC CODE 3829, NAME: HERSEY PRODUCTS ADDRESS: 250 ELM ST TOWN: DED X-LOC 778, Y-LOC 641,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE 1,  
 WATER USE: SRC: OAN CONSUMP(KGD) 112.0 DISCH(KGD) 112.0 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: GRE 6.0 PH 8.0  
 METALS: CD .10E-02 CR .10E-01 CU .50E-02 HG .20E-03 ZN .50E-02  
 OTHERS: CND .50E-02

LOCATION# 3157, SIC CODE 2771, NAME: RUST CRAFT GRIN ADDRESS: RUST CRAFT ROAD TOWN: DED X-LOC 778, Y-LOC 640,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1000, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3160, SIC CODE 3811, NAME: AVCO EVERETT ADDRESS: 2385 REV B HWY TOWN: EVE X-LOC 924, Y-LOC 962,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 670, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 24.00 DISCH(KGD) 4.000 PLC OF DISCH: SUB TRTMT 0, EFFICNCY 0.0 TMP 65.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .20E-02 SOL .62 PH 7.1  
 OTHERS: ALK .56E-01

LOCATION# 3161, SIC CODE 3293, NAME: CHESTERTON A # ADDRESS: 6 ASHLAND ST TOWN: EVE X-LOC 925, Y-LOC 951,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3162, SIC CODE 2851, NAME: CARPENTER-HORTON ADDRESS: 376 THIRD ST TOWN: EVE X-LOC 934, Y-LOC 954,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 178.0 DISCH(KGD) 89.00 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3164, SIC CODE 2851, NAME: KYANIZE PAINTS ADDRESS: 2406 BOSTON ST TOWN: EVE X-LOC 934, Y-LOC 951,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE: SRC: OAN CONSUMP(KGD) 23.00 DISCH(KGD) 12.00 PLC OF DISCH: PUB TRTMT 3, EFFICNCY 95.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3165, SIC CODE 3589, NAME: MARKET FORCE CO ADDRESS: 35 GARVEY ST TOWN: EVE X-LOC 939, Y-LOC 946,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 156.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5166, SIC CODE 3411, NAME: SEXTON CAN CO ADDRESS: 31 CROSS ST TOWN: EVE X-LOC 930, Y-LOC 971,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE 2,  
 WATER USE: SDCI MUN CONSUMP(KGD) 10.00 DISCH(KGD) 9.000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 5.0 COD 6.0 SOL 50. NIT 1.0 PH 8.4

LOCATION# 5170, SIC CODE 2648, NAME: DENNISON HFG CO ADDRESS: 300 HOWARD ST TOWN: FRM X-LOC 486, Y-LOC 734,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 3800, DATA SOURCE CODE -1,  
 WATER USE: SDCI MUN CONSUMP(KGD) 550.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 1.3 COD 8.1 SOL 46, NIT 1.1 PHO .30E-01 GRE 1.8  
 METALS: AL .40E-01 FE .18 MN .40E-01  
 OTHERS: CLD 6.8 PNL .30E-03 SFD .30E-01

LOCATION# 5176, SIC CODE 3559, NAME: GLO ENGINEERING ADDRESS: BLACKBURN IND P TOWN: GLO X-LOC 1493, Y-LOC 1479,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 280, DATA SOURCE CODE -1,  
 WATER USE: SDCI MUN CONSUMP(KGD) 8.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5177, SIC CODE 3842, NAME: LEPAGE'S ADDRESS: ESSEX AVE TOWN: GLO X-LOC 1441, Y-LOC 1462,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1,  
 WATER USE: SDCI SUR CONSUMP(KGD) 140.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5178, SIC CODE 2321, NAME: MIGHTY-WAC INC ADDRESS: EMERSON AVE TOWN: GLO X-LOC 1461, Y-LOC 1461,  
 SEASONAL PRODUCTION SPR 30.0 SUM 30.0 FLL 20.0 WIN 20.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SDCI MUN CONSUMP(KGD) 45.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5180, SIC CODE 3562, NAME: HERRIKAN INC ADDRESS: 100 IND PARK TOWN: MIN X-LOC 1128, Y-LOC 859,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1,  
 WATER USE: SDCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5187, SIC CODE 3722, NAME: ENTHWISTLE CO ADDRESS: BIGLOW ST TOWN: HUD X-LOC 100, Y-LOC 941,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE: SDCI MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5196, SIC CODE 3662, NAME: MONEYWELL ADDRESS: 2 FORBES RD TOWN: LEX X-LOC 886, Y-LOC 1032,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE 3,  
 WATER USE: SDCI MUN CONSUMP(KGD) 77.00 DISCH(KGD) 8.000 PLC OF DISCH: PUB TRMTNT 3, EFFICIENCY 95.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 2.0 SOL 20, NIT 1.0 PH 6.0  
 LOCATION# 5197, SIC CODE 3832, NAME: ITEK CORP ADDRESS: 10 MAGUIRE RD TOWN: LEX X-LOC 887, Y-LOC 1084,

SEASONAL PRODUCTION SPR 30.0 SUM 20.0 FLL 30.0 WIN 20.0 EMPLOYEES 1000. DATA SOURCE CODE 35.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 80.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRTMT 2. EFFICIENCY 80.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 50. COD 15E+03 SOL 40E+03 NIT 25. PHO 42E+03 PH 6.2  
 LOCATION: 5200. SIC CODE J662. NAME: HARRER COHM ADDRESS: NEWTOWN RD TOWN: LIT X-LOC 348. Y-LOC 1163.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 4000. DATA SOURCE CODE 34.  
 WATER USE: SRC1 OWN CONSUMP(KGD) 1028. DISCH(KGD) 30.00 PLC OF DISCH: SUR TRTMT 2. EFFICIENCY 80.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: COD 6.0 SOL 70. NIT 30. PHO 9.0 PH 7.2  
 LOCATION: 5203. SIC CODE J143. NAME: BENSON SHOE CO ADDRESS: 192 BROAD ST TOWN: LYN X-LOC 1099. Y-LOC 1069.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 278. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5204. SIC CODE J641. NAME: N AHER PHILLIPS ADDRESS: 330 LYNNWAY TOWN: LYN X-LOC 1088. Y-LOC 1060.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 625. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5205. SIC CODE J143. NAME: SCHWARTZ BEHAM ADDRESS: 200 LOCUST ST TOWN: LYN X-LOC 1080. Y-LOC 1090.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 275. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5206. SIC CODE J079. NAME: U S PLASTICS CP ADDRESS: 161 PLEASANT ST TOWN: LYN X-LOC 1089. Y-LOC 1064.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 140. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 38.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5210. SIC CODE J235. NAME: BERSHIRE APPAR ADDRESS: 99 MIDDLESEX ST TOWN: MAL X-LOC 925. Y-LOC 998.  
 SEASONAL PRODUCTION SPR 26.0 SUM 22.0 FLL 26.0 WIN 26.0 EMPLOYEES 475. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5211. SIC CODE J021. NAME: CONVERSE RUBBER ADDRESS: 392 PEARL ST TOWN: MAL X-LOC 938. Y-LOC 1007.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1100. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 181.0 DISCH(KGD) .3000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: PH 12.  
 LOCATION: 5215. SIC CODE J079. NAME: LEAR SIEGLER ADDRESS: LIME ST TOWN: HAR X-LOC 1220. Y-LOC 1193.  
 SEASONAL PRODUCTION SPR 22.0 SUM 22.0 FLL 34.0 WIN 22.0 EMPLOYEES 325. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5220. SIC CODE J569. NAME: DESIGNPAK INC ADDRESS: 175 MAPLE ST TOWN: MIB X-LOC 319. Y-LOC 797.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SRC1 MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5225, SIC CODE 3571, NAME: DIGITAL EQUIP ADDRESS: 146 MAIN ST TOWN: MAY X-LOC 398, Y-LOC 1011,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 4600, DATA SOURCE CODE 35,  
 WATER USE: SRC: MUN CONSUMP(KGD) 500.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 70, SOL .60E+03 NIT .25E+03 PHO 90, PH 7.2  
 METALS: CU 1.2, PH 1.3, SN 3.0

LOCATION# 5230, SIC CODE 2651, NAME: CONTAINER CORP ADDRESS: 200 BOSTON AVE TOWN: MFD X-LOC 843, Y-LOC 989,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 255, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5231, SIC CODE 2651, NAME: FED PAPER BOARD ADDRESS: 970 FELLSHAW TOWN: MFD X-LOC 904, Y-LOC 983,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 6.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5235, SIC CODE 3651, NAME: AUTO RADIO MFG ADDRESS: 2 MAIN ST TOWN: MEL X-LOC 926, Y-LOC 1029,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 800, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5237, SIC CODE 3941, NAME: VOGUE DOLLS INC ADDRESS: 37 WASH ST TOWN: MEL X-LOC 922, Y-LOC 1029,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 125, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 3.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5242, SIC CODE 3149, NAME: MILFORD SHOE ADDRESS: 82 NORTH BOW ST TOWN: MIF X-LOC 318, Y-LOC 482,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 750, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5245, SIC CODE 2086, NAME: CLICQUOT CLUB ADDRESS: 725 MAIN TOWN: MIL X-LOC 542, Y-LOC 838,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 150, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 45.00 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 65.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .23E+04 COD .28E+04 SOL .27E+04 NIT 12, PHO 10, PH 6.0  
 OTHERS: ALK 23.

LOCATION# 5246, SIC CODE 2952, NAME: GAP CORP BLDG ADDRESS: 60 CURVE ST TOWN: MIL X-LOC 540, Y-LOC 840,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 5000, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 190.0 DISCH(KGD) 170.0 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 38, COD 91, SOL .15E+03 NIT 2.0, PHO .80, GRE 2.3, PH 6.8  
 METALS: CU .30E-01 FE .45E-01 K 3.0, NA 22, ZN .10  
 OTHERS: CLD 60, CND .40E-01 PNL .40E-02

LOCATION# 5247, SIC CODE 3149, NAME: HERMAN JOS M SH ADDRESS: UNION ST TOWN: MIL X-LOC 535, Y-LOC 839,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 FLL 25.8 WINTER 25.8 EMPLOYEES 400, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5250, SIC CODE 2082, NAME1 CARLING BREWING ADDRESS1 114J WORCESTER TOWN1 NAT X-LOC 510, Y-LOC 683,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 SUR CONSUMP(KGD) 1375, DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5252, SIC CODE 3573, NAME1 INCIOTERH CORP ADDRESS1 6 STRATHMORE RD TOWN1 NAT X-LOC 495, Y-LOC 769,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 270, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5260, SIC CODE 2854, NAME1 AMER CAN CO ADDRESS1 9 B STREET TOWN1 NED X-LOC 723, Y-LOC 770,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE 1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 2.000 DISCH(KGD) .5000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 100.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 BOD .00 COD .00 SOL .50E-03 NIT .00 PHO .00 PH 11,  
 OTHERS1 ALK .20E-03

LOCATION# 5263, SIC CODE 3811, NAME1 DANON / IEC DIV ADDRESS1 300 SECOND AVE TOWN1 NED X-LOC 728, Y-LOC 779,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5266, SIC CODE 3149, NAME1 SANDLER A CO IN ADDRESS1 B ST AT 3RD AVE TOWN1 NED X-LOC 726, Y-LOC 771,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1000, DATA SOURCE CODE 3,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 50.00 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5275, SIC CODE 2640, NAME1 ST REGIS PAPER ADDRESS1 156 OAK ST TOWN1 NIN X-LOC 726, Y-LOC 790,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 360, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5276, SIC CODE 3079, NAME1 TEHNECO CHEMICA ADDRESS1 300 NEEDHAM ST TOWN1 NIN X-LOC 726, Y-LOC 788,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 12.00 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5280, SIC CODE 3622, NAME1 MACH ELECTRIC ADDRESS1 35 HUDSON ST TOWN1 NBR X-LOC 149, Y-LOC 815,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5283, SIC CODE 3612, NAME1 ANALOG DEVICES ADDRESS1 RT 1 IND PARK TOWN1 NOR X-LOC 770, Y-LOC 610,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE 3,  
 WATER USE1 SRC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) 8.000 PLC OF DISCH1 PUB TRTNMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL1 COD 2.0 SOL 20, NIT 10, PHO 3.0 PH 7.2

LOCATION# 5285, SIC CODE 3494, NAME: MASONELLAN INTR ADDRESS: 63 MAHATH TOWN: NOR X-LOC 761, Y-LOC 874,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 700, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 16.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5287, SIC CODE 3811, NAME: NORTROP CORP ADDRESS: 100 MORSE ST TOWN: NOR X-LOC 746, Y-LOC 840,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 850, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5292, SIC CODE 3724, NAME: WALBAR INC ADDRESS: FIFTH ST TOWN: PEA X-LOC 1092, Y-LOC 1175,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5293, SIC CODE 2643, NAME: WEBSTER IND INC ADDRESS: 58 PULASKI ST TOWN: PEA X-LOC 1115, Y-LOC 1212,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 285, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 44.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5296, SIC CODE 3566, NAME: BOSTON GEAR ADDRESS: 14 HAYWARD ST TOWN: QUI X-LOC 980, Y-LOC 722,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 550, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 50.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5298, SIC CODE 3569, NAME: PNEUMATIC SCALE ADDRESS: 65 NEWPORT AVE TOWN: QUI X-LOC 993, Y-LOC 720,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 570, DATA SOURCE CODE 5,  
WATER USE: SRC: MUN CONSUMP(KGD) 35.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 2, EFFICIENCY 80.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5299, SIC CODE 2741, NAME: PRESCOTT GFD W ADDRESS: 13-19 TEMPLE ST TOWN: QUI X-LOC 1020, Y-LOC 689,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 4.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5303, SIC CODE 3579, NAME: ELLIOTT BUS MAC ADDRESS: RAN IND PARK TOWN: RAN X-LOC 980, Y-LOC 894,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1000, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5305, SIC CODE 2731, NAME: ADDISON-WESLEY ADDRESS: SOUTH ST TOWN: REA X-LOC 876, Y-LOC 1146,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION# 5308, SIC CODE 2649, NAME: HY-SIL HFC CO ADDRESS: HY-SIL AVE TOWN: REV X-LOC 981, Y-LOC 976,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----

LOCATION# 5310, SIC CODE 3732, NAME: BOSTON WHALER I, ADDRESS: 1149 HINGHAM ST, TOWN: RCL, X-LOC 1163, Y-LOC 528,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1, Y-LOC 455,  
 WATER USE: SRC: MUN CONSUMP(KGD) 3.000 DISCH(KGD) .0000 PLC OF DISCH: SUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5311, SIC CODE 3291, NAME: CODMAN F L&J C, ADDRESS: PLAIN ST, TOWN: RCL, X-LOC 1125, Y-LOC 455,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1, Y-LOC 455,  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5312, SIC CODE 3291, NAME: SANDPAPER INC, ADDRESS: 83 E WATER ST, TOWN: RCL, X-LOC 1139, Y-LOC 460,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 160, DATA SOURCE CODE -1, Y-LOC 460,  
 WATER USE: SRC: MUN CONSUMP(KGD) 8.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5313, SIC CODE 3149, NAME: WRIGHT E T & CO, ADDRESS: 379 LIBERTY ST, TOWN: RCL, X-LOC 1144, Y-LOC 471,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 325, DATA SOURCE CODE 3, Y-LOC 471,  
 WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5320, SIC CODE 3144, NAME: DUCHESS FOOTWEA, ADDRESS: 35 CONGRESS ST, TOWN: SAL, X-LOC 1170, Y-LOC 1171,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1, Y-LOC 1171,  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5321, SIC CODE 3832, NAME: EG&G INC, ADDRESS: 35 CONGRESS ST, TOWN: SAL, X-LOC 1170, Y-LOC 1171,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE 35, Y-LOC 1171,  
 WATER USE: SRC: MUN CONSUMP(KGD) 150.0 DISCH(KGD) 150.0 PLC OF DISCH: PUB TRTNMT 2, EFFICNCY 80.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 80, COD .20E+03 SOL .60E+03 NIT 35, PHO .65E+03 PH 6.2  
 LOCATION# 5322, SIC CODE 3941, NAME: PARKER BROTHERS, ADDRESS: 190 BRIDGE ST, TOWN: SAL, X-LOC 1163, Y-LOC 1183,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 570, DATA SOURCE CODE -1, Y-LOC 1183,  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5324, SIC CODE 3641, NAME: SYLVANIA ELEC, ADDRESS: 60 BOSTON ST, TOWN: SAL, X-LOC 1145, Y-LOC 1172,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 490, DATA SOURCE CODE 3, Y-LOC 1172,  
 WATER USE: SRC: MUN CONSUMP(KGD) 350.0 DISCH(KGD) 87.00 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 6.0 COD 20, SOL .30E+03 NIT 13, PHO .20 PH 8.8  
 METALS: AL 1.0 CA .10E+03 MG 55, MA .15E+03  
 OTHERS: ALK 55, CLO 70.  
 LOCATION# 5330, SIC CODE 3830, NAME: ELECTRODYNE, ADDRESS: ROUTE 1, TOWN: SHA, X-LOC 705, Y-LOC 451,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 280, DATA SOURCE CODE 1, Y-LOC 451,  
 WATER USE: SRC: MUN CONSUMP(KGD) .0000 DISCH(KGD) .0000 PLC OF DISCH: SUB TRTNMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5331, SIC CODE 3728, NAME: METAL BELLOWS, ADDRESS: 1075 PROVIDENCE, TOWN: SHA, X-LOC 707, Y-LOC 454,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1, Y-LOC 454.

WATER USE: SRC: MUN CONSUMP(KGD) 37.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 1, EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5337, SIC CODE 2642, NAME: AKES SAFETY ENV ADDRESS: PROPERZI WAY TOWN: SOM X-LOC 875, Y-LOC 924, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 230, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 1.0000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5339, SIC CODE 2050, NAME: FIRST NATIONAL ADDRESS: 5 MIDDLESEX AVE TOWN: SOM X-LOC 900, Y-LOC 948, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 144.0 DISCH(KGD) 1.0000 PLC OF DISCH: PUB TRTMT 1, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5340, SIC CODE 2099, NAME: KEMP EF CORP ADDRESS: 100 WALNUT ST TOWN: SOM X-LOC 892, Y-LOC 930, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 150, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5346, SIC CODE 3573, NAME: DATA GENERAL ADDRESS: ROUTE 9 TOWN: SBR X-LOC 256, Y-LOC 797, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1200, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5348, SIC CODE 3149, NAME: CONGRAN J F SH ADDRESS: 2 CANTON ST TOWN: STO X-LOC 876, Y-LOC 455, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5351, SIC CODE 3662, NAME: RAYTHEON CO ADDRESS: 528 BOS POST RD TOWN: SUD X-LOC 486, Y-LOC 886, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1400, DATA SOURCE CODE 1, WATER USE: SRC: MUN CONSUMP(KGD) 129.0 DISCH(KGD) 12.00 PLC OF DISCH: SUB TRTMT 3, EFFICIENCY 95.0 TMP 62.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 44 SOL 5.2 METALS: CR 20E-02 ZN 26E-02 OTHERS: CLD 1.0 SO4 16

LOCATION: 5355, SIC CODE 3295, NAME: LYNN SAND STONE ADDRESS: 30 DANVERS RD TOWN: SXP X-LOC 1134, Y-LOC 1107, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5358, SIC CODE 3571, NAME: HANG LABS ADDRESS: 836 NORTH ST TOWN: TEM X-LOC 889, Y-LOC 1385, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 900, DATA SOURCE CODE 3, WATER USE: SRC: MUN CONSUMP(KGD) 34.00 DISCH(KGD) 17.00 PLC OF DISCH: PUB TRTMT 2, EFFICIENCY 80.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 4.0 SOL 50, NIT 15, PHO 5.0 PH 7.2

LOCATION: 5360, SIC CODE 2649, NAME: BLEYER IND INC ADDRESS: 400 AUBURN RD TOWN: WAK X-LOC 946, Y-LOC 1175, SEASONAL PRODUCTION SPR 22.0 SUM 20.0 FLL 28.0 WIN 30.0 EMPLOYEES 100, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5361, SIC CODE 2653, NAME: CONTAINER CORP ADDRESS: 365 AUBURN RD TOWN: WAK X-LOC 949, Y-LOC 1173,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 133, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5363, SIC CODE 3142, NAME: EVANS LB SON CO ADDRESS: 37 WATER ST TOWN: WAK X-LOC 926, Y-LOC 1149,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 296, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 1, EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5364, SIC CODE 3679, NAME: TRANSIRON ELEC ADDRESS: ALBION ST TOWN: WAK X-LOC 916, Y-LOC 1139,  
 SEASONAL PRODUCTION SPR 22.0 SUM 26.0 FLL 26.0 WIN 26.0 EMPLOYEES 3000, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 54.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5370, SIC CODE 3534, NAME: BIRD MACHINE CO ADDRESS: NEPONSET ST TOWN: WLP X-LOC 872, Y-LOC 489,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 493, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 75.00 DISCH(KGD) 30.00 PLC OF DISCH: SUR TRTMT 1, EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5375, SIC CODE 3671, NAME: ADAMS-RUSSELL ADDRESS: 280 BEAR HILL TOWN: WAL X-LOC 696, Y-LOC 930,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE 34,  
 WATER USE: SRC: MUN CONSUMP(KGD) 73.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRTMT 3, EFFICIENCY 95.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 20, COD 10, SOL 10, NIT 1.0 PH 6.0

LOCATION# 5378, SIC CODE 3829, NAME: BLM ELECTRONICS ADDRESS: 42 4TH AVE TOWN: WAL X-LOC 666, Y-LOC 945,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) .8000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5379, SIC CODE 2086, NAME: CANADA DRY CORP ADDRESS: 80 2ND AVE TOWN: WAL X-LOC 660, Y-LOC 945,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 375.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 70E+03 COD 84E+03 SOL 75E+03 NIT 15, PH 11.

LOCATION# 5380, SIC CODE 3559, NAME: COMPO IND INC ADDRESS: 125 ROBERTS RD TOWN: WAL X-LOC 655, Y-LOC 889,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5381, SIC CODE 4841, NAME: NEWLITT-PACKARD ADDRESS: 175 WYMAN ST TOWN: WAL X-LOC 668, Y-LOC 960,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 719, DATA SOURCE CODE 5,  
 WATER USE: SRC: MUN CONSUMP(KGD) 115.0 DISCH(KGD) 57.00 PLC OF DISCH: PUB TRTMT 3, EFFICIENCY 95.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL 47,  
 METALS: CR .14 CU .71 NI .24  
 OTHERS: FLR .14 NH3 11.

LOCATION# 538J, SIC CODE 3569, NAME: LIFE CORP, ADDRESS: 1601 TRAPELO RD, TOWN: WAL, X-LOC 664, Y-LOC 986,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 6,000 EMPLOYEES 350, DATA SOURCE CODE 5,  
 WATER USE: SRC: MUN CONSUMP(KGD) 6,000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: PHO 30  
 OTHERS: FLR 48

LOCATION# 538K, SIC CODE 3541, NAME: NICHOLS W H CO, ADDRESS: 48 MOORD AVE, TOWN: WAL, X-LOC 668, Y-LOC 987,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 112.0 EMPLOYEES 598, DATA SOURCE CODE 34,  
 WATER USE: SRC: MUN CONSUMP(KGD) 112.0 DISCH(KGD) 112.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 538L, SIC CODE 2335, NAME: PURITAN DRESS C, ADDRESS: 144 MOODY ST, TOWN: WAL, X-LOC 699, Y-LOC 988,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 40.00 EMPLOYEES 500, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) 40.00 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 538M, SIC CODE 3636, NAME: REECE CORP, ADDRESS: 200 PROSPECT ST, TOWN: WAL, X-LOC 688, Y-LOC 900,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 450.0 EMPLOYEES 976, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 450.0 DISCH(KGD) 300.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .00 COD 1.3 SOL 12, NIT 30 PHO .70E-01 GRE 26, PH 6.3  
 OTHERS: ALK .70E-01 SO4 2.0

LOCATION# 538N, SIC CODE 3443, NAME: STANDRO-THOMSON, ADDRESS: 152 GROVE ST, TOWN: WAL, X-LOC 724, Y-LOC 905,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 115.0 EMPLOYEES 700, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 115.0 DISCH(KGD) 115.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 538P, SIC CODE 3452, NAME: THOMPSON J L, ADDRESS: 5 SAWYER RD, TOWN: WAL, X-LOC 667, Y-LOC 889,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 206.0 EMPLOYEES 400, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 206.0 DISCH(KGD) 206.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5390, SIC CODE 2643, NAME: WAL BAGEPAPER C, ADDRESS: 20 COOPER LANE, TOWN: WAL, X-LOC 702, Y-LOC 904,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 2,000 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 2,000 DISCH(KGD) 2,000 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5393, SIC CODE 3861, NAME: POLAROID, ADDRESS: 868 WINTER ST, TOWN: WAL, X-LOC 656, Y-LOC 949,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 30.00 EMPLOYEES 800, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) 30.00 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5400, SIC CODE 3499, NAME: BARRY DIV, ADDRESS: 700 PLEASANT ST, TOWN: WAL, X-LOC 726, Y-LOC 896,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) 150.0 EMPLOYEES 300, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 150.0 DISCH(KGD) 150.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0 TMP 0,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5403, SIC CODE 2385, NAME: SAWYER-TONER, ADDRESS: 76 STANLEY AVE, TOWN: WAL, X-LOC 722, Y-LOC 896,  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)



SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5435. SIC CODE 3079. NAME: SWEETHEART PLAS ADDRESS: 1 BURLINGTON AV TOWN: MIL X-LOC 780. Y-LOC 1223.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 725. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 167.0 DISCH(KGD) .0000 PLC OF DISCH: SUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5440. SIC CODE 3469. NAME: WINN J H INC DV ADDRESS: 620 WASHINGTON TOWN: WIN X-LOC 892. Y-LOC 1082.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 140.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5444. SIC CODE 3674. NAME: ALPHA IND INC ADDRESS: 20 SYLVAN ST TOWN: MOB X-LOC 799. Y-LOC 1133.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5445. SIC CODE 2095. NAME: ATLANTIC GELATN ADDRESS: HILL ST TOWN: MOB X-LOC 863. Y-LOC 1095.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450. DATA SOURCE CODE 2.  
WATER USE: SRC: MUN CONSUMP(KGD) 3000. DISCH(KGD) 1700. PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5446. SIC CODE 3581. NAME: CORY COFFEE SER ADDRESS: GILL ST TOWN: MOB X-LOC 783. Y-LOC 1078.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1600. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5447. SIC CODE 2099. NAME: SALADA FOODS IN ADDRESS: 399 WASHINGTON TOWN: MOB X-LOC 848. Y-LOC 1141.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 525. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----  
LOCATION: 5450. SIC CODE 3494. NAME: ASHTON VALVE CO ADDRESS: 43 KENDRICK ST TOWN: WRE X-LOC 571. Y-LOC 348.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 391. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 42.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
-----

RECORDS READ - 253  
 MAX X-COORD - 1493  
 MIN X-COORD - 149

RECORDS SELECTED - 253  
 MAX Y-COORD - 1479  
 MIN Y-COORD - 348

NAME	COUNT	TOTAL	AVERAGE
EMP	233	138658.0000	548.0553
CNS	243	121135.8010	498.5012
DIS	246	34222.6904	139.1166
BOD	86	74097.1504	86.5948
CCD	60	119291.2380	1988.2206
SOL	93	410386.2700	4412.7556
NIT	79	4903.5160	62.0698
PHO	57	3968.0270	69.6145
GRE	28	15109.5300	539.6261
PH	69	502.8500	7.2877
AL	8	120.7440	15.0930
SB	1	0.0080	0.0080
AS	2	0.1220	0.0610
B	1	1.0000	1.0000
CD	6	1.1751	0.1958
CA	22	102938.1600	4679.0073
CR	37	961.7710	25.9938
CU	12	7.4560	0.6213
FE	14	956.4560	68.3183
PB	8	2.3302	0.2913
MG	11	103012.5200	9364.7745
MN	4	0.5250	0.1312
HC	11	661.1312	60.1028
HO	2	0.6001	0.3001
NI	8	5.1121	0.6390
K	14	102978.1990	7355.5856
SE	2	920.4000	460.2000
AG	1	0.2000	0.2000
NA	27	44853.8730	1661.2546
SV	5	4.3130	0.8626
TI	2	0.1240	0.0620
ZN	21	363.3568	17.3027
ALK	16	9574.4563	598.4035
BPD	3	0.7600	0.2533
CLD	36	39729.6694	1103.6019
CLH	1	10.0000	10.0000
CND	8	8.7900	1.0987
DET	1	10.0000	10.0000
FLH	5	65.2200	13.0440
HRD	1	4.5000	4.5000
HH3	15	3644.2250	242.9483
HO3	12	51.6642	4.3054
PO2	5	4.5441	0.9088
PNL	17	3916.2135	230.3655
SIL	2	317.1800	158.5900
SCL	17	63350.0000	3726.4706
SPS	4	12792.0000	3198.0000
SC4	32	35187.2305	1099.6010
SFD	28	2169.5000	77.4821
SC3	5	533.5180	106.7036

APPENDIX B  
INDUSTRIES DISCHARGING  
50,000 OR MORE GALLONS PER DAY

AD-A036 797

METCALF AND EDDY INC BOSTON MASS  
WASTEWATER ENGINEERING AND MANAGEMENT PLAN FOR BOSTON HARBOR-EA--ETC(U)  
OCT 75

F/G 13/2

UNCLASSIFIED

NL

2 OF 2  
ADA036797



END  
DATE  
FILMED  
4-77

LOCATION 9, SIC CODE 2819, NAME: NYACOL INC ADDRESS: HEGUN RD TOWN: ASH X-LOC 375, Y-LOC 702.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 44, DATA SOURCE CODE 5, X-LOC 375, Y-LOC 702.  
 WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .17E+04 SOL .83E+04 PH 7.5  
 METALS: CR 2.1 CU 3.3 HG .10 NI 1.7  
 OTHERS: CLD .85E+04 PNL .10 SO4 .51E+04 CAC .75E+03

LOCATION 14, SIC CODE 2026, NAME: MARTINS BROS ADDRESS: 166 GREAT RD TOWN: BDF X-LOC 648, Y-LOC 1119.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 99, DATA SOURCE CODE 4, X-LOC 648, Y-LOC 1119.  
 WATER USE: SRC: MUN CONSUMP(KGD) 156.7 DISCH(KGD) 55.30 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .87E+03 SOL .21E+04 NIT 34, PHO 27.  
 METALS: CA 52, HG 11, NA .37E+03  
 OTHERS: NH3 2.0 SPS .28E+03 4.0

LOCATION 23, SIC CODE 2231, NAME: N.BILLERICA CO ADDRESS: FAULKNER STREET TOWN: BIL X-LOC 633, Y-LOC 1306.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 200, DATA SOURCE CODE 1, X-LOC 633, Y-LOC 1306.  
 WATER USE: SRC: SUR CONSUMP(KGD) 290.0 DISCH(KGD) 280.0 PLC OF DISCH: SUR TRTNMT 1, EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .35E+03 COD .16E+04 SOL .26E+04 NIT 9.0 PHO .52E+03 GRE .18E+03  
 METALS: CA .12E+03 CR 3.6 NA .22E+04  
 OTHERS: CLD .16E+03 NH3 1.9 NO3 .94 PNL .36 SO4 .74E+03 SFD 4.5

LOCATION 26, SIC CODE 3339, NAME: DYAMET TECH ADDRESS: 8 A ST TOWN: BUR X-LOC 714, Y-LOC 1133.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 3, DATA SOURCE CODE 5, X-LOC 714, Y-LOC 1133.  
 WATER USE: SRC: MUN CONSUMP(KGD) 60.00 DISCH(KGD) 60.00 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .00 COD .00 SOL .00 NIT .00 PHO .00 GRE .00 PH .00  
 OTHERS: 5.0

LOCATION 32, SIC CODE 2297, NAME: SOUTHWELL CONOG ADDRESS: 51 MIDDLESEX ST TOWN: CHE X-LOC 501, Y-LOC 1384.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 300, DATA SOURCE CODE 1, X-LOC 501, Y-LOC 1384.  
 WATER USE: SRC: SUR CONSUMP(KGD) 80.00 DISCH(KGD) 77.00 PLC OF DISCH: SUR TRTNMT 1, EFFICNCY 40.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 OTHERS: CLD .17E+04 NH3 32, NO3 1.2 NO2 .40E+01 PNL .16 SO4 .15E+03 SFD .10 SRF .16E+04

LOCATION 52, SIC CODE 2283, NAME: M.J. WHITTAL ASD ADDRESS: TOWN: FRM X-LOC 475, Y-LOC 818.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 500, DATA SOURCE CODE 4, X-LOC 475, Y-LOC 818.  
 WATER USE: SRC: SUR CONSUMP(KGD) 280.0 DISCH(KGD) 140.0 PLC OF DISCH: SUR TRTNMT 0, EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .15E+04 COD 79, SOL .42E+01 NIT 21, PHO .59E+01 GRE 22.  
 OTHERS: 4.0

LOCATION 70, SIC CODE 2033, NAME: N ENG APPLE PQO ADDRESS: HARVARD RD TOWN: LIT X-LOC 319, Y-LOC 1208.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 80, DATA SOURCE CODE 4, X-LOC 319, Y-LOC 1208.  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: SUR TRTNMT 2, EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 17, COD 42, SOL .14E+03 PH 7.3

OTHERS: CLD 28, NO3 .42E+02 NO2 .41E+02

LOCATION: 92, SIC CODE 2092, NAME: COMMODORE FOODS ADDRESS: 12 BROOKSIDE RD TOM: HSF X-LOC 460, Y-LOC 1335, SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 104, DATA SOURCE CODE 3, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: MUN CONSUMP(KGD) 113.0 DISCH(KGD) 100.0 PLC OF DISCH: SUR TRTMT 1, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .13E+03 COD .25E+03 SOL .33E+03 NIT 1.3 PHO .43 GRE 11, OTHERS: NH3 .75E+01 NO3 1.2

LOCATION: 130, SIC CODE 2871, NAME: COMEICO CORP ADDRESS: 525 WOBURN TOM: TEM X-LOC 630, Y-LOC 1337, SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 180, DATA SOURCE CODE 1, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: SUR CONSUMP(KGD) 1300, DISCH(KGD) 1300, PLC OF DISCH: SUR TRTMT 2, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .14E+04 COD .23E+04 SOL .48E+04 NIT .53E+03 PHO 1.6 GRE .30E+03 METALS: AL .11E+03 CA 70, FE 26, .74E+03 NA .79E+03 OTHERS: CLD .82E+03 FUR 42, NH3 .25E+03 NO3 11, SO4 .72E+03 SFD .00 SO3 .13E+03

LOCATION: 137, SIC CODE 3292, NAME: JOHNS-MANVILLE ADDRESS: TOM: BIL X-LOC 651, Y-LOC 1294, SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 95, DATA SOURCE CODE 5, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: SUR CONSUMP(KGD) 70.00 DISCH(KGD) 55.00 PLC OF DISCH: SUB TRTMT 1, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

OTHERS: CAD .00 5.0

LOCATION: 147, SIC CODE 2297, NAME: GILET WOOL SCOU ADDRESS: PRINCETON ST TOM: CHE X-LOC 490, Y-LOC 1389, SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 52, DATA SOURCE CODE 1, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: SUR CONSUMP(KGD) 112.0 DISCH(KGD) 110.0 PLC OF DISCH: SUR TRTMT 1, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .26E+03 COD .12E+04 SOL .81E+03 NIT 31, PHO .85 GRE .23E+03 PH 6.0 METALS: CA 45, CR 50, K 1.3 NA 63, OTHERS: CLD .48E+03 NO2 .20 PNL 13, SO4 24, SFD .30 SRF 65,

LOCATION: 172, SIC CODE 2013, NAME: BOSTON SAUSAGE ADDRESS: CONSTITUTION WH TOM: BSD X-LOC 930, Y-LOC 891, SEASONAL PRODUCTION SPR 28.8 SUM 16.8 FLL 28.8 WIN 28.8 EMPLOYEES 169, DATA SOURCE CODE 4, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: MUN CONSUMP(KGD) 313.0 DISCH(KGD) 234.0 PLC OF DISCH: PUB TRTMT 1, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .16E+04 COD .00 OTHERS: 4.0

LOCATION: 177, SIC CODE 2031, NAME: RITE FOODS INC ADDRESS: 145 NORTHERN TOM: BSD X-LOC 955, Y-LOC 870, SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 9, DATA SOURCE CODE 4, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: MUN CONSUMP(KGD) 995.0 DISCH(KGD) 870.0 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .14E+04 SOL .14E+04 GRE .36E+03 OTHERS: 4.0

LOCATION: 189, SIC CODE 2092, NAME: BOS BONNIE FISH ADDRESS: TRILLING WAY TOM: BSD X-LOC 968, Y-LOC 860, SEASONAL PRODUCTION SPR 14.8 SUM 22.8 FLL 22.8 WIN 22.8 EMPLOYEES 100, DATA SOURCE CODE 3, EFFICIENCY 0.8 TNP 0, WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 96.00 PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .62E+03 SOL .37E+04 GRE 4.0 OTHERS: 3.0

LOCATION: 227, SIC CODE 2013, NAME: COLUMBIA PACKING ADDRESS: 155 SOUTHAMPTON TOM: BSD X-LOC 928, Y-LOC 830,

SEASONAL PRODUCTION SPR 22.8 SUM 34.8 FLL 22.8 MIN 22.8 EMPLOYEES 300. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 280.0 DISCH(KGD) 210.0 PLC OF DISCH: PUB TRMTNT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .12E+04 SOL .90E+03 NIT .20E+03 PH 7.3  
 OTHERS: 4.0

LOCATION: 234. SIC CODE 2013. NAME: N ENG PROVISION ADDRESS: 960 MASS AVE TOWN: BSD X-LOC 926. Y-LOC 827.  
 SEASONAL PRODUCTION SPR 20.8 SUM 40.8 FLL 20.8 MIN 20.8 EMPLOYEES 430. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 254.0 DISCH(KGD) 215.0 PLC OF DISCH: PUB TRMTNT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 SOL .10E+04 NIT .24E+03 PH 7.3  
 OTHERS: 4.0

LOCATION: 282. SIC CODE 2015. NAME: BROADWAY POULTR ADDRESS: 413 DORCHESTER TOWN: BSD X-LOC 942. Y-LOC 838.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 149. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRMTNT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .80E+03  
 OTHERS: 4.0

LOCATION: 297. SIC CODE 3275. NAME: US GYPSUM CO ADDRESS: 200 TERMINAL TOWN: BSD X-LOC 969. Y-LOC 883.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 101. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 2850. DISCH(KGD) 2570. PLC OF DISCH: PUB TRMTNT 0. EFFICIENCY 0.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+03 COD .20E+05 NIT 4.2 PHO 2.9 GRE .10E+05 PH 6.5  
 METALS: CA .10E+06 CR 16. .90E+03 MG .10E+06 HG .40E+03 K .10E+06 SE .92E+03  
 OTHERS: PH 30. SPS .12E+05 SO4 .40E+03 SO3 .40E+03

LOCATION: 305. SIC CODE 2042. NAME: AMERICAN SUGAR ADDRESS: 435 MEDFORD ST TOWN: BSD X-LOC 931. Y-LOC 924.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 350. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) .1082E+05 DISCH(KGD) 805.0 PLC OF DISCH: PUB TRMTNT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .62 COD .48 SOL 1.4 NIT .23 PHO 1.0 PH 5.8  
 OTHERS: 1.0

LOCATION: 310. SIC CODE 2021. NAME: HOOD & SONS ADDRESS: 500 RUTHERFORD TOWN: BSD X-LOC 921. Y-LOC 920.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 5576. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 1400. DISCH(KGD) 1400. PLC OF DISCH: PUB TRMTNT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .26E+05 SOL .52E+05 NIT .80E+03 PHO .70E+03  
 METALS: CA .11E+04 MG .20E+03 K .11E+04 NA .93E+04  
 OTHERS: NH3 70. 4.0

LOCATION: 311. SIC CODE 2024. NAME: HOOD & SONS ADDRESS: 56 ROLAND ST TOWN: BSD X-LOC 911. Y-LOC 923.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 249. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRMTNT 1. EFFICIENCY 50.8 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .13E+04 SOL .26E+04 NIT 40. PHO 35.  
 METALS: CA 60. HG 10. NA .50E+03  
 OTHERS: NH3 3.0 4.0

LOCATION: 315. SIC CODE 2082. NAME: REVERE SUGAR RE ADDRESS: 333 MEDFORD ST TOWN: BSD X-LOC 934. Y-LOC 923.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 489. DATA SOURCE CODE 1.

WATER USE: SPC: SUR CONSUMP(KGD) .1492E+05 DISCH(KGD) 299.5 PLC OF DISCH: SUR TRTMT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .57E+03 SOL .78E+03 NIT .63 PHO .36 PH 8.0  
 METALS: CA .91E+03 FE .25 MG .28E+04 K .09E+03 NA .24E+03 ZN .38E+01  
 OTHERS: CLD 3.2 NO3 .36 SO4 .59E+04 SO3 .70

LOCATION: 325, SIC CODE 3111, NAME: DI MEYER LEATHR ADDRESS: 89 BICKFORD TOWN: BSD X-LOC 891, Y-LOC 818,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 35, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .58E+03 COD .00  
 METALS: CR 23.  
 OTHERS: SCL .17E+04 SFD 58. 4.0

LOCATION: 344, SIC CODE 2013, NAME: MORRISON & SCMP ADDRESS: 35 HIGHBORN ST TOWN: BSD X-LOC 994, Y-LOC 874,  
 SEASONAL PRODUCTION SPR 20.0 SUM 30.0 FLL 20.0 WIN 30.0 EMPLOYEES 69, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 64.50 DISCH(KGD) 51.60 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .34E+03 SCL .24E+03 NIT 58. PH 7.3  
 OTHERS: 4.0

LOCATION: 352, SIC CODE 2621, NAME: TILSTON HOLLIN ADDRESS: 892 RIVER ST TOWN: BSD X-LOC 882, Y-LOC 709,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 260, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 4470. DISCH(KGD) 4380. PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .17E+04 COD .38E+04 SOL .15E+05 NIT .18E+03 PHO 88. PH 6.0  
 OTHERS: NH3 77. NO3 4.9 1.0

LOCATION: 354, SIC CODE 2651, NAME: PERKITT FOLD BOX ADDRESS: 16 POYDRAS ST TOWN: BSN X-LOC 884, Y-LOC 704,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 59, DATA SOURCE CODE 2,  
 WATER USE: SRC: SUR CONSUMP(KGD) 250.0 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL .63E+03  
 METALS: NA 5.0  
 OTHERS: CLP 10. 2.0

LOCATION: 361, SIC CODE 2261, NAME: DANIELS MATHASH ADDRESS: 286 CONGRESS ST TOWN: BSD X-LOC 948, Y-LOC 868,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 40, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) 55.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .27E+03 COD .54E+03 SOL .22E+04 PH 12.  
 METALS: CA 4.0  
 OTHERS: ALK .11E+04 SPS 55. SO4 .32E+03

LOCATION: 369, SIC CODE 2092, NAME: OGDWELL USEN ADDRESS: 157 MAIN ST TOWN: GLO X-LOC 1479, Y-LOC 1456,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 73.40 DISCH(KGD) 73.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .47E+03 NIT .00  
 OTHERS: 3.0

LOCATION: 392, SIC CODE 3069, NAME: ARMSTRONG CORK ADDRESS: OFF HANCOCK ST TOWN: BRA X-LOC 1021, Y-LOC 985,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 770, DATA SOURCE CODE 1.

WATER USEI SRCI SUR CONSUMP(KGD) 4700. DISCH(KGD) 1775. PLC OF DISCHI SUR TRTNMT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD 53. COD .65E+03 SOL .27E+04 NIT 13. PHO 12. GRE .14E+03 PH 6.4

METALS CA .60 CR 3.7 NA 2.7

OTHERS CLD .72E+03 NO3 2.1 PNL .78E+01 SC4 73. SO3 .18E+01

LOCATION# 418. SIC CODE 3069. NAMEI GENERAL LATEX ADDRESSI 666 MAIN ST TOWNI CAN X-LOC 891. Y-LOC 886.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 107. DATA SOURCE CODE 1.

WATER USEI SRCI MUN CONSUMP(KGD) 90.00 DISCH(KGD) 90.00 PLC OF DISCHI PUB TRTNMT 1. EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .56E+03 COD .35E+05 SOL .12E+05 NIT .15E+03 PHO .60 PH 4.5

OTHERS CLD .38E+03 NO3 13. PNL .19E+04 SO4 .13E+04 SFD 1.4

LOCATION# 422. SIC CODE 2812. NAMEI GRACE W R CHEM ADDRESSI 62 WHITTENORE TOWNI CAN X-LOC 830. Y-LOC 953.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1300. DATA SOURCE CODE 1.

WATER USEI SRCI MUN CONSUMP(KGD) 146.0 DISCH(KGD) 108.0 PLC OF DISCHI SUR TRTNMT 1. EFFICIENCY 75.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .14E+03 COD .76E+04 SOL .30E+04 NIT 12. PHO .67 PH 7.5

METALS AL 2.5 AS .12 CD .24E+01 CA 14. FE 26. PB .24 NA .22E+03 TI .24E+01 ZN .48E+01

OTHERS CLD 9.6 PNL .72E+02 SO4 4.8 SFD .77

LOCATION# 430. SIC CODE 2071. NAMEI HABISCO CONFECT ADDRESSI 810 MAIN ST TOWNI CAN X-LOC 887. Y-LOC 888.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1000. DATA SOURCE CODE 4.

WATER USEI SRCI MUN CONSUMP(KGD) 108.0 DISCH(KGD) 81.99 PLC OF DISCHI PUB TRTNMT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD 27. PHO 4.0

OTHERS 4.0

LOCATION# 437. SIC CODE 3471. NAMEI CAX THERMOHIC ADDRESSI 445 CONCORD AVE TOWNI CAN X-LOC 817. Y-LOC 937.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE 5.

WATER USEI SRCI MUN CONSUMP(KGD) 75.00 DISCH(KGD) 75.00 PLC OF DISCHI PUB TRTNMT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI SOL 30. PH 4.0

METALS CD .54 CU .43 PB .50 NI 2.3 AG .20 NA 3.5 SN 1.2 ZN .98

OTHERS CLD 7.2 CND 2.8 DET 10. SO4 2.8

LOCATION# 452. SIC CODE 2026. NAMEI CUMBERLAND FARM ADDRESSI 777 DEEDMAN ST TOWNI CAN X-LOC 813. Y-LOC 878.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 499. DATA SOURCE CODE 4.

WATER USEI SRCI MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCHI PUB TRTNMT 1. EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .26E+04 SOL .52E+04 NIT 80. PHO 70.

METALS CA .10E+03 HG 20. K 10. NA 90.

OTHERS NH3 10. 4.0

LOCATION# 454. SIC CODE 2211. NAMEI DRAPER BROTHERS ADDRESSI 28 DRAPER LANE TOWNI CAN X-LOC 828. Y-LOC 841.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350. DATA SOURCE CODE 4.

WATER USEI SRCI MUN CONSUMP(KGD) 350.0 DISCH(KGD) 350.0 PLC OF DISCHI PUB TRTNMT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD .19E+04 COD .38E+04 SOL .15E+05

METALS CA 28. NA .45E+04

OTHERS ALK .75E+04 SP5 .38E+03 SO4 .20E+04

LOCATION# 510. SIC CODE 4911. NAMEI BOS ED MYSTIC S ADDRESSI TOWNI EVE X-LOC 929. Y-LOC 937.

SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 200. DATA SOURCE CODE 1.  
WATER USEI SRCI SUP CONSUMP(KGD)=1.000 DISCH(KGD) 146.0 PLC OF DISCH: SUR TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: ROD 19. COD 76. PH 8.4  
METALS: NA .35E+03 ZN .10E+03 PHO 11.  
OTHERS: CLD .20E+03 P/L 33. SO4 .35E+03

LOCATION: 519. SIC CODE 2819. NAME: MONSANTO CO ADDRESS: 1 CHEMICAL LANE TOWN: EYE X-LOC 926. Y-LOC 948.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 400. DATA SOURCE CODE 1.  
WATER USEI SRCI MUN CONSUMP(KGD)=1.000 DISCH(KGD) 760.0 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
OTHERS: CLD .22E+05 NH3 .32E+04 SIL .32E+03 SO4 .11E+05

LOCATION: 526. SIC CODE 2291. NAME: GAP CORP 140 PR ADDRESS: MAYNARD ST TOWN: FRN X-LOC 461. Y-LOC 379.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 125. DATA SOURCE CODE 1.  
WATER USEI SRCI OAN CONSUMP(KGD) 450.0 DISCH(KGD) 230.0 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .21E+03 COD .35E+03 SOL .35E+04 NIT .11E+03 PHO 4.7 GRE 5.1 PH 8.0  
METALS: CR 9.3 ZN .14E+03  
OTHERS: CLD .64E+03 NO3 3.9 NO2 .00 PNL 95. SO4 .39E+03 SRF 1.7

LOCATION: 531. SIC CODE 2031. NAME: ADE FOOD CO ADDRESS: RR 417 MAIN ST TOWN: GLO X-LOC 1492. Y-LOC 1484.  
SEASONAL PRODUCTION SPR 22.8 SUM 34.8 FLL 22.8 WIN 22.8 EMPLOYEES 23. DATA SOURCE CODE 3.  
WATER USEI SRCI MUN CONSUMP(KGD) 65.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .42E+03 SOL .25E+04 GRE 3.0  
OTHERS: 3.0

LOCATION: 537. SIC CODE 2092. NAME: GORTON CORP ADDRESS: 327 MAIN ST TOWN: GLO X-LOC 1494. Y-LOC 1480.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 999. DATA SOURCE CODE 3.  
WATER USEI SRCI MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .10E+04 SOL .61E+04 GRE 6.0  
OTHERS: 3.0

LOCATION: 576. SIC CODE 2033. NAME: FRIEND BROS INC ADDRESS: 730 EASTERN AVE TOWN: MAL X-LOC 952. Y-LOC 1010.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 99. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 72.00 DISCH(KGD) 72.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: SOL 6.0  
OTHERS: 4.0

LOCATION: 633. SIC CODE 2024. NAME: HENDRIES INC ADDRESS: 131 ELIOT ST TOWN: MID X-LOC 918. Y-LOC 719.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 200. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 56.00 DISCH(KGD) 56.00 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
METALS: CA 50. MG 10. K 50. NA .37E+03  
OTHERS: NH3 1.0 4.0

LOCATION: 652. SIC CODE 3069. NAME: STONE WOODWARD ADDRESS: 191 OAK ST TOWN: NTN X-LOC 724. Y-LOC 786.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 74. DATA SOURCE CODE 3.  
WATER USEI SRCI SUP CONSUMP(KGD) 83.00 DISCH(KGD) 83.00 PLC OF DISCH: SUR TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN) PH 4.5  
 GENERAL: BOD .50E+03 COD .34E+05 SOL .12E+05 NIT .15E+03 PHO 1.0  
 OTHERS: CLO .38E+03 NO3 12. PNL .18E+04 SO4 .13E+04 SFD 1.0  
 LOCATION: 954. SIC CODE 2231. NAME: BUCKLEY MAHN ADDRESS: LAWRENCE ST TOWN: NFK X-LOC 536. Y-LOC 403.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 75. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 108.0 DISCH(KGD) 105.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .13E+03 COD .59E+03 SOL .97E+03 NIT 3.0 PHO .20E+03 GRE 70.  
 METALS: CR 46. CR 1.0 NA .84E+03  
 OTHERS: CLO 60. SO4 .28E+03 SFD 2.0  
 LOCATION: 677. SIC CODE 3111. NAME: BORN LEATH SPLT ADDRESS: 2 SUMMIT TOWN: PEA X-LOC 1089. Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 29. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 59.00 DISCH(KGD) 59.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .48E+03 SOL .38E+04 NIT 29.  
 METALS: CR 19.  
 OTHERS: CLO .14E+04 SFD 48. 4.0  
 LOCATION: 687. SIC CODE 2891. NAME: EASTMAN GELATIN ADDRESS: 227 WASHINGTON TOWN: PEA X-LOC 1089. Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 373. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 5500. DISCH(KGD) 2900. PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN) PH 6.9  
 GENERAL: BOD 19. COD 85. SOL .82E+03 NIT 3.6 PHO 2.0  
 METALS: CR 35. ZN .35E-01  
 OTHERS: CLO .25E+03 SO4 89. 1.0  
 LOCATION: 688. SIC CODE 3111. NAME: EASTERN TANNING ADDRESS: 41 HARDY ST TOWN: PEA X-LOC 1128. Y-LOC 1188.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 30. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 60.00 DISCH(KGD) 60.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .50E+03 SOL .40E+04 NIT 30.  
 METALS: CR 20.  
 OTHERS: CLO .15E+04 SFD 5.0 4.0  
 LOCATION: 689. SIC CODE 3111. NAME: FERNON TANNING ADDRESS: 11 WALNUT ST TOWN: PEA X-LOC 1120. Y-LOC 1186.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 85. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 175.0 DISCH(KGD) 175.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN) PH 7.0  
 GENERAL: BOD .14E+04 SOL .11E+05 NIT 88.  
 METALS: CR 50.  
 OTHERS: CLO .43E+04 SFD .14E+03 4.0  
 LOCATION: 693. SIC CODE 3111. NAME: HENRY LEATHER ADDRESS: 150 MAIN ST TOWN: PEA X-LOC 1089. Y-LOC 1180.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 35. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.8 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .58E+03 SOL .46E+04 NIT 35.  
 METALS: CR 23.  
 OTHERS: CLO .17E+04 SFD 58. 4.0  
 LOCATION: 696. SIC CODE 3111. NAME: MATZ TANNING ADDRESS: 119 FOSTER ST TOWN: PEA X-LOC 1111. Y-LOC 1178.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 35. DATA SOURCE CODE 4.

WATER USE: SPC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .58E+03 SOL .46E+04 NIT 35.  
 METALS: CR 23.  
 OTHERS: SCL .17E+04 SFD 58. 4.0

LOCATION: 709. SIC CODE 3111. NAME: SHAWMUT TANNING ADDRESS: 45 WALNUT ST TOWN: PEA X-LOC 1129, Y-LOC 1184.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 49. DATA SOURCE CODE 4.  
 WATER USE: SPC: MUN CONSUMP(KGD) 98.00 DISCH(KGD) 98.00 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .81E+03 SOL .65E+04 NIT 49.  
 METALS: CR 32.  
 OTHERS: SCL .24E+04 SFD 81. 4.0

LOCATION: 713. SIC CODE 3111. NAME: TANNERS SPECIAL ADDRESS: 145 LOWELL ST TOWN: PEA X-LOC 1109, Y-LOC 1192.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 49. DATA SOURCE CODE 4.  
 WATER USE: SPC: MUN CONSUMP(KGD) 98.00 DISCH(KGD) 98.00 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .81E+03 SOL .65E+04 NIT 49.  
 METALS: CR 32.  
 OTHERS: SCL .24E+04 SFD 81. 4.0

LOCATION: 718. SIC CODE 3111. NAME: VICTORY TANNING ADDRESS: 23 UPTON ST TOWN: PEA X-LOC 1120, Y-LOC 1188.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 45. DATA SOURCE CODE 4.  
 WATER USE: SPC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .75E+03 SOL .60E+04 NIT 45.  
 METALS: CR 30.  
 OTHERS: SCL .22E+04 SFD 75. 4.0

LOCATION: 749. SIC CODE 3111. NAME: NORMAN LEWIS CO ADDRESS: 164 BROADWAY TOWN: REY X-LOC 997, Y-LOC 986.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 65. DATA SOURCE CODE 4.  
 WATER USE: SPC: MUN CONSUMP(KGD) 130.0 DISCH(KGD) 130.0 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .11E+04 SOL .86E+04 NIT 65.  
 METALS: CR 43.  
 OTHERS: SCL .32E+04 SFD .11E+03 4.0

LOCATION: 754. SIC CODE 2042. NAME: CLARK BABBIT ADDRESS: STATE ST TOWN: RCL X-LOC 1108, Y-LOC 460.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 84. DATA SOURCE CODE 1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 330.0 DISCH(KGD) 330.0 PLC OF DISCH: PUB TRMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .45E+03 SOL .46E+03 NIT 95. PHO .16E+03 GRE .37E+03 PH 6.1  
 METALS: CR 43.  
 OTHERS: CLD 85. SFD .20 1.0

LOCATION: 764. SIC CODE 3111. NAME: FLYNN JOHN SONS ADDRESS: 80 BOSTON ST TOWN: SAL X-LOC 1141, Y-LOC 1175.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 225. DATA SOURCE CODE 4.  
 WATER USE: SPC: MUN CONSUMP(KGD) 450.0 DISCH(KGD) 450.0 PLC OF DISCH: PUB TRMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .37E+04 SOL .30E+05 NIT .22E+03 PH 7.0  
 METALS: CR .15E+03  
 OTHERS: SCL .11E+05 SFD .37E+03 4.0

LOCATION# 775, SIC CODE 3111, NAME: LEACH HECKEL LE ADDRESS: 72 FLINT ST TOWN: SAL X-LOC 1146, Y-LOC 1179,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 72, DATA SOURCE CODE 4,  
 WATER USE: SRC: OUN CONSUMP(KGD) 300.0 DISCH(KGD) 300.0 PLC OF DISCH: PUB TRMTMT 1, EFFICIENCY 50.8 TMP 80.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .25E+04 SOL .20E+05 NIT .15E+03 PH 7.0  
 METALS: CR 99  
 OTHERS: SCL .75E+04 SFD .25E+03 4.0

LOCATION# 780, SIC CODE 3111, NAME: SALEN SUEDE INC ADDRESS: 7 IRVING ST TOWN: SAL X-LOC 1142, Y-LOC 1188,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 49, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRMTMT 1, EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .83E+03 SOL .66E+04 NIT 50.  
 METALS: CR 33  
 OTHERS: SCL .25E+03 SFD 83. 4.0

LOCATION# 812, SIC CODE 2013, NAME: MM WADES CO INC ADDRESS: 67 SOUTH ST TOWN: SOM X-LOC 895, Y-LOC 909,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 110, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 80.0 DISCH(KGD) 70.0 PLC OF DISCH: PUB TRMTMT 0, EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .46E+03 SOL .32E+03 NIT 79. PH 7.3  
 OTHERS: 4.0

LOCATION# 860, SIC CODE 2297, NAME: KENDALL FIBER ADDRESS: WEST ST TOWN: WLP X-LOC 690, Y-LOC 490,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 1500, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 900.0 DISCH(KGD) 750.0 PLC OF DISCH: SUR TRMTMT 0, EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .36E+03 NIT .00 PHO .00 GRE .00 PH 8.0  
 OTHERS: 1.0

LOCATION# 862, SIC CODE 2621, NAME: BIRD SUN PAPER ADDRESS: WASHINGTON ST TOWN: WLP X-LOC 689, Y-LOC 496,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 170, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 700.0 DISCH(KGD) 650.0 PLC OF DISCH: PUB TRMTMT 1, EFFICIENCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 OTHERS: NH3 11. MO3 .70 1.0

LOCATION# 920, SIC CODE 4911, NAME: BOS EDI STA ADDRESS: 1 BRIDGE ST TOWN: NEY X-LOC 1070, Y-LOC 872,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 170, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) 103.0 PLC OF DISCH: SUR TRMTMT 0, EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 13. COD 34. SOL .65E+03 NIT 7.0 PHO 8.0 PH 8.4  
 METALS: NA .17E+03 ZN 72.  
 OTHERS: CLD .14E+03 PNL 24. 804 .25E+03

LOCATION# 932, SIC CODE 2818, NAME: STEPHAN CHEMICAL ADDRESS: 51 EAMES ST TOWN: WIL X-LOC 808, Y-LOC 1192,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 99, DATA SOURCE CODE 5,  
 WATER USE: SRC: MUN CONSUMP(KGD) 247.7 DISCH(KGD) 247.7 PLC OF DISCH: PUB TRMTMT 1, EFFICIENCY 99.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL 19. PH 8.5  
 OTHERS: CLD .21E+04 804 .41E+04 5.0

LOCATION# 935, SIC CODE 2891, NAME: SWIFT EDIBL OIL ADDRESS: 134 CROSS ST TOWN: WIN X-LOC 840, Y-LOC 1077,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 75, DATA SOURCE CODE 3.

WATER USE: SRC: OWN CONSUMP(KGD) 650.0 DISCH(KGD) 645.0 PLC OF DISCH: PUB TRMTNT 1, EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 3.0 COD 17, SOL .16E+03 NIT .70 PHO .40 PH 6.9  
 METALS: CR .10 ZN .10E-01  
 OTHERS: CLD 50, SOD 17, 3.0

LOCATION: 941, SIC CODE 2891, NAME: ATLAN GELATIN ADDRESS: 17 MILL AVE TOWN: MOB X-LOC 660, Y-LOC 1096,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 3000, DISCH(KGD) 1700, PLC OF DISCH: PUB TRMTNT 1, EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 10, COD 42, SOL .41E+03 NIT 1.7 PHO 1.0  
 METALS: CR .27 ZN .20E-01  
 OTHERS: CLD .17E+03 SOD 45, 3.0

LOCATION: 943, SIC CODE 2024, NAME: BORDEN CO ADDRESS: 16 CONN ST TOWN: MOB X-LOC 818, Y-LOC 1085,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 19, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 54.00 DISCH(KGD) 54.00 PLC OF DISCH: PUB TRMTNT 1, EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .10E+04 SOL .20E+04 NIT 30, PHO 20,  
 METALS: CA 40, HG 10, NA .40E+03  
 OTHERS: NH3 2.0 4.0

LOCATION: 961, SIC CODE 3111, NAME: JOHN RILEY CO ADDRESS: 228 SALEM ST TOWN: MOB X-LOC 837, Y-LOC 1117,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 150, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 200.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRMTNT 1, EFFICNCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .17E+04 SOL .13E+05 NIT .10E+03 PH 8.0  
 METALS: CR 66,  
 OTHERS: SCL .50E+04 SFD .18E+03 4.0

LOCATION: 503, SIC CODE 3873, NAME: GENERAL ELECTRIC ADDRESS: 75 MONER AVE TOWN: ASH X-LOC 396, Y-LOC 700,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1600, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 330.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: PH 6.0

LOCATION: 5016, SIC CODE 3761, NAME: RAYTHEON CO ADDRESS: MARTIN RD TOWN: BDF X-LOC 615, Y-LOC 1096,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999, DATA SOURCE CODE 12,  
 WATER USE: SRC: MUN CONSUMP(KGD) 160.0 DISCH(KGD) 120.0 PLC OF DISCH: PUB TRMTNT 3, EFFICNCY 95.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 14, COD 41, SOL 14, NIT .70 PHO .70 GRE 1.5 PH 6.0  
 METALS: B 1.0 CR .50E-01 CU .10 FE .13 MN .50E-01 NI .50E-01 SN .10  
 OTHERS: ALK 55, CLD 30, CND 1.0 PNL .40 SOD 4.6 SFD .10

LOCATION: 5021, SIC CODE 3679, NAME: VARIAN ASSOC ADDRESS: 8 SALEM RD TOWN: BEV X-LOC 1176, Y-LOC 1271,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 240.0 DISCH(KGD) 210.0 PLC OF DISCH: SUR TRMTNT 3, EFFICNCY 95.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 7.6 COD 17, SOL .36E+03 NIT 2.4 PHO .50 GRE 11, PH 5.9  
 METALS: CR .90E-01 FE 1.7 PB .80E-01 MG 7.6 HG .50E-01 K 1.6 SE .40 TI .10 ZN .10  
 OTHERS: BMD .20 CLD 50, CND .20E-01 FLR .80 HRD 4.5 SOD 40, SFD .30

LOCATION: 5030, SIC CODE 3421, NAME: GILLETTE SAFETY ADDRESS: GILLETTE PARK TOWN: BSD X-LOC 946, Y-LOC 891.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2500. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 0.  
 WATER USE: SRC: SUR CONSUMP(KGD) 2720E+05 DISCH(KGD) 820.0 PLC OF DISCH: PUB TRTMT 0. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .10E+03 COD .42E+03 SOL .50E+04 NIT 50. PHO 60. PH 8.4  
 LOCATION: 5045. SIC CODE 2085. NAME: MR BOSTON DISTL ADDRESS: 1010 MASS AVE TOWN: BSD X-LOC 930. Y-LOC 821.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 285. DATA SOURCE CODE 3. EFFICACY 0.0 TMP 70.  
 WATER USE: SRC: MUN CONSUMP(KGD) 525.0 DISCH(KGD) 190.0 PLC OF DISCH: PUB TRTMT 0. DATA SOURCE CODE 3. EFFICACY 0.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .65E+03 COD .70E+03 SOL .66E+03 NIT 15.  
 LOCATION: 5052. SIC CODE 3861. NAME: KEYSTONE MFG CP ADDRESS: 151 HALLET ST TOWN: BSD X-LOC 955. Y-LOC 743.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 60.  
 WATER USE: SRC: MUN CONSUMP(KGD) 170.0 DISCH(KGD) 110.0 PLC OF DISCH: SUR TRTMT 0. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 81. COD .22E+03 SOL .61E+03 NIT 37. PHO .66E+03 GRE .70 PH 6.2  
 METALS: CU .35 FE .18E-01 MN .35E-01 NI .53 ZN .28  
 OTHERS: CND .50E-02  
 LOCATION: 5070. SIC CODE 2086. NAME: COCA-COLA ADDRESS: 400 SOLDIERS RD TOWN: BSD X-LOC 859. Y-LOC 883.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE 1. EFFICACY 50.0 TMP 68.  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 90.0 PLC OF DISCH: PUB TRTMT 1. DATA SOURCE CODE 1. EFFICACY 50.0 TMP 68.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .31E+03 COD .15E+03 SOL .34E+03 NIT 6.9 PHO .00 PH 11.  
 OTHERS: ALK .13E+03 NH3 1.2 NO2 4.3  
 LOCATION: 5072. SIC CODE 3573. NAME: HONEYWELL INC ADDRESS: 381 LIFE ST TOWN: BSD X-LOC 989. Y-LOC 876.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 980. DATA SOURCE CODE 35. EFFICACY 50.0 TMP 0.  
 WATER USE: SRC: MUN CONSUMP(KGD) 548.0 DISCH(KGD) 274.0 PLC OF DISCH: PUB TRTMT 1. DATA SOURCE CODE 35. EFFICACY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: COD 90. SOL .70E+03 NIT .30E+03 PHO .10E+03 PH 7.2  
 LOCATION: 5103. SIC CODE 3662. NAME: MICROHAVE ASSOC ADDRESS: SOUTH AV WINDP TOWN: BUR X-LOC 719. Y-LOC 1101.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 900. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 55.  
 WATER USE: SRC: MUN CONSUMP(KGD) 160.0 DISCH(KGD) 72.0 PLC OF DISCH: SUR TRTMT 0. DATA SOURCE CODE 1. EFFICACY 0.0 TMP 55.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 5.5 COD .30 SOL .27E+03 NIT 2.6 PHO .20 GRE 2.7 PH 3.2  
 METALS: CA 15. CR .10 CU .40 FE .80 MG 4.3 MN .40 MO .60 K .30 NA 30.  
 OTHERS: ALK 9.8 BMD .60E-01 CLD .11E+03 CND .20E-01 FLR 21. SO4 22.  
 LOCATION: 5104. SIC CODE 3662. NAME: RCA AEROSPACE ADDRESS: RTE 3662 TOWN: BUR X-LOC 701. Y-LOC 1135.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2200. DATA SOURCE CODE 1. EFFICACY 95.0 TMP 50.  
 WATER USE: SRC: MUN CONSUMP(KGD) 80.0 DISCH(KGD) 76.0 PLC OF DISCH: PUB TRTMT 3. DATA SOURCE CODE 1. EFFICACY 95.0 TMP 50.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 21. COD .10 SOL 12. NIT .80 PH 6.0  
 OTHERS: ALK 17.  
 LOCATION: 5115. SIC CODE 2653. NAME: CONTINENTAL CAN ADDRESS: FAWCETT ST TOWN: CAN X-LOC 821. Y-LOC 939.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 163. DATA SOURCE CODE 3. EFFICACY 0.0 TMP 100.  
 WATER USE: SRC: MUN CONSUMP(KGD) 66.0 DISCH(KGD) 53.0 PLC OF DISCH: PUB TRTMT 0. DATA SOURCE CODE 3. EFFICACY 0.0 TMP 100.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL 5.0 PH 11.

LOCATION# 5136, SIC CODE 3281, NAME: FLETCHER H E CO ADDRESS: GROTON RD TOWN: CHE X-LOC 462, Y-LOC 1376,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 250, DATA SOURCE CODE 4,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 263.0 DISCH(KGD) 256.0 PLC OF DISCH: PUB TRIMNT 1, EFFICIENCY 50.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL .21E+05

LOCATION# 5150, SIC CODE 3641, NAME: GIE SYLVANIA IN ADDRESS: 75 SYLVAN ST TOWN: DAN X-LOC 1095, Y-LOC 1241,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 1000, DATA SOURCE CODE 1,  
 WATER USE: SPC1 OAN CONSUMP(KGD) 570.0 DISCH(KGD) 140.0 PLC OF DISCH: SUB TRIMNT 0, EFFICIENCY 0.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: ROD 10, CUD 34, SOL .48E+03 NIT 21, PHO .30 PH 8.8 NI .30 NA .24E+03 ZN .60E-01  
 METALS: AL 1.0 CA .17E+03 CR .80E-01 FE .60 PB .20 MG 88  
 OTHERS: ALK 89, BMD .50 CLD .11E+03 SOD 28.

LOCATION# 5156, SIC CODE 3829, NAME: HERSEY PRODUCTS ADDRESS: 250 ELM ST TOWN: DED X-LOC 778, Y-LOC 661,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 600, DATA SOURCE CODE 1,  
 WATER USE: SPC1 OAN CONSUMP(KGD) 112.0 DISCH(KGD) 112.0 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.4 TMP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: GRE 6.0 PH 8.0  
 METALS: CD .10E-02 CR .10E-01 CU .50E-02 HG .20E-03 ZN .50E-02  
 OTHERS: CND .50E-02

LOCATION# 5162, SIC CODE 2851, NAME: CARPENTR-WORTON ADDRESS: 376 THIRD ST TOWN: EVE X-LOC 954, Y-LOC 954,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 178.0 DISCH(KGD) 89.0 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5171, SIC CODE 3711, NAME: G M ASSEMBLY ADDRESS: WESTERN AVE TOWN: FRM X-LOC 460, Y-LOC 703,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 3500, DATA SOURCE CODE 1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 330.0 DISCH(KGD) 280.0 PLC OF DISCH: PUB TRIMNT 3, EFFICIENCY 95.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 1.3 COD 8.1 SOL 46, NIT 1.1 PHO .50E-01 GRE 1.8  
 METALS: AL .40E-01 FE .18 MN .40E-01  
 OTHERS: CLD 6.8 PUL .30E-03 SFD .30E-01

LOCATION# 5197, SIC CODE 3832, NAME: ITER CORP ADDRESS: 10 MAGUIPE RD TOWN: LEX X-LOC 667, Y-LOC 1084,  
 SEASONAL PRODUCTION SPR 30.4 SUM 20.4 FLL 30.4 WIN 20.4 EMPLOYEES 1000, DATA SOURCE CODE 35,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 60.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRIMNT 2, EFFICIENCY 80.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 50, COD .15E+03 SOL .40E+03 NIT 25, PHO .42E+03 PH 6.2

LOCATION# 5226, SIC CODE 3571, NAME: DIGITAL EQUIP ADDRESS: 146 MAIN ST TOWN: MAY X-LOC 398, Y-LOC 1011,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 4600, DATA SOURCE CODE 35,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 500.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: COD 70, SOL .60E+03 NIT .25E+03 PHO 90, PH 7.2  
 METALS: CU 1.2 PB 1.3 SN 3.0

LOCATION# 5246, SIC CODE 2952, NAME: GAF CORP BLDG ADDRESS: 60 CURVE ST TOWN: MIL X-LOC 540, Y-LOC 540,  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 5000, DATA SOURCE CODE 1,  
 WATER USE: SPC1 MUN CONSUMP(KGD) 190.0 DISCH(KGD) 170.0 PLC OF DISCH: SUR TRIMNT 1, EFFICIENCY 50.4 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 38, COD 91, SOL .15E+03 NIT 2.0, PHO .80, GRE 2.3, PH 6.8  
 METALS: CU .30E-01 FE .45E-01 K 3.0, ZN .10  
 OTHERS: CLD 60, CND .40E-01 PNL .40E-02

LOCATION: 5321, SIC CODE 3832, NAME: EG&G INC, ADDRESS: 35 CONGRESS ST, TOWN: SAL, X-LOC 1170, Y-LOC 1171,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 450, DATA SOURCE CODE 35,  
 WATER USE: SRC: MUN CONSUMP(KGD) 150.0, DISCH(KGD) 150.0, PLC OF DISCH: PUB TRTMT 2, EFFICIENCY 80.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 80, COD .20E+03 SOL .60E+03 NIT 35, PHO .65E+03 PH 6.2  
 METALS: AL 1.0, CA .10E+03 MG 55, .15E+03  
 OTHERS: CLD 70

LOCATION: 5324, SIC CODE 3641, NAME: SYLVANIA ELEC, ADDRESS: 60 BOSTON ST, TOWN: SAL, X-LOC 1115, Y-LOC 1172,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 490, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 350.0, DISCH(KGD) 87.00, PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 6.0, COD 20, SOL .30E+03 NIT 13, PHO .20, PH 8.8  
 METALS: AL 1.0, CA .10E+03 MG 55, .15E+03  
 OTHERS: ALK 55, CLD 70

LOCATION: 5375, SIC CODE 3671, NAME: ADAMS-RUSSELL, ADDRESS: 280 BEAR HILL, TOWN: WAL, X-LOC 650, Y-LOC 930,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 250, DATA SOURCE CODE 34,  
 WATER USE: SRC: MUN CONSUMP(KGD) 73.00, DISCH(KGD) 65.00, PLC OF DISCH: PUB TRTMT 3, EFFICIENCY 99.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 20, COD 10, SOL 10, NIT 1.0, PH 8.0  
 METALS: CR .14, CU .71, NI .24  
 OTHERS: FLR .14, HM3 11

LOCATION: 5379, SIC CODE 2086, NAME: CA-ADA DRY CORP, ADDRESS: 80 2ND AVE, TOWN: WAL, X-LOC 660, Y-LOC 948,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 350, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 375.0, DISCH(KGD) 200.0, PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0, TNP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .70E+03 COD .84E+03 SOL .75E+03 NIT 15, PH 11  
 METALS: CR .14, CU .71, NI .24  
 OTHERS: FLR .14, HM3 11

LOCATION: 5381, SIC CODE 3841, NAME: HEWLETT-PACKARD, ADDRESS: 175 WYMAN ST, TOWN: WAL, X-LOC 660, Y-LOC 960,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 719, DATA SOURCE CODE 5,  
 WATER USE: SRC: MUN CONSUMP(KGD) 115.0, DISCH(KGD) 57.00, PLC OF DISCH: PUB TRTMT 3, EFFICIENCY 99.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL 47,  
 METALS: CR .14, CU .71, NI .24  
 OTHERS: FLR .14, HM3 11

LOCATION: 5386, SIC CODE 3636, NAME: REECE CORP, ADDRESS: 200 PROSPECT ST, TOWN: WAL, X-LOC 680, Y-LOC 980,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 976, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 450.0, DISCH(KGD) 300.0, PLC OF DISCH: PUB TRTMT 0, EFFICIENCY 0.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .00, COD 1.3, SOL 12, PHO .70E-01 GRE 26, PH 6.3  
 METALS: AL .80, MG 2.0, HG .10E+02  
 OTHERS: ALK .12E+03 CLD .13E+03

LOCATION: 5410, SIC CODE 3662, NAME: RAYTHEON CO, ADDRESS: OLD SUBURY RD, TOWN: WAL, X-LOC 523, Y-LOC 899,  
 SEASONAL PRODUCTION SPR 25.0, SUM 25.0, FLL 25.0, WIN 25.0, EMPLOYEES 2800, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 165.0, DISCH(KGD) 161.0, PLC OF DISCH: SUR TRTMT 2, EFFICIENCY 80.0, TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .00, COD 36, SOL .38E+03 NIT .18E+03 PHO 49, PH 7.2  
 METALS: AL .80, MG 2.0, HG .10E+02  
 OTHERS: ALK .12E+03 CLD .13E+03

LOCATION: 5417, SIC CODE 1291, NAME: BAY STATE ABRAS ADDRESS: 12 UNION ST TOWN: WBA X-LOC 190, Y-LOC 127.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FUL 25.8 MIN 25.8 EMPLOYEES 767, DATA SOURCE CODE 1.  
 WATER USE: SRC: SUR CONSUMP(KGD) 590.0 DISCH(KGD) 60.00 PLC OF DISCH: SUR TRTMT 0, EFFICNCY 0.0 TMP 78.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 57, COD .33E+03 SOL .26E+04 PHO 25, GRE 22, PH 6.6  
 METALS: CA 6.7 K 27.  
 OTHERS: ALK .47E+03 PNL 2.1 SMF .50E-01  
 LOCATION: 5443, SIC CODE 2095, NAME: ATLANTIC GELATN ADDRESS: HILL ST TOWN: WOB X-LOC 863, Y-LOC 1099.  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FUL 25.8 MIN 25.8 EMPLOYEES 450, DATA SOURCE CODE 2.  
 WATER USE: SRC: MUN CONSUMP(KGD) 3000, DISCH(KGD) 1700, PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: GRE .34E+04 PH 11.

RECORDS READ - 253  
 MAX X-COORD - 1492  
 MIN X-COORD - 190

RECORDS SELECTED - 95  
 MAX Y-COORD - 1464  
 MIN Y-COORD - 379

NAME	COUNT	TOTAL	AVERAGE
EMP	95	55747.0000	586.8105
CNS	92	96643.1006	1050.4685
DIS	95	33907.6899	356.9231
BOD	77	71765.5488	932.0201
COD	48	116443.3980	2425.9041
SCL	79	407202.8480	5154.4664
NIT	66	4797.9100	72.5441
PHO	45	3925.2590	87.2280
GRE	26	15062.9601	579.3446
PH	53	378.3500	7.1387
AL	6	120.3400	20.0567
AS	1	0.1200	0.1200
B	1	1.0000	1.0000
CD	3	0.5650	0.1883
CA	20	102934.2000	5146.7100
CR	30	738.1570	24.6052
CU	9	6.4860	0.7207
FE	11	956.2230	86.9294
PB	3	2.3200	0.4640
MG	8	103011.8990	12876.4874
MN	4	0.5250	0.1312
HG	11	661.1312	60.1028
MO	1	0.6000	0.6000
MI	6	5.1100	0.8517
K	14	102978.1990	7355.5856
SE	2	920.4000	460.2000
AG	1	0.2000	0.2000
NA	23	44748.6699	1945.5943
SV	3	4.3000	1.4333
TI	2	0.1240	0.0620
ZN	14	320.6760	22.9054
ALK	11	9549.2700	868.1155
BMD	3	0.7600	0.2533
CLD	30	39647.3496	1321.5783
CLR	1	10.0000	10.0000
CND	7	3.8900	0.5557
DEI	1	10.0000	10.0000
FLR	4	64.7400	16.1850
HRD	1	4.5000	4.5000
MH3	15	3644.2250	242.9483
NO3	12	51.6642	4.3054
AO2	5	4.5441	0.9088
PNL	16	3866.2135	241.6383
SIL	1	317.0000	317.0000
SCL	14	46550.0000	3325.0000
SPS	4	12792.0000	3198.0000
SC4	28	35082.7500	1252.9554
SFD	25	1603.5000	64.1400
SC3	4	528.1180	132.0295
SFF	5	1666.9700	333.3940

**APPENDIX C**  
**INDUSTRIES DISCHARGING**  
**ZERO GALLONS PER DAY**

LOCATION# 5010, SIC CODE 3841, NAME: AMER OPTICAL CP ADDRESS: CROSBY DR TOWN: BDF X-LOC 691, Y-LOC 1191.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 249, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5012, SIC CODE 3679, NAME: BASF SYSTEMS IN ADDRESS: CROSBY DR TOWN: BDF X-LOC 689, Y-LOC 1197.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5014, SIC CODE 3811, NAME: GCA CORP ADDRESS: BURLINGTON RD TOWN: BDF X-LOC 697, Y-LOC 1141.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 800, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5015, SIC CODE 3564, NAME: MILLIPONE CORP ADDRESS: ASHBY RD TOWN: BDF X-LOC 652, Y-LOC 1108.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5017, SIC CODE 3679, NAME: SANDERS ASSOC, ADDRESS: CROSBY DR TOWN: BDF X-LOC 691, Y-LOC 1148.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 530, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5020, SIC CODE 3451, NAME: USM, MACH DIV ADDRESS: 181 ELIOTT ST TOWN: BEV X-LOC 1172, Y-LOC 1238.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2100, DATA SOURCE CODE -1.  
 WATER USE: SRC: SUR CONSUMP(KGD) .1400E+05 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5031, SIC CODE 2711, NAME: HERALD AMERICAN ADDRESS: 300 HARRISON AV TOWN: BSD X-LOC 934, Y-LOC 856.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1500, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5032, SIC CODE 2711, NAME: BOSTON GLOVE ADDRESS: 135 MORRISSEY BL TOWN: BSD X-LOC 947, Y-LOC 907.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2400, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 36.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5035, SIC CODE 2651, NAME: HUB FLD BOX ADDRESS: 16-16 BINFORD & TOWN: BSD X-LOC 981, Y-LOC 860.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 120, DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5039, SIC CODE 3829, NAME: TENADINE INC ADDRESS: 103 ESSEX ST TOWN: BSD X-LOC 941, Y-LOC 867.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 480, DATA SOURCE CODE 3.

WATER USE: SPC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5042, SIC CODE 2711, NAME: CHRISTIAN SCI ADDRESS: 1 NORTON ST TOWN: BSD X-LOC 906, Y-LOC 854.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1013, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5043, SIC CODE 2311, NAME: COSMOPOLITAN CO ADDRESS: 712 BEACH ST TOWN: BSD X-LOC 883, Y-LOC 861.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5049, SIC CODE 2652, NAME: PARIS PAPER BOX ADDRESS: 15 RUSFIELD ST TOWN: BSD X-LOC 925, Y-LOC 828.  
 SEASONAL PRODUCTION SPR 17.0 SUM 17.0 FLL 50.0 WIN 26.0 EMPLOYEES 100, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5050, SIC CODE 3694, NAME: POLAK JOSEPH C ADDRESS: 195 FREEPORT ST TOWN: BSD X-LOC 945, Y-LOC 780.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 286, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5054, SIC CODE 2311, NAME: HALCUM KENNETH ADDRESS: 1235 ADAMS ST TOWN: BSD X-LOC 926, Y-LOC 723.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5056, SIC CODE 2731, NAME: SPERRY RAND ADDRESS: 55 MORRISSEY BD TOWN: BSD X-LOC 992, Y-LOC 808.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE 34.  
 WATER USE: SPC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5057, SIC CODE 3679, NAME: COUCH, SH DIVERB ADDRESS: 36 RIVER ST TOWN: BSD X-LOC 923, Y-LOC 722.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5058, SIC CODE 4643, NAME: COLEHERSEE CO ADDRESS: 20 OLD COLONY A TOWN: BSD X-LOC 942, Y-LOC 840.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 130.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5059, SIC CODE 2711, NAME: COURT SQ PRESS ADDRESS: 14-16 GREENBAUM TOWN: BSD X-LOC 941, Y-LOC 850.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5060, SIC CODE 2396, NAME: N E METALURGIC ADDRESS: 475 DORCHESTER TOWN: BSD X-LOC 942, Y-LOC 832.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE 4.

WATER USE: SPC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5062, SIC CODE 3731, NAME: BROMFIELD CORP ADDRESS: 246 BORDER ST TOWN: BSD X-LOC 966, Y-LOC 913.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 115, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5063, SIC CODE 3731, NAME: GENERAL SHIP ADDRESS: 336 BORDER ST TOWN: BSD X-LOC 966, Y-LOC 917.  
 SEASONAL PRODUCTION SPR 25.0 SUM 30.0 FALL 25.0 WIN 20.0 EMPLOYEES 150, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5065, SIC CODE 2643, NAME: AMER CELLOPHANE ADDRESS: 19 BARTLETT SQ TOWN: BSD X-LOC 877, Y-LOC 791.  
 SEASONAL PRODUCTION SPR 26.0 SUM 22.0 FALL 26.0 WIN 26.0 EMPLOYEES 115, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 23.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5066, SIC CODE 2771, NAME: COLCOURPICTURE ADDRESS: 76 ATHONTON ST TOWN: BSD X-LOC 981, Y-LOC 807.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5068, SIC CODE 3479, NAME: EDWARDS T J INC ADDRESS: 25 WILLIAMS ST TOWN: BSD X-LOC 875, Y-LOC 784.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5071, SIC CODE 3600, NAME: ANDERSON POWER ADDRESS: 145 NEWTON ST TOWN: BSD X-LOC 958, Y-LOC 876.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 260, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5073, SIC CODE 2099, NAME: JOHNSON H CO ADDRESS: 155 N BEACON ST TOWN: BSD X-LOC 988, Y-LOC 875.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 215, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 76.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5080, SIC CODE 2392, NAME: VATCO WFG CO IN ADDRESS: 109 BROOKLINE A TOWN: BSD X-LOC 883, Y-LOC 857.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5081, SIC CODE 2641, NAME: GRAPHIC ART FIN ADDRESS: 32 CAMBRIDGE ST TOWN: BSD X-LOC 921, Y-LOC 926.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1.  
 WATER USE: SPC: MUN CONSUMP(KGD) .5000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5090, SIC CODE 2337, NAME: COLLEGE TOWN IN ADDRESS: COLLEGETOWN DR TOWN: BRA X-LOC 981, Y-LOC 888.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FALL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE -1.

WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5110, SIC CODE 3612, NAME: ADVERT CORP ADDRESS: 195 ALBANY ST TONRI CAM X-LOC 894, Y-LOC 881.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 270, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5111, SIC CODE 3841, NAME: AMER SCIENCE IN ADDRESS: 955 MASS AVE TONRI CAM X-LOC 870, Y-LOC 899.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5112, SIC CODE 3651, NAME: ANALOG DEVICES ADDRESS: 221 FIFTH ST TONRI CAM X-LOC 904, Y-LOC 894.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 499, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5117, SIC CODE 3079, NAME: DATA PACKAGING ADDRESS: 205 BROADWAY TONRI CAM X-LOC 892, Y-LOC 894.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5119, SIC CODE 3622, NAME: ELECTRONICS CPP ADDRESS: 1 MEMORIAL DR TONRI CAM X-LOC 909, Y-LOC 889.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 750, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5120, SIC CODE 3143, NAME: FERTON SHOE CPP ADDRESS: 129 FRANKLIN ST TONRI CAM X-LOC 882, Y-LOC 887.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 435, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5123, SIC CODE 3651, NAME: K L H RESOLVE C ADDRESS: 30 CROSS ST TONRI CAM X-LOC 895, Y-LOC 884.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 599, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5124, SIC CODE 2771, NAME: METRO GREETINGS ADDRESS: 215 FIRST ST TONRI CAM X-LOC 912, Y-LOC 889.  
SEASONAL PRODUCTION SPR 20.0 SUM 30.0 FLL 30.0 WIN 20.0 EMPLOYEES 270, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5125, SIC CODE 3843, NAME: MYERSON TOOTH C ADDRESS: 66-90 HAMILTON TONRI CAM X-LOC 875, Y-LOC 879.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5128, SIC CODE 2342, NAME: REVELATION BRA ADDRESS: 143 ALBANY ST TONRI CAM X-LOC 886, Y-LOC 883.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 340, DATA SOURCE CODE -1.

WATER USE: SPC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9131, SIC CODE 2642, NAME: BOSTON ENVELOPE ADDRESS: 150 ROYAL ST TOWN: CAN X-LOC 933, Y-LOC 602,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 300, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9132, SIC CODE 3829, NAME: INSTR: CORP ADDRESS: 3500 WASH ST TOWN: CAN X-LOC 938, Y-LOC 603,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 250, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9133, SIC CODE 3079, NAME: PHILLIPS MFG. ADDRESS: INDUSTRIAL DR TOWN: CAN X-LOC 979, Y-LOC 507,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 150, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9134, SIC CODE 2842, NAME: SHIELD CHEM CO ADDRESS: 21 UNIVERSITY TOWN: CAN X-LOC 786, Y-LOC 975,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 100, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 14.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9140, SIC CODE 3851, NAME: AMER OPTICAL CP ADDRESS: COOL-RAY PARK TOWN: CHL X-LOC 986, Y-LOC 944,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 500, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 11.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9155, SIC CODE 2853, NAME: ALLIED CONTAINR ADDRESS: 1 ALLIED DR TOWN: DED X-LOC 784, Y-LOC 641,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 900, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 73.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9157, SIC CODE 2771, NAME: RUST CRAFT GFN ADDRESS: RUST CRAFT ROAD TOWN: DED X-LOC 778, Y-LOC 640,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 1000, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9161, SIC CODE 3293, NAME: CHESTERTON A W ADDRESS: 6 ASHLAND ST TOWN: EVE X-LOC 935, Y-LOC 951,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 100, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9165, SIC CODE 3589, NAME: MARKET FORCE CO ADDRESS: 35 GARVEY ST TOWN: EVE X-LOC 959, Y-LOC 946,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 500, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 156.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9170, SIC CODE 2646, NAME: DENISON MFG CO ADDRESS: 300 HOWARD ST TOWN: FRM X-LOC 466, Y-LOC 734,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 3800, DATA SOURCE CODE -1.

WATER USER SRCI MUN CONSUMP(KGD) 550.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5176, SIC CODE 3599, NAME: GLO ENGINEERING ADDRESS: BLACKBURN IND P TONRI GLO X-LOC 1493, Y-LOC 1479, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 280, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 8.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5177, SIC CODE 3442, NAME: LEPAZE'S ADDRESS: ESSEX AVE TONRI GLO X-LOC 1441, Y-LOC 1462, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 140.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5178, SIC CODE 2321, NAME: NIGHTY-WAC INC ADDRESS: EPPERSON AVE TONRI GLO X-LOC 1461, Y-LOC 1461, SEASONAL PRODUCTION SPR 30.0 SUM 30.0 FLL 20.0 AIN 20.0 EMPLOYEES 500, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 45.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5180, SIC CODE 3562, NAME: HERRMAN INC ADDRESS: 100 IND PARK TONRI MIN X-LOC 1128, Y-LOC 999, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5187, SIC CODE 3722, NAME: EMERHILL CO ADDRESS: BIGLOW ST TONRI HUD X-LOC 198, Y-LOC 941, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5203, SIC CODE 3143, NAME: BENSON SHOE CO ADDRESS: 192 BROAD ST TONRI LYN X-LOC 1099, Y-LOC 1089, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 278, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5204, SIC CODE 3641, NAME: N AVER PHILLIPS ADDRESS: 330 LYNNWAY TONRI LYN X-LOC 1088, Y-LOC 1060, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 625, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5205, SIC CODE 3143, NAME: SCHAPIZ BENJAM ADDRESS: 200 LOCUST ST TONRI LYN X-LOC 1080, Y-LOC 1090, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 275, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5206, SIC CODE 3079, NAME: U S PLASTICS CP ADDRESS: 161 PLEASANT ST TONRI LYN X-LOC 1089, Y-LOC 1064, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 AIN 25.0 EMPLOYEES 140, DATA SOURCE CODE -1, WATER USER SRCI MUN CONSUMP(KGD) 38.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5210, SIC CODE 2335, NAME: BERSHIRE APPAP ADDRESS: 99 MIDDLESEX ST TONRI MAL X-LOC 925, Y-LOC 998, SEASONAL PRODUCTION SPR 26.0 SUM 22.0 FLL 26.0 AIN 26.0 EMPLOYEES 475, DATA SOURCE CODE -1.

\*AFTER USEI SRCI MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5215, SIC CODE 3079, NAMEI LEAR SIEGLER ADDRESSI LIME ST TOMNI MAR X-LOC 1220, Y-LOC 1133,  
 SEASONAL PRODUCTION SPR 22.0 SUM 22.0 WIN 22.0 EMPLOYEES 325, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5220, SIC CODE 3509, NAMEI DESIGNPAK INC ADDRESSI 175 MAPLE ST TOMNI HLB X-LOC 319, Y-LOC 797,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5230, SIC CODE 2651, NAMEI CONTAINER CORP ADDRESSI 200 BOSTON AVE TOMNI MFD X-LOC 843, Y-LOC 988,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 255, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5231, SIC CODE 2651, NAMEI FED PAPER BOARD ADDRESSI 970 FIELDSWAY TOMNI MFD X-LOC 904, Y-LOC 983,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 0.0000 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5235, SIC CODE 3651, NAMEI AUTO RADIO MFG ADDRESSI 2 MAIN ST TOMNI MEL X-LOC 926, Y-LOC 1029,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 800, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5237, SIC CODE 3941, NAMEI VOGUE DOLLS INC ADDRESSI 37 WASH ST TOMNI MEL X-LOC 922, Y-LOC 1029,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 125, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 3.0000 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5242, SIC CODE 3149, NAMEI WILFORD SHOE ADDRESSI 62 NORTH BON ST TOMNI HIF X-LOC 319, Y-LOC 482,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 750, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5247, SIC CODE 3149, NAMEI HERMAN JOS W SH ADDRESSI UNION ST TOMNI HIL X-LOC 535, Y-LOC 539,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCHI PUB TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5250, SIC CODE 2082, NAMEI CARLING BREWING ADDRESSI 1143 WORCESTER TOMNI NAT X-LOC 510, Y-LOC 683,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 \*AFTER USEI SRCI MUN CONSUMP(KGD) 1375, DISCH(KGD) .0000 PLC OF DISCHI SUP TRMTNT 0. EFFICIENCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5252, SIC CODE 3573, NAMEI INCOTERM CORP ADDRESSI 6 STRATHMORE RD TOMNI NAT X-LOC 495, Y-LOC 769,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 270, DATA SOURCE CODE -1,

WATER USEI SPC1 MUN CONSUMP(KGD) 5,000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5293, SIC CODE 3811, NAME: DAWG / REC DIV ADDRESS: 300 SECOND AVE TOMN: HED X-LOC 726, Y-LOC 779,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5296, SIC CODE 3149, NAME: SANDLER A CO IN ADDRESS: B ST AT 3RD AVE TOMN: HED X-LOC 726, Y-LOC 771,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 1000, DATA SOURCE CODE 3,  
WATER USEI SPC1 MUN CONSUMP(KGD) 50.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5275, SIC CODE 2640, NAME: ST REGIS PAPER ADDRESS: 156 OAK ST TOMN: NIN X-LOC 726, Y-LOC 790,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 360, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5276, SIC CODE 3079, NAME: TENNCO CHEMICA ADDRESS: 300 NEEDHAM ST TOMN: NIN X-LOC 726, Y-LOC 788,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 12.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5280, SIC CODE 3622, NAME: MACH ELECTRIC ADDRESS: 35 HUDSON ST TOMN: NIN X-LOC 149, Y-LOC 818,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5285, SIC CODE 3494, NAME: MASONELLAN INTR ADDRESS: 63 NAHATH TOMN: NOR X-LOC 761, Y-LOC 874,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 700, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 16.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5287, SIC CODE 3811, NAME: NORTROP CORP ADDRESS: 100 MORSE ST TOMN: NOR X-LOC 746, Y-LOC 840,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 850, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5292, SIC CODE 3724, NAME: WALBAR INC ADDRESS: FIFTH ST TOMN: PEA X-LOC 1082, Y-LOC 1175,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5293, SIC CODE 2643, NAME: WEBSTER IND INC ADDRESS: 50 PULASKI ST TOMN: PEA X-LOC 1115, Y-LOC 1212,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 285, DATA SOURCE CODE -1,  
WATER USEI SPC1 MUN CONSUMP(KGD) 44.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5296, SIC CODE 3566, NAME: BOSTON GEAR ADDRESS: 14 HAYWARD ST TOMN: QUI X-LOC 988, Y-LOC 722,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 EMPLOYEES 550, DATA SOURCE CODE -1,

WATER USE: SRC: MUN CONSUMP(KGD) 50.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5298, SIC CODE 3569, NAME: PNEUMATIC SCALE ADDRESS: 65 NEWPORT AVE TOWN: QUI X-LOC 983, Y-LOC 720.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 570, DATA SOURCE CODE 3.  
WATER USE: SRC: MUN CONSUMP(KGD) 35.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 2, EFFICNCY 80.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5299, SIC CODE 2741, NAME: PRESCOTT GEO W ADDRESS: 13-19 TEMPLE ST TOWN: QUI X-LOC 1020, Y-LOC 689.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 4.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5303, SIC CODE 3579, NAME: ELLIOTT BUS MAC ADDRESS: PAN IND PARK TOWN: RAN X-LOC 950, Y-LOC 894.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1000, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5305, SIC CODE 2731, NAME: ADDISON-WESLEY ADDRESS: SOUTH ST TOWN: REA X-LOC 974, Y-LOC 1144.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5308, SIC CODE 2649, NAME: HY-SIL MFG CO ADDRESS: HY-SIL AVE TOWN: REV X-LOC 981, Y-LOC 976.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5310, SIC CODE 3732, NAME: BOSTON WHALER I ADDRESS: 1149 NINGHAM ST TOWN: RCL X-LOC 1163, Y-LOC 828.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 3.000 DISCH(KGD) .0000 PLC OF DISCH: SUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5311, SIC CODE 3291, NAME: CODMAN F L&J C ADDRESS: PLAIN ST TOWN: RCL X-LOC 1125, Y-LOC 489.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5312, SIC CODE 3291, NAME: SANDPAPER INC ADDRESS: 83 E WATER ST TOWN: RCL X-LOC 1139, Y-LOC 460.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 160, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 8.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5313, SIC CODE 3149, NAME: WRIGHT E T & CO ADDRESS: 379 LIBERTY ST TOWN: RCL X-LOC 1144, Y-LOC 471.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 325, DATA SOURCE CODE 3.  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTMT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5320, SIC CODE 3144, NAME: DUCHESNEE FOOTWEA ADDRESS: 35 CONGRESS ST TOWN: SAL X-LOC 1170, Y-LOC 1171.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE -1.

WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5322, SIC CODE 3941, NAME: PARKER BROTHERS ADDRESS: 190 BRIDGE ST TOWN: SAL X-LOC 1103, Y-LOC 1103, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 570, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5330, SIC CODE 3430, NAME: ELECTROLYNE ADDRESS: ROUTE 1 TOWN: SHA X-LOC 705, Y-LOC 481, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 280, DATA SOURCE CODE 1, WATER USE: SRC: MUN CONSUMP(KGD) .0000 DISCH(KGD) .0000 PLC OF DISCH: SUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5331, SIC CODE 3720, NAME: METAL BELLS ADDRESS: 1095 PROVIDENCE TOWN: SHA X-LOC 707, Y-LOC 454, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 37.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRIMNT 1, EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5337, SIC CODE 2642, NAME: AXES SAFETY ENV ADDRESS: PROPERZI WAY TOWN: SOM X-LOC 875, Y-LOC 924, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 230, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 1.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5340, SIC CODE 2099, NAME: KEMP EF CORP ADDRESS: 100 WALNUT ST TOWN: SOM X-LOC 892, Y-LOC 930, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 150, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5346, SIC CODE 3573, NAME: DATA GENERAL ADDRESS: FORT E TOWN: SSR X-LOC 256, Y-LOC 787, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 1200, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5348, SIC CODE 3149, NAME: CORCORAN J F SH ADDRESS: 2 CANTON ST TOWN: STO X-LOC 876, Y-LOC 459, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 400, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5355, SIC CODE 3295, NAME: LYNN SAND STONE ADDRESS: 30 DANVERS RD TOWN: SWP X-LOC 1134, Y-LOC 1107, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 250.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5360, SIC CODE 2649, NAME: BLEYER IND INC ADDRESS: 400 AUBURN RD TOWN: MAK X-LOC 946, Y-LOC 1178, SEASONAL PRODUCTION SPR 22.0 SUM 20.0 MIN 30.0 EMPLOYEES 100, DATA SOURCE CODE -1, WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRIMNT 0, EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5361, SIC CODE 2653, NAME: CONTAINER CORP ADDRESS: 365 AUBURN RD TOWN: MAK X-LOC 949, Y-LOC 1173, SEASONAL PRODUCTION SPR 25.0 SUM 25.0 MIN 25.0 EMPLOYEES 133, DATA SOURCE CODE -1.

\*WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5363. SIC CODE 3142. NAME: EVANS LB SON CO ADDRESS: 37 WATER ST TOWN: WAK X-LOC 926. Y-LOC 1142.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 296. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTMT 1. EFFICNCY 50.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5364. SIC CODE 3679. NAME: TRANSIRON ELEC ADDRESS: ALBION ST TOWN: WAK X-LOC 916. Y-LOC 1139.  
 SEASONAL PRODUCTION SPR 22.0 SUM 26.0 FUL 26.0 WIN 26.0 EMPLOYEES 3000. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 54.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5378. SIC CODE 3829. NAME: BUN ELECTRONICS ADDRESS: 42 4TH AVE TOWN: WAK X-LOC 666. Y-LOC 945.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) .6000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5380. SIC CODE 3559. NAME: COMPO IND INC ADDRESS: 125 ROBERTS RD TOWN: WAK X-LOC 655. Y-LOC 889.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5384. SIC CODE 3541. NAME: NICHOLS W M CO ADDRESS: 48 KERO AVE TOWN: WAK X-LOC 688. Y-LOC 887.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 598. DATA SOURCE CODE 34.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 112.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5385. SIC CODE 2335. NAME: PURITAN PRESS C ADDRESS: 144 MOODY ST TOWN: WAK X-LOC 699. Y-LOC 908.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE 3.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5387. SIC CODE 3443. NAME: STANDRO-THOMSON ADDRESS: 152 GROVE ST TOWN: WAK X-LOC 724. Y-LOC 905.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 700. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 115.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5388. SIC CODE 3452. NAME: THOMPSON J L ADDRESS: 5 SAKYER RD TOWN: WAK X-LOC 667. Y-LOC 885.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 400. DATA SOURCE CODE 4.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 206.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5390. SIC CODE 2643. NAME: WAL BAGPAPER C ADDRESS: 20 COOPER LANE TOWN: WAK X-LOC 702. Y-LOC 904.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 100. DATA SOURCE CODE -1.  
 \*WATER USE: SRC: MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 5393. SIC CODE 3861. NAME: POLAROID ADDRESS: 668 WINTER ST TOWN: WAK X-LOC 886. Y-LOC 949.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FUL 25.0 WIN 25.0 EMPLOYEES 800. DATA SOURCE CODE -1.

WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5400, SIC CODE 3499, NAME: BARRY DIV ADDRESS: 700 PLEASANT ST TOWN: WAT X-LOC 726, Y-LOC 896.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 150.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5403, SIC CODE 2365, NAME: SAWYER-IGHER ADDRESS: 70 STANLEY AVE TOWN: WAT X-LOC 732, Y-LOC 896.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 350, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5405, SIC CODE 3674, NAME: UNITRODE CORP ADDRESS: 580 PLEASANT ST TOWN: WAT X-LOC 732, Y-LOC 894.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 1000, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5420, SIC CODE 2732, NAME: MURRAY PRINTING ADDRESS: FORGE VILLAGE TOWN: WSF X-LOC 354, Y-LOC 1286.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 650, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 91.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5424, SIC CODE 3143, NAME: STELSON SHOE CO ADDRESS: 541 MAIN ST TOWN: WEX X-LOC 1078, Y-LOC 869.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5430, SIC CODE 3769, NAME: AVCO SISTERS DV ADDRESS: 201 LOWELL ST TOWN: WIL X-LOC 811, Y-LOC 1208.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 1600, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 190.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5431, SIC CODE 3551, NAME: GREER IND INC ADDRESS: MAIN & EAFES ST TOWN: WIL X-LOC 806, Y-LOC 1191.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 250, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5433, SIC CODE 3555, NAME: PHOTON INC ADDRESS: 355 KIDDLESEX A TOWN: WIL X-LOC 802, Y-LOC 1260.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5435, SIC CODE 3079, NAME: SNEETHEART PLAS ADDRESS: 1 BURLINGTON AV TOWN: WIL X-LOC 780, Y-LOC 1223.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 725, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 167.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5440, SIC CODE 3469, NAME: WIN J H INC DV ADDRESS: 620 WASHINGTON TOWN: WIN X-LOC 882, Y-LOC 1082.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 DISCH(KGD) .0000 EMPLOYEES 250, DATA SOURCE CODE -1.

WATER USE: SRC: OWN CONSUMP(KGD) 140.0 DISCH(KGD) .0000 PLC OF DISCH: SUR TRMTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5444, SIC CODE 3674, NAME: ALPHA IND INC ADDRESS: 20 SILVAN ST TOWN: WOB X-LOC 799, Y-LOC 1133,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5446, SIC CODE 3581, NAME: CORY COFFEE SRP ADDRESS: GILL ST TOWN: WOB X-LOC 783, Y-LOC 1078,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1600, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5447, SIC CODE 2099, NAME: SALADA FOODS IN ADDRESS: 399 WASHINGTON TOWN: WOB X-LOC 848, Y-LOC 1141,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 525, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5450, SIC CODE 3494, NAME: ASHTON VALVE CO ADDRESS: 43 KENDRICK ST TOWN: WRE X-LOC 971, Y-LOC 348,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 381, DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 42.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS READ = 253  
 MAX X-COORD = 1493  
 MIN X-COORD = 149

RECORDS SELECTED = 124  
 MAX Y-COORD = 1479  
 MIN Y-COORD = 346

NAME	COUNT	TOTAL	AVERAGE
EMP	124	62522.0000	504.2097
CNS	124	21377.3000	173.7992
DIS	124	0.0000	0.0000

**APPENDIX D**  
**FOOD INDUSTRIES (SIC Code 20)**

PAGE NUMBER 1 OF LISTING FOOD INDUSTRIES

LOCATION 14, SIC CODE 2026, NAME: MARTINE'S BROS ADDRESS: 186 GREAT RD TOWN: BDF X-LOC 648, Y-LOC 1119,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 99, DATA SOURCE CODE 4,  
WATER USE: SPCL MUN CONSUMP(KGD) 156.7 DISCH(KGD) 55.30 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .87E+03 SOL .21E+04 NIT 34, PHO 27,  
METALS: CA 52, MG 11, NA .37E+03  
OTHERS: NH3 2.0 SPS .26E+03 4.0

LOCATION 70, SIC CODE 2033, NAME: N ENG APPLE PRO ADDRESS: HARVARD RD TOWN: LIT X-LOC 319, Y-LOC 1208,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 80, DATA SOURCE CODE 4,  
WATER USE: SPCL MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: SUR TRTMT 2, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 17, COD 42, SOL .14E+03 PH 7.3  
OTHERS: CLD 28, NO3 .42E+02 NCI .41E+02

LOCATION 92, SIC CODE 2092, NAME: COMODORE FOODS ADDRESS: 12 BROOKSIDE RD TOWN: MSF X-LOC 460, Y-LOC 1335,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 104, DATA SOURCE CODE 3,  
WATER USE: SPCL MUN CONSUMP(KGD) 113.0 DISCH(KGD) 100.0 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .13E+03 COD .25E+03 SOL .33E+03 NIT 1.3 PHO .43  
OTHERS: NH3 .75E+01 NO3 1.2 GRE 11.

LOCATION 172, SIC CODE 2013, NAME: BOSTON SAUSAGE ADDRESS: CONSTITUTION WH TOWN: BSD X-LOC 950, Y-LOC 891,  
SEASONAL PRODUCTION SPR 28.8 SUM 16.8 WIN 28.8 EMPLOYEES 165, DATA SOURCE CODE 4,  
WATER USE: SPCL MUN CONSUMP(KGD) 313.0 DISCH(KGD) 234.0 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .16E+04 COD .00  
OTHERS: 4.0

LOCATION 177, SIC CODE 2031, NAME: RITE FOODS INC ADDRESS: 145 NORTHERN TOWN: BSD X-LOC 955, Y-LOC 870,  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 9, DATA SOURCE CODE 4,  
WATER USE: SPCL MUN CONSUMP(KGD) 955.0 DISCH(KGD) 870.0 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .14E+04 SOL .14E+04 GRE .36E+03  
OTHERS: 4.0

LOCATION 185, SIC CODE 2092, NAME: BOS BONNIE FISH ADDRESS: TRILLING WAY TOWN: BSD X-LOC 968, Y-LOC 860,  
SEASONAL PRODUCTION SPR 34.8 SUM 22.8 WIN 22.8 EMPLOYEES 100, DATA SOURCE CODE 3,  
WATER USE: SPCL MUN CONSUMP(KGD) 100.0 DISCH(KGD) 96.00 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .62E+03 SOL .37E+04 GRE 4.0  
OTHERS: 3.0

LOCATION 227, SIC CODE 2013, NAME: COLUMBIA PACKING ADDRESS: 155 SOUTHAMPTON TOWN: BSD X-LOC 928, Y-LOC 830,  
SEASONAL PRODUCTION SPR 22.8 SUM 34.8 WIN 22.8 EMPLOYEES 300, DATA SOURCE CODE 4,  
WATER USE: SPCL MUN CONSUMP(KGD) 280.0 DISCH(KGD) 210.0 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .12E+04 SOL .90E+03 NIT .20E+03 PH 7.3  
OTHERS: 4.0

LOCATION# 234, SIC CODE 2013, NAME: H ENG PROVISION ADDRESS: 960 HASS AVE TOWN: BSD X-LOC 926, Y-LOC 827,  
 SEASONAL PRODUCTION SPR 20.8 SUM 40.8 FLL 20.8 WIN 20.8 EMPLOYEES 430, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 254.0 DISCH(KGD) 215.0 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 SOL .10E+04 NIT .24E+03 PH 7.3  
 OTHERS: 4.0  
 LOCATION# 268, SIC CODE 2014, NAME: COLCHIAL PROVIS ADDRESS: 1100 MASS AVE TOWN: BSD X-LOC 931, Y-LOC 818,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 600, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 460.0 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTMT 0, EFFICNCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: 4.0  
 OTHERS: 4.0  
 LOCATION# 282, SIC CODE 2015, NAME: BROADWAY POULTR ADDRESS: 412 DORCHESTER TOWN: BSD X-LOC 942, Y-LOC 838,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 149, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 100.0 DISCH(KGD) 100.0 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .80E+03  
 OTHERS: 4.0  
 LOCATION# 305, SIC CODE 2062, NAME: AMERICAN SUGAR ADDRESS: 425 MEDFORD ST TOWN: BSD X-LOC 931, Y-LOC 924,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 350, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) .1082E+05 DISCH(KGD) 805.0 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .62 COD .48 SCL 1.4 NIT .23 PHO 1.0 PH 5.8  
 OTHERS: 1.0  
 LOCATION# 310, SIC CODE 2021, NAME: HOOD & SONS ADDRESS: 500 RUTHERFORD TOWN: BSD X-LOC 921, Y-LOC 920,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 5576, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 1400, DISCH(KGD) 1400, PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .26E+05 SOL .52E+05 NIT .80E+03 PHO .70E+03  
 METALS: CA .11E+04 HG .20E+03 K .11E+04 NA .93E+04  
 OTHERS: NH3 70, 4.0  
 LOCATION# 311, SIC CODE 2024, NAME: HOOD & SONS ADDRESS: 56 ROLAND ST TOWN: BSD X-LOC 911, Y-LOC 922,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 249, DATA SOURCE CODE 4,  
 WATER USE: SRC: MUN CONSUMP(KGD) 70.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .13E+04 SOL .26E+04 NIT 40, PHO 35,  
 METALS: CA 60, HG 10, NA .50E+03  
 OTHERS: NH3 3.0, 4.0  
 LOCATION# 315, SIC CODE 2062, NAME: REVERE SUGAR RE ADDRESS: 333 MEDFORD ST TOWN: BSD X-LOC 934, Y-LOC 923,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 489, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) .1492E+05 DISCH(KGD) 299.5 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 46, COD .57E+03 SCL .78E+05 NIT .63 PHO .36 PH 8.0  
 METALS: CA .91E+03 FE .25 HG .28E+04 K .89E+03 NA .24E+05 ZN .38E-01  
 OTHERS: CLD 3.2 NO3 .16 SO4 .59E+04 SO3 .70  
 LOCATION# 344, SIC CODE 2013, NAME: MORRISON & SCHF ADDRESS: 35 HIGHBORN ST TOWN: BSD X-LOC 994, Y-LOC 874,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 489, DATA SOURCE CODE 1,  
 WATER USE: SRC: MUN CONSUMP(KGD) .1492E+05 DISCH(KGD) 299.5 PLC OF DISCH: SUR TRTMT 1, EFFICNCY 50.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 46, COD .57E+03 SCL .78E+05 NIT .63 PHO .36 PH 8.0  
 METALS: CA .91E+03 FE .25 HG .28E+04 K .89E+03 NA .24E+05 ZN .38E-01  
 OTHERS: CLD 3.2 NO3 .16 SO4 .59E+04 SO3 .70

SEASONAL PRODUCTION SPR 20.8 SUM 30.8 FLL 20.8 WIN 30.8 EMPLOYEES 63. DATA SOURCE CODE 4. 0.  
WATER USEI SRCI MUN CONSUMP(KGD) 64.50 DISCH(KGD) 51.60 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.8 TMP

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .34E+03 SOL .24E+03 NIT 58. PH 7.3  
OTHERS: 4.0

LOCATION: 359. SIC CODE 2092. NAME: OGDONNELL USN ADDRESS: 157 MAIN ST TOWN: GLO X-LOC 1479. Y-LOC 1456.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 500. DATA SOURCE CODE 3.  
WATER USEI SRCI MUN CONSUMP(KGD) 72.40 DISCH(KGD) 72.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .47E+03 NIT .00  
OTHERS: 3.0

LOCATION: 430. SIC CODE 2071. NAME: HABISCO CONFECT ADDRESS: 610 MAIN ST TOWN: CAM X-LOC 887. Y-LOC 888.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 1000. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 108.0 DISCH(KGD) 81.59 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD 27.  
OTHERS: 6.0

LOCATION: 452. SIC CODE 2026. NAME: CUMBERLAND FARM ADDRESS: 777 DEDMAN ST TOWN: CAN X-LOC 813. Y-LOC 878.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 499. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .26E+04 SOL .52E+04 NIT 80. PHO 70.  
METALS: CA .10E+03 MG 20. K 10. NA 90.  
OTHERS: NH3 10. 4.0

LOCATION: 531. SIC CODE 2031. NAME: ADE FOOD CO ADDRESS: PR 417 MAIN ST TOWN: GLO X-LOC 1492. Y-LOC 1464.  
SEASONAL PRODUCTION SPR 22.8 SUM 34.8 FLL 22.8 WIN 22.8 EMPLOYEES 23. DATA SOURCE CODE 3.  
WATER USEI SRCI MUN CONSUMP(KGD) 65.00 DISCH(KGD) 65.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .42E+03 SOL .25E+04 GRE 3.0  
OTHERS: 3.0

LOCATION: 537. SIC CODE 2092. NAME: GORTON CORP ADDRESS: 327 MAIN ST TOWN: GLO X-LOC 1484. Y-LOC 1460.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 999. DATA SOURCE CODE 3.  
WATER USEI SRCI MUN CONSUMP(KGD) 140.0 DISCH(KGD) 140.0 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .10E+04 SOL .61E+04 GRE 6.0  
OTHERS: 3.0

LOCATION: 576. SIC CODE 2033. NAME: FRIEND BROS INC ADDRESS: 730 EASTERN AVE TOWN: MAL X-LOC 952. Y-LOC 1010.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 99. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 72.00 DISCH(KGD) 72.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: SOL 6.0  
OTHERS: 4.0

LOCATION: 833. SIC CODE 2024. NAME: HENDRIES INC ADDRESS: 131 ELIOT ST TOWN: MID X-LOC 916. Y-LOC 719.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 WIN 25.8 EMPLOYEES 200. DATA SOURCE CODE 4.  
WATER USEI SRCI MUN CONSUMP(KGD) 56.00 DISCH(KGD) 56.00 PLC OF DISCH: PUB TRTMT 1. EFFICNCY 50.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

METALS: CA 50, MG 10, K 50, NA .37E+03  
 OTHERS: NH3 1.0 4.0

LOCATION 754, SIC CODE 2042, NAME: CLARK BARNIT ADDRESS: STATE ST TOWN: RCL X-LOC 1108, Y-LOC 460.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 84, DATA SOURCE CODE 1.  
 WATER USE: SPC1 O+N CONSUMP(KGD) 330.0 DISCH(KGD) 300.0 PLC OF DISCH: SUR TRTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .45E+03 COD .46E+03 SOL .17E+04 NIT 95, PHO .16E+03 GRE .37E+03 PH 6.1  
 OTHERS: CLD 85, SRF 20 1.0

LOCATION 812, SIC CODE 2013, NAME: HW MADES CO INC ADDRESS: 67 SOUTH ST TOWN: SOM X-LOC 895, Y-LOC 909.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 110, DATA SOURCE CODE 4.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 80.00 DISCH(KGD) 70.00 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .46E+03 SOL .32E+03 NIT 79, PH 7.3  
 OTHERS: CHFEPS 4.0

LOCATION 943, SIC CODE 2024, NAME: BORDER CO ADDRESS: 16 CONN ST TOWN: ROB X-LOC 818, Y-LOC 1085.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 19, DATA SOURCE CODE 4.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 54.00 DISCH(KGD) 54.00 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .10E+04 SOL .20E+04 NIT 30, PHO 20.  
 METALS: CA 40, MG 10, K 40, NA .40E+03  
 OTHERS: NH3 2.0 4.0

LOCATION 5041, SIC CODE 2051, NAME: STOPESHOP INC ADDRESS: 226 CAUSEWAY ST TOWN: BSD X-LOC 938, Y-LOC 894.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 999, DATA SOURCE CODE 3.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 200.0 DISCH(KGD) 1,000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .65E+03 COD .70E+03 SOL .66E+03 NIT 15.  
 LOCATION 5045, SIC CODE 2085, NAME: MR BOSTON DISTL ADDRESS: 1010 MASS AVE TOWN: BSD X-LOC 930, Y-LOC 821.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 285, DATA SOURCE CODE 3.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 525.0 DISCH(KGD) 190.0 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 IMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .65E+03 COD .70E+03 SOL .66E+03 NIT 15.  
 LOCATION 5048, SIC CODE 2051, NAME: KASANOFS M BAKE ADDRESS: 219 BLUE HILL A TOWN: BSD X-LOC 914, Y-LOC 804.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 156, DATA SOURCE CODE 3.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 2,000 DISCH(KGD) .5000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5070, SIC CODE 2086, NAME: COCA-COLA ADDRESS: 400 SOLDIERS FD TOWN: BSD X-LOC 859, Y-LOC 883.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 250, DATA SOURCE CODE 1.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 100.0 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 50.0 IMP 68.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .31E+03 COD .15E+03 SOL .34E+03 NIT 6.9, PHO .00 PH 11.  
 OTHERS: ALK .13E+03 NH3 1.2 NO2 4.3

LOCATION 5073, SIC CODE 2099, NAME: JOHNSON M CO ADDRESS: 155 N BEACON ST TOWN: BSD X-LOC 986, Y-LOC 875.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FUL 25.0 EMPLOYEES 215, DATA SOURCE CODE -1.  
 WATER USE: SPC1 MUN CONSUMP(KGD) 76.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5245, SIC CODE 2046, NAME: CLICQUET CLUB ADDRESS: 725 MAIN TOWN: HIL X-LOC 543, Y-LOC 530,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 150, DATA SOURCE CODE 1,  
 WATER USE: SRC: OAN CONSUMP(KGD) 200.0 DISCH(KGD) 45.0 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 65.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .23E+04 COD .28E+04 SOL .27E+04 NIT 12, PHO 10, PH 6.0  
 OTHERS: ALK 23.

LOCATION# 5250, SIC CODE 2042, NAME: CARLING BREWING ADDRESS: 1143 WORCESTER TOWN: NAT X-LOC 510, Y-LOC 683,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 1375, DISCH(KGD) .0000 PLC OF DISCH: SUR TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5339, SIC CODE 2050, NAME: FIRST NATIONAL ADDRESS: 5 HIDDLESEX AVE TOWN: SOM X-LOC 906, Y-LOC 945,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 144.0 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5340, SIC CODE 2099, NAME: KEMP EF CORP ADDRESS: 100 WALNUT ST TOWN: SOM X-LOC 892, Y-LOC 930,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 150, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5379, SIC CODE 2086, NAME: CANADA DRY CORP ADDRESS: 80 2ND AVE TOWN: WAL X-LOC 660, Y-LOC 945,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 375.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .70E+03 COD .84E+03 SOL .75E+03 NIT 15, PH 11,  
 LOCATION# 5445, SIC CODE 2095, NAME: ATLANTIC GELATIN ADDRESS: HILL ST TOWN: MOB X-LOC 663, Y-LOC 1098,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 450, DATA SOURCE CODE 2,  
 WATER USE: SRC: MUN CONSUMP(KGD) 3000, DISCH(KGD) 1700, PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: GRE .34E+04 PH 11,  
 LOCATION# 5447, SIC CODE 2099, NAME: SALADA FOODS IN ADDRESS: 399 WASHINGTON TOWN: MOB X-LOC 848, Y-LOC 1141,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 325, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS READ - 253

RECORDS SELECTED - 37

MAX X-COORD - 1464

MAX Y-COORD - 1464

MIN X-COORD - 460

MIN Y-COORD - 460

NAME	COUNT	TOTAL	AVERAGE
EMP	37	16678.0000	450.7568
CIS	37	37331.4004	1008.9568
DIS	36	7884.4901	219.0136
ROD	26	46120.6099	1773.8696
CCD	10	5835.0000	583.5000
SCL	23	16423.8010	716.2522
NIZ	18	1710.0900	95.0050
PHQ	11	1021.8000	92.8909
GRE	7	4045.8800	577.9829
PH	12	95.9500	7.9958
CA	7	2312.0000	330.2857
FE	1	0.2500	0.2500
MG	1	2760.0000	2760.0000
HC	6	261.0000	43.5000
K	7	2203.0000	314.7143
NA	7	34572.0000	4938.8571
ZN	1	0.0380	0.0380
ALK	2	152.0000	76.0000
CLD	3	116.6500	38.8833
NH3	8	89.2750	11.1594
NO3	3	1.6042	0.5347
NO2	2	4.3041	2.1521
SPS	1	257.0000	257.0000
SO4	1	5900.0000	5900.0000
SO3	1	0.7000	0.7000
SRF	1	0.2000	0.2000

**APPENDIX E**  
**TEXTILE INDUSTRIES (SIC Code 22)**

PAGE NUMBER 1 CF LISTING TEXTILES

LOCATION# 23. SIC CODE 2231. NAME: MILLERICA CO ADDRESS FAULKNER STREET TOWN: BIL X-LOC 633. Y-LOC 1306.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 200. DATA SOURCE CODE 1.  
WATER USE: SRC: SUR CONSUMP(KGD) 290.0 DISCH(KGD) 280.0 PLC OF DISCH: SUR TRTMT 1. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .35E+03 COD .16E+04 SOL .56E+04 NIT 9.0 PHO .52E+03 GRE .18E+03  
METALS: CA .12E+03 CR 3.6 NA .22E+04  
OTHERS: CLD .16E+03 NH3 1.9 NO3 .94 PNL .36 SO4 .74E+03 SFD 4.5

LOCATION# 32. SIC CODE 2297. NAME: SOUTHWELL CORP ADDRESS 51 MIDDLESEX ST TOWN: CHE X-LOC 501. Y-LOC 1384.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE 1.  
WATER USE: SRC: SUR CONSUMP(KGD) 80.00 DISCH(KGD) 77.00 PLC OF DISCH: SUR TRTMT 1. EFFICNCY 40.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
OTHERS: CLD .17E+04 NH3 32. NO3 1.2 NO2 .40E+01 PNL .16 SO4 .15E+03 SFD .10 SRF .16E+04

LOCATION# 52. SIC CODE 2283. NAME: H. WHITTAL & CO ADDRESS TOWN: FRM X-LOC 475. Y-LOC 818.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE 4.  
WATER USE: SRC: SUR CONSUMP(KGD) 280.0 DISCH(KGD) 140.0 PLC OF DISCH: SUR TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .15E+04 COD 79. SOL .42E+01 NIT 21. PHO .59E+01 GRE 22.  
OTHERS: 4.0

LOCATION# 147. SIC CODE 2297. NAME: GILLET & CO SCOUT ADDRESS PRINCETON ST TOWN: CHE X-LOC 490. Y-LOC 1389.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 52. DATA SOURCE CODE 1.  
WATER USE: SRC: SUR CONSUMP(KGD) 112.0 DISCH(KGD) 110.0 PLC OF DISCH: SUR TRTMT 1. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .26E+03 COD .12E+04 SOL .81E+03 NIT 31. PHO .85 GRE .23E+03 PH 6.0  
METALS: CA 45. CR 50. K 1.3 NA 63.  
OTHERS: CLD .48E+03 NO2 .20 PNL 13. SO4 24. SFD .30 SRF 65.

LOCATION# 361. SIC CODE 2261. NAME: DANIELS NATHAN ADDRESS 286 CONGRESS ST TOWN: BSO X-LOC 948. Y-LOC 868.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 40. DATA SOURCE CODE 4.  
WATER USE: SRC: MUN CONSUMP(KGD) 80.00 DISCH(KGD) 55.00 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .27E+03 COD .56E+03 SOL .22E+04 PH 12.  
METALS: CA 4.0 NA .87E+03  
OTHERS: ALK .11E+04 SPS 55. SO4 .32E+03

LOCATION# 454. SIC CODE 2211. NAME: DRAPER BROTHERS ADDRESS 28 DRAPER LANE TOWN: CAN X-LOC 828. Y-LOC 841.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350. DATA SOURCE CODE 4.  
WATER USE: SRC: MUN CONSUMP(KGD) 350.0 DISCH(KGD) 350.0 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .19E+04 COD .38E+04 SOL .15E+05  
METALS: CA 28. NA .45E+04  
OTHERS: ALK .75E+04 SPS .38E+03 SO4 .20E+04

LOCATION# 526. SIC CODE 2291. NAME: GAF CORP IND PR ADDRESS HAYWARD ST TOWN: FRM X-LOC 461. Y-LOC 379.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 125. DATA SOURCE CODE 1.  
WATER USE: SRC: CAN CONSUMP(KGD) 450.0 DISCH(KGD) 230.0 PLC OF DISCH: PUB TRTMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .21E+03 COD .35E+03 SOL .35E+04 NIT .11E+03 PHO 4.7 GRE 5.1 PH 8.0  
 METALS: CR 9.3 ZN .14E+03  
 OTHERS: CLD .66E+03 NO3 3.9 NO2 .00 PHL 95. S04 .33E+03 SPP 1.7

LOCATION: 654, SIC CODE 2231, NAME: BUCKLEY MANN ADDRESS: LAWRENCE ST TOWN: NFK X-LOC 536, Y-LOC 403.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 75. DATA SOURCE CODE 4.  
 WATER USE: SPCI MUN CONSUMP(KGD) 108.0 DISCH(KGD) 105.0 PLC OF DISCH: PUB TRTMT 1. EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .11E+03 COD .59E+03 SOL .97E+03 NIT 3.0 PHO .20E+03 GRE 70.  
 METALS: CR 46. NA .94E+03  
 OTHERS: CLD 60. S04 .48E+03 SFD 2.0

LOCATION: 860, SIC CODE 2297, NAME: KENDALL FIBER ADDRESS: WEST ST TOWN: WLP X-LOC 690, Y-LOC 490.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 1500. DATA SOURCE CODE 1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 900.0 DISCH(KGD) 750.0 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .36E+03 NIT .00 PHO .00 GRE .00 PH 8.0  
 OTHERS: 1.0

LOCATION: 5043, SIC CODE 2311, NAME: COSMOPOLITAN CO ADDRESS: 712 BEACH ST TOWN: BSD X-LOC 883, Y-LOC 861.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5034, SIC CODE 2311, NAME: WALCUM KENNETH ADDRESS: 1235 ADAMS ST TOWN: BSD X-LOC 926, Y-LOC 723.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 300. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 25.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5055, SIC CODE 2345, NAME: CABLE RANGCOIT ADDRESS: 130 AUCKLAND AV TOWN: BSD X-LOC 942, Y-LOC 793.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 300. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 1.000 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5080, SIC CODE 2392, NAME: VACCO MFG CO IN ADDRESS: 109 BROOKLINE A TOWN: BSD X-LOC 883, Y-LOC 857.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 350. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5090, SIC CODE 2337, NAME: COLLEGE TOWN IN ADDRESS: COLLEGETOWN DR TOWN: BRA X-LOC 981, Y-LOC 880.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 350. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5128, SIC CODE 2342, NAME: REVELATION BRA ADDRESS: 143 ALBANY ST TOWN: CAR X-LOC 886, Y-LOC 883.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 340. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5142, SIC CODE 2396, NAME: EMERSON TEXTILE ADDRESS: 181 SPENCER AVE TOWN: CHL X-LOC 909, Y-LOC 933.  
 SEASONAL PRODUCTION SPR 25.4 SUM 25.4 FLL 25.4 WIN 25.4 EMPLOYEES 325. DATA SOURCE CODE -1.  
 WATER USE: SPCI MUN CONSUMP(KGD) 1.000 DISCH(KGD) 1.000 PLC OF DISCH: PUB TRTMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

-----

LOCATION# 5176, SIC CODE 2321, NAME: HIGHTI-MAC INC ADDRESS: EMERSON AVE TOWN: GLO X-LOC 1461, Y-LOC 1461,  
 SEASONAL PRODUCTION SPP 30.0 SUM 30.0 WIN 20.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 45.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

-----

LOCATION# 5210, SIC CODE 2335, NAME: BERKSHIRE APPAR ADDRESS: 99 MIDDLESEX ST TOWN: MAL X-LOC 925, Y-LOC 998,  
 SEASONAL PRODUCTION SPP 26.0 SUM 22.0 FLL 26.0 WIN 26.0 EMPLOYEES 475, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

-----

LOCATION# 5309, SIC CODE 2335, NAME: PURITAN DRESS C ADDRESS: 144 MOODY ST TOWN: MAL X-LOC 699, Y-LOC 908,  
 SEASONAL PRODUCTION SPP 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

-----

LOCATION# 5403, SIC CODE 2385, NAME: SNEYER-TONER ADDRESS: 76 STANLEY AVE TOWN: MAL X-LOC 732, Y-LOC 896,  
 SEASONAL PRODUCTION SPP 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 350, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS READ - 233

RECORDS SELECTED - 20

MAX X-COORD - 1461  
MIN X-COORD - 461

MAX Y-COORD - 1461  
MIN Y-COORD - 379

NAME	COUNT	TOTAL	AVERAGE
EXP	20	7182.0000	359.1000
CNS	18	2940.0000	163.3333
DIS	18	2097.0000	116.5000
SDS	8	4976.0000	622.0000
CD	7	8092.4000	1156.0571
SCL	7	24685.0420	3526.4346
NI	6	175.9900	29.3317
PHQ	6	728.6090	121.4348
GRE	6	508.5800	84.7633
PH	4	33.8000	8.4500
CA	5	245.3000	49.0600
CP	4	63.9400	15.9850
K	1	1.3000	1.3000
NA	5	8303.5000	1660.7000
ZM	1	145.0000	145.0000
ALK	5	8600.0000	1720.0000
CLD	5	3066.0000	613.2000
NH3	2	34.0700	17.0350
NO3	3	5.9500	1.9833
NO2	3	0.2400	0.0800
PNL	4	108.5240	27.1310
SPS	2	435.0000	217.5000
SC4	7	3904.0000	557.7143
SPD	4	6.9000	1.7250
SRV	3	1666.7200	555.5733

**APPENDIX F**  
**PAPER INDUSTRIES (SIC Code 26)**

PAGE NUMBER 1 OF LISTING PAPER PRODUCERS

LOCATION 352, SIC CODE 2621, NAME: TILSTON HOLIN ADDRESS: 892 RIVER ST TOWN: BSD X-LOC 882, Y-LOC 709,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 260, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 4470, DISCH(KGD) 4380, PLC OF DISCH: PUB TRTNT 1, EFFICNCY 50.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .17E+04 COD .38E+04 SOL .15E+05 NIT .18E+03 PHO 88, PH 6.8  
 OTHERS: NH3 77, NO3 4.9 1.0  
  
 LOCATION 354, SIC CODE 2651, NAME: PERKIT FOLD BOX ADDRESS: 36 POYDRAS ST TOWN: BSN X-LOC 884, Y-LOC 704,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 55, DATA SOURCE CODE 2,  
 WATER USE: SRC: SUR CONSUMP(KGD) 250.0 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 0.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL .62E+03  
 OTHERS: CLF 10, 2.0  
  
 LOCATION 882, SIC CODE 2621, NAME: BIRD SON PAPER ADDRESS: WASHINGTON ST TOWN: MFP X-LOC 889, Y-LOC 486,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 170, DATA SOURCE CODE 1,  
 WATER USE: SRC: SUR CONSUMP(KGD) 700.0 DISCH(KGD) 650.0 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 50.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 OTHERS: NH3 11, NO3 .70 1.0  
  
 LOCATION 5035, SIC CODE 2651, NAME: HUB FLD BOX ADDRESS: 16-1W BIRFORD S TOWN: BSD X-LOC 951, Y-LOC 860,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 120, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5049, SIC CODE 2652, NAME: PARIS PAPER BOX ADDRESS: 15 RUSFIELD ST TOWN: BSD X-LOC 925, Y-LOC 825,  
 SEASONAL PRODUCTION SPR 17.8 SUM 17.8 WIN 26.8 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5065, SIC CODE 2643, NAME: AMER CELLOPHANE ADDRESS: 19 BARTLETT SQ TOWN: BSD X-LOC 877, Y-LOC 791,  
 SEASONAL PRODUCTION SPR 26.8 SUM 22.8 WIN 26.8 EMPLOYEES 115, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) 23.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5081, SIC CODE 2641, NAME: GRAPHIC ART FIN ADDRESS: 32 CARBRIDGE ST TOWN: BSD X-LOC 921, Y-LOC 926,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 100, DATA SOURCE CODE -1,  
 WATER USE: SRC: MUN CONSUMP(KGD) .5000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.8 IMP 0.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION 5115, SIC CODE 2653, NAME: CONTINENTAL CAN ADDRESS: FARMETT ST TOWN: CAN X-LOC 821, Y-LOC 939,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 WIN 25.8 EMPLOYEES 163, DATA SOURCE CODE 3,  
 WATER USE: SRC: MUN CONSUMP(KGD) 66.00 DISCH(KGD) 53.00 PLC OF DISCH: PUB TRTNT 0, EFFICNCY 0.8 IMP 100.  
  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL 5.0 PH 11,  
 LOCATION 5131, SIC CODE 2642, NAME: BOSTON ENVELOPE ADDRESS: 150 ROYAL ST TOWN: CAN X-LOC 833, Y-LOC 803,

SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 300. DATA SOURCE CODE -1. EFFICIENCY 0.8 TMP 0.  
WATER USEI SRCI MUN CONSUMPKGD) 15.00 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5155. SIC CODE 2631. NAMEI ALLIED CONTAINER ADDRESSI 1 ALLIED DR TORNI DEO X-LOC 744. Y-LOC 641.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 500. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 73.00 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5170. SIC CODE 4648. NAMEI DENISON MFG CO ADDRESSI 300 HOWARD ST TORNI FRM X-LOC 456. Y-LOC 734.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 300. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 550.0 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5230. SIC CODE 2631. NAMEI CONTAINER CORP ADDRESSI 200 BOSTON AVE TORNI MFD X-LOC 643. Y-LOC 985.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 255. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 10.00 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5231. SIC CODE 2631. NAMEI FED PAPER BOARD ADDRESSI 970 FELLOWSWAY TORNI MFD X-LOC 904. Y-LOC 983.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 400. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 6.000 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5260. SIC CODE 4654. NAMEI AMER CAN CO ADDRESSI 9 B STREET TORNI MED X-LOC 723. Y-LOC 770.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 400. DATA SOURCE CODE 1.  
WATER USEI SRCI MUN CONSUMPKGD) 2.000 DISCH(KGD) 0.500 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 100.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERALI BOD CO COD 00 SOL 50E-03 NIT 00 PH 11.  
OTHERSI ALM 20E-03

LOCATION# 5275. SIC CODE 4640. NAMEI ST REGIS PAPER ADDRESSI 150 DAK ST TORNI MIN X-LOC 726. Y-LOC 790.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 350. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 255.0 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5293. SIC CODE 4943. NAMEI WEBSTER IND INC ADDRESSI 54 PULASKI ST TORNI PEA X-LOC 1115. Y-LOC 1312.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 285. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 44.00 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5308. SIC CODE 4649. NAMEI HY-SIL MFG CO ADDRESSI HY-SIL AVE TORNI REV X-LOC 981. Y-LOC 976.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 250. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 30.00 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5317. SIC CODE 2642. NAMEI AMES SAFETY ENV ADDRESSI PROPERTI WAY TORNI SOM X-LOC 875. Y-LOC 924.  
SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 230. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMPKGD) 1.000 DISCH(KGD) 0.000 PLC OF DISCH) PUB TRMTNT 0. EFFICIENCY 0.8 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 3360, SIC CODE 2649, NAME# BLEYER IND INC ADDRESS# 400 AUDUBON RD TOWN# WAK X-LOC 946, Y-LOC 1173,  
 SEASONAL PRODUCTION SPR 22.8 SUM 20.8 FLL 28.8 MIN 30.8 EMPLOYEES 100, DATA SOURCE CODE -1, Y-LOC 1173,  
 WATER USE# SRC# MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRMT# 0, EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3361, SIC CODE 2653, NAME# CONTAINER CORP ADDRESS# 365 AUDUBON RD TOWN# WAK X-LOC 949, Y-LOC 1173,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 133, DATA SOURCE CODE -1, Y-LOC 1173,  
 WATER USE# SRC# MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRMT# 0, EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3390, SIC CODE 2643, NAME# WAL BAGEPAPER C ADDRESS# 20 COOPER LANE TOWN# WAL X-LOC 702, Y-LOC 904,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 100, DATA SOURCE CODE -1, Y-LOC 904,  
 WATER USE# SRC# MUN CONSUMP(KGD) 2.000 DISCH(KGD) .0000 PLC OF DISCH# PUB TRMT# 0, EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION# 3406, SIC CODE 2653, NAME# WESTVACO CORP ADDRESS# 70 GROVE ST TOWN# WAT X-LOC 816, Y-LOC 896,  
 SEASONAL PRODUCTION SPR 25.8 SUM 25.8 FLL 25.8 MIN 25.8 EMPLOYEES 350, DATA SOURCE CODE -1, Y-LOC 896,  
 WATER USE# SRC# MUN CONSUMP(KGD) 2.000 DISCH(KGD) 1.000 PLC OF DISCH# PUB TRMT# 0, EFFICIENCY 0.8 TMP 0.  
 POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS SELECTED - 22  
 MAX Y-COORD - 1212  
 MIN Y-COORD - 496

RECORDS READ - 233  
 MAX X-COORD - 1115  
 MIN X-COORD - 456

NAME	COUNT	TOTAL	AVERAGE
EMP	22	8296.0000	377.0909
CMS	21	6538.5000	311.3571
DIS	22	5174.5000	235.2045
BCD	2	1697.0000	843.5000
CCD	2	3832.0000	1916.0000
SCL	4	15967.0000	3991.7501
MIT	2	180.7000	90.3500
PHO	2	87.6000	43.8000
PH	3	29.3000	9.7667
NA	1	5.0000	5.0000
ALK	1	0.0002	0.0002
CLM	1	10.0000	10.0000
KH3	2	88.0000	44.0000
KO3	2	5.0000	2.5000

**APPENDIX G**  
**CHEMICAL INDUSTRIES (SIC Code 28)**

LOCATION 0, SIC CODE 2819, NAME: NYACOL INC ADDRESS: MEGUN RD TONNI AIN X-LOC 375, Y-LOC 702,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 44, DATA SOURCE CODE 5,  
 WATER USE: SRCI MUN CONSUMP(KGD) 200.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 90.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .17E+04 SOL .83E+04 PH 7.5  
 METALS: CR 2.1 CU 3.3 HG .10 NI 1.7  
 OTHERS: CLD .65E+04 PNL .10 S04 .51E+04 CAC .75E+03

LOCATION 130, SIC CODE 2871, NAME: CORCONO CORP ADDRESS: 525 WGBURN TONNI TEN X-LOC 630, Y-LOC 1337,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 180, DATA SOURCE CODE 1,  
 WATER USE: SRCI SUR CONSUMP(KGD) 1300, DISCH(KGD) 1300, PLC OF DISCH: SUR TRTNT 2, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .14E+04 COD .23E+04 SOL .48E+04 NIT .53E+03 PHO 1.6 GRE .30E+03  
 METALS: AL .11E+03 CA 70, FE 26, MG 96, K .74E+03 NA .79E+03  
 OTHERS: CLD .82E+03 FLR 42, NH3 .25E+03 NO3 11, S04 .72E+03 SFD .00 S03 .13E+03

LOCATION 382, SIC CODE 3069, NAME: ANYSTRONG CORK ADDRESS: OFF HANCOCK ST TONNI BRA X-LOC 1021, Y-LOC 885,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 770, DATA SOURCE CODE 1,  
 WATER USE: SRCI SUR CONSUMP(KGD) 4700, DISCH(KGD) 1775, PLC OF DISCH: SUR TRTNT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 93, COD .65E+03 SOL .27E+04 NIT 13, PHO 12, GRE .14E+03 PH 6.4  
 METALS: CA .60 CR 3.7 NA 2.7  
 OTHERS: CLD .72E+03 NO3 2.1 PNL .78E+01 S04 73, S03 .18E+01

LOCATION 418, SIC CODE 3069, NAME: GENERAL LATEX ADDRESS: 666 MAIN ST TONNI CAN X-LOC 891, Y-LOC 886,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 107, DATA SOURCE CODE 1,  
 WATER USE: SRCI MUN CONSUMP(KGD) 90.00 DISCH(KGD) 90.00 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 90.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .56E+03 COD .35E+03 SOL .12E+05 NIT .16E+03 PHO .60 PH 4.5  
 OTHERS: CLD .38E+03 NO3 13, PNL .19E+04 S04 .13E+04 SFD 1.4

LOCATION 422, SIC CODE 2812, NAME: GRACE W R CHEM ADDRESS: 62 WHITTENRE TONNI CAN X-LOC 830, Y-LOC 953,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1300, DATA SOURCE CODE 1,  
 WATER USE: SRCI MUN CONSUMP(KGD) 144.0 DISCH(KGD) 108.0 PLC OF DISCH: SUR TRTNT 1, EFFICNCY 79.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD .18E+03 COD .76E+04 SOL .30E+04 NIT 12, PHO .67 PH 7.5  
 METALS: AL 2.5 AS .12 CD .24E+01 CA 14, FE 26, NA .22E+03 TI .24E+01 ZN .48E+01  
 OTHERS: CLD 9.6 PNL .72E+02 S04 4.8 SFD .77

LOCATION 518, SIC CODE 2819, NAME: HONSHANTO CO ADDRESS: 1 CHEMICAL LANE TONNI EVE X-LOC 926, Y-LOC 948,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 400, DATA SOURCE CODE 1,  
 WATER USE: SRCI MUN CONSUMP(KGD) 1.000 DISCH(KGD) 760.0 PLC OF DISCH: PUB TRTNT 1, EFFICNCY 90.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 OTHERS: CLD .22E+03 NH3 .32E+04 SIL .32E+03 S04 .11E+05

LOCATION 652, SIC CODE 3069, NAME: STONE WOODYARD ADDRESS: 161 OAK ST TONNI NTH X-LOC 726, Y-LOC 786,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 74, DATA SOURCE CODE 3,  
 WATER USE: SRCI SUR CONSUMP(KGD) 83.00 DISCH(KGD) 83.00 PLC OF DISCH: SUR TRTNT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .50E+03 COD .34E+05 SOL .12E+05 NIT .15E+03 PHO 1.0 PH 4.5  
 OTHERS: CLD .36E+03 NO3 12. PNL .18E+04 SO4 .13E+04 SFD 1.0  
 LOCATION: 687. SIC CODE 2891. NAME: EASTMAN GELATIN ADDRESS: 227 WASHINGTON TOM: PEA X-LOC 1005. Y-LOC 1100.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 37. DATA SOURCE CODE 1.  
 WATER USE: SRC: O-N CONSUMP(KGD) 5500. DISCH(KGD) 2900. PLC OF DISCH: PUB TRMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 19. COD 85. SOL .82E+03 NIT 3.6 PHO 2.0 PM 6.9  
 METALS: CR .35 ZN .35E+01  
 OTHERS: CLD .25E+03 SO4 89. 1.0  
 LOCATION: 432. SIC CODE 2819. NAME: STEPHAN CHEMICAL ADDRESS: 51 EAMES ST TOM: MIL X-LOC 808. Y-LOC 1193.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 59. DATA SOURCE CODE 5.  
 WATER USE: SRC: MUN CONSUMP(KGD) 247.7 DISCH(KGD) 247.7 PLC OF DISCH: PUB TRMT 1. EFFICIENCY 95.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: SOL 19. PM 8.5  
 OTHERS: CLD .21E+04 SO4 .41E+04 S.0  
 LOCATION: 935. SIC CODE 2891. NAME: SHIFTS EDIBL OIL ADDRESS: 134 CROSS ST TOM: MIN X-LOC 840. Y-LOC 1077.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 75. DATA SOURCE CODE 3.  
 WATER USE: SRC: O-N CONSUMP(KGD) 650.0 DISCH(KGD) 645.0 PLC OF DISCH: PUB TRMT 1. EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 3.8 COD 17. SOL .16E+03 NIT .70 PHO .40 PM 6.9  
 METALS: CR .10 ZN .10E+01  
 OTHERS: CLD 50. SO4 17. 3.0  
 LOCATION: 941. SIC CODE 2891. NAME: ATLAS GELATIN ADDRESS: 17 HILL AVE TOM: MOB X-LOC 860. Y-LOC 1090.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 300. DATA SOURCE CODE 3.  
 WATER USE: SRC: MUN CONSUMP(KGD) 3000. DISCH(KGD) 1700. PLC OF DISCH: PUB TRMT 1. EFFICIENCY 50.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: BOD 10. COD 42. SOL .41E+03 NIT 1.7 PHO 1.0  
 METALS: CR .27 ZN .20E+01  
 OTHERS: CLD .17E+03 SO4 45. 3.0  
 LOCATION: 5100. SIC CODE 3079. NAME: ELECTROZIN CH ADDRESS: 50 BEDFORD ST TOM: BUR X-LOC 770. Y-LOC 1106.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 300. DATA SOURCE CODE 2.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) 10.00 PLC OF DISCH: PUB TRMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 GENERAL: GRE 47. PM 6.6  
 METALS: SB .80E+02 CD .10E+03 CA 1.7 FE .20 PB .10E+03 MG .39 ZN .46E+01  
 OTHERS: CLD 4.4 SIL 18 SO4 1.6  
 LOCATION: 5117. SIC CODE 3079. NAME: DATA PACKAGING ADDRESS: 205 BROADWAY TOM: CAN X-LOC 892. Y-LOC 894.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 600. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5133. SIC CODE 3079. NAME: PHILLIPS MFG ADDRESS: INDUSTRIAL DR TOM: CAN X-LOC 879. Y-LOC 507.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 MIN 25.0 EMPLOYEES 150. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRMT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
 LOCATION: 5134. SIC CODE 2842. NAME: SHIELD CHEM CO ADDRESS: 21 UNIVERSITY TOM: CAN X-LOC 788. Y-LOC 575.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 100. DATA SOURCE CODE -1. TOWN: EVE X-LOC 954, Y-LOC 954.  
 WATER USE: SRC: MUN CONSUMP(KGD) 14.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5162, SIC CODE 2851. NAME: CARPENTR-HORTON ADDRESS: 376 THIRD ST TOWN: EVE X-LOC 954, Y-LOC 954.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 100. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 170.0 DISCH(KGD) 89.00 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5164, SIC CODE 2851. NAME: KIANISE PAINTS ADDRESS: 2ND BOSTON STS TOWN: EVE X-LOC 954, Y-LOC 954.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 200. DATA SOURCE CODE -1.  
 WATER USE: SRC: O-W CONSUMP(KGD) 23.00 DISCH(KGD) 12.00 PLC OF DISCH: PUB TRTNT 3. EFFICNCY 95.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5206, SIC CODE 3079. NAME: U S PLASTICS CP ADDRESS: 161 PLEASANT ST TOWN: LYN X-LOC 1009, Y-LOC 1064.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 140. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 38.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5211, SIC CODE 3021. NAME: CONVERSE RUBBER ADDRESS: 392 PEARL ST TOWN: MAL X-LOC 930, Y-LOC 1007.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 1100. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 181.0 DISCH(KGD) .3000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 70.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: PH 12.

LOCATION: 5219, SIC CODE 3079. NAME: LEAR SIEGLER ADDRESS: LINE ST TOWN: MAR X-LOC 1220, Y-LOC 1193.  
 SEASONAL PRODUCTION SPR 22.0 SUM 22.0 FULL 34.0 WIN 22.0 EMPLOYEES 325. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5246, SIC CODE 2952. NAME: GAP CORP BLDG ADDRESS: 60 CURVE ST TOWN: MIL X-LOC 540, Y-LOC 540.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 5000. DATA SOURCE CODE 1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 190.0 DISCH(KGD) 170.0 PLC OF DISCH: SUR TRTNT 1. EFFICNCY 50.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 38. SOL .15E+03 NIT 2.0 PHO .80 GRE 2.3 PH 6.8  
 METALS: CU .30E-01 FE .45E-01 K 3.0 ZN .10  
 OTHERS: CLD 60. CHD .40E-01 PHL .40E-02

LOCATION: 5276, SIC CODE 3079. NAME: TENNECO CHEMICA ADDRESS: 300 HEDHAM ST TOWN: NTN X-LOC 726, Y-LOC 788.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 200. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 12.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 5435, SIC CODE 3079. NAME: SHEETHEART PLAS ADDRESS: 1 BURLINGTON AV TOWN: MIL X-LOC 780, Y-LOC 1233.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FULL 25.0 WIN 25.0 EMPLOYEES 725. DATA SOURCE CODE -1.  
 WATER USE: SRC: O-W CONSUMP(KGD) 167.0 DISCH(KGD) .0000 PLC OF DISCH: SUB TRTNT 0. EFFICNCY 0.0 IMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS READ - 253  
 MAX X-COORD - 1220  
 MIN X-COORD - 375

RECORDS SELECTED - 23  
 MAX Y-COORD - 1337  
 MIN Y-COORD - 507

NAME	COUNT	TOTAL	AVERAGE
EMP	23	12662.0000	550.5217
CNS	22	16762.7000	761.9409
SIS	23	10090.0001	438.6957
BOD	10	4409.2400	440.9240
COD	9	79401.4004	8822.3778
SOL	11	44073.6001	4006.6909
NIT	9	869.4500	96.6056
FHO	9	19.5700	2.1744
GRE	4	484.3000	121.0750
PH	11	78.1000	7.1000
AL	2	117.5000	58.7500
SB	1	0.0080	0.0080
AS	1	0.1400	0.1200
CD	2	0.0241	0.0121
CA	4	86.8600	21.7150
CR	5	6.7470	1.3494
CU	2	3.2910	1.6455
FE	4	52.7450	13.1862
PB	2	0.2401	0.1201
MG	2	96.3900	48.1950
HG	1	0.1000	0.1000
NI	1	1.6900	1.6900
K	2	746.2000	373.1000
NA	4	1028.6700	257.1675
TI	1	0.0240	0.0240
ZN	6	0.2790	0.0465
CLD	13	35618.6001	2739.8923
CND	1	0.0400	0.0400
FLR	1	42.5000	42.5000
HHJ	2	3422.0000	1711.0000
NOJ	4	38.4700	9.6175
PNL	6	3668.1892	611.3649
SIL	2	317.1800	158.5900
SO4	12	24180.2703	2015.0225
SFD	4	3.1700	0.7925
SOJ	2	127.4180	63.7090
CAC	1	750.0000	750.0000

APPENDIX H  
METALS INDUSTRIES (SIC Code 33)

LOCATION# 26. SIC CODE 3339. NAME: DYNAMET TECH ADDRESS: 8 A ST TOWN: BUR X-LOC 716, Y-LOC 1133.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 3. DATA SOURCE CODE 5.  
WATER USE: SRC: MUN CONSUMP(KGD) 60.00 DISCH(KGD) 60.00 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)  
GENERAL: BOD .00 COD .00 SOL .00 NIT .00 PHO .00 GRE .00 PH .00.  
OTHERS: 5.0

LOCATION# 437. SIC CODE 1471. NAME: CAN THERMIONIC ADDRESS: 445 CONCORD AVE TOWN: CAN X-LOC 817, Y-LOC 937.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE 5.  
WATER USE: SRC: MUN CONSUMP(KGD) 75.00 DISCH(KGD) 75.00 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: SOL 30. PH 4.0  
METALS: CD .54 CU .43 PB .50 NI 2.3 AG .20 NA 3.5 SN 1.2 ZN .98  
OTHERS: CLD 7.2 CND 2.8 DET 10. S04 2.8

LOCATION# 5015. SIC CODE 3564. NAME: MILLIPORE CORP ADDRESS: ASHBY RD TOWN: BDF X-LOC 652, Y-LOC 1108.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 600. DATA SOURCE CODE -1.  
WATER USE: SRC: MUN CONSUMP(KGD) 20.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5016. SIC CODE 3761. NAME: RAYTECH CO ADDRESS: MARTELL RD TOWN: BDF X-LOC 615, Y-LOC 1096.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 999. DATA SOURCE CODE 12.  
WATER USE: SRC: MUN CONSUMP(KGD) 160.0 DISCH(KGD) 120.0 PLC OF DISCH: PUB TRTNT 3. EFFICIENCY 95.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 14. COD 41. SOL 14. NIT .70 PHO .70 GRE 1.5 PH 6.0  
METALS: B 1.0 CR .50E-01 CU .10 FE .13 MN .50E-01 NI .50E-01 SN .10  
OTHERS: ALK 55. CLD 30. CND 1.0 PNL 40 S04 4.6 SPD .10

LOCATION# 5020. SIC CODE 3451. NAME: USH, MACH DIV ADDRESS: 181 ELIOTT ST TOWN: DEV X-LOC 1472, Y-LOC 1238.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2100. DATA SOURCE CODE -1.  
WATER USE: SRC: SUR CONSUMP(KGD) .1460E+05 DISCH(KGD) .0000 PLC OF DISCH: SUR TRTNT 1. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5030. SIC CODE 3421. NAME: GILLETTE SAFETY ADDRESS: GILLETTE PARK TOWN: BSD X-LOC 946, Y-LOC 891.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 2500. DATA SOURCE CODE 1.  
WATER USE: SRC: SUR CONSUMP(KGD) .2720E+05 DISCH(KGD) 820.0 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD .10E+03 COD .42E+03 SOL .50E+04 NIT 50. PHO 60. PH 8.4

LOCATION# 5060. SIC CODE 3398. NAME: M E METALURGIC ADDRESS: 475 DORCHESTER TOWN: BSD X-LOC 942, Y-LOC 832.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE 4.  
WATER USE: SRC: MUN CONSUMP(KGD) 90.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5061. SIC CODE 3731. NAME: BEHLENER STEEL ADDRESS: 256 MARGINAL ST TOWN: BSD X-LOC 977, Y-LOC 890.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 499. DATA SOURCE CODE 5.  
WATER USE: SRC: MUN CONSUMP(KGD) 10.00 DISCH(KGD) .6000 PLC OF DISCH: PUB TRTNT 0. EFFICIENCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL PH 7.6

LOCATION# 5062, SIC CODE 3731, NAME: BROFIELD CORP ADDRESS: 246 BORDER ST TOMNI BSD X-LOC 966, Y-LOC 913,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 115, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 2,000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5063, SIC CODE 3731, NAME: GENERAL SHIP ADDRESS: 336 BORDER ST TOMNI BSD X-LOC 966, Y-LOC 917,  
SEASONAL PRODUCTION SPR 25.0 SUM 30.0 FLL 25.0 WIN 20.0 EMPLOYEES 150, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 2,000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5064, SIC CODE 3479, NAME: EDWARDS T J INC ADDRESS: 25 WILLIAMS ST TOMNI BSD X-LOC 875, Y-LOC 786,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 1,000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5071, SIC CODE 3600, NAME: ANDERSON POWER ADDRESS: 145 NEWTON ST TOMNI BSD X-LOC 958, Y-LOC 876,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 260, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 5,000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5072, SIC CODE 3573, NAME: HONEYWELL INC ADDRESS: 391 LIFE ST TOMNI BSD X-LOC 989, Y-LOC 876,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 980, DATA SOURCE CODE 35,  
WATER USE: SPC: MUN CONSUMP(KGD) 548.0 DISCH(KGD) 274.0 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL COD 80, SOL 70E+03 NIT 30E+03 PHO 10E+03 PH 7.2  
LOCATION# 5074, SIC CODE 3564, NAME: WESTINGHOUSE ADDRESS: DAMON ST TOMNI BSD X-LOC 836, Y-LOC 672,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 980, DATA SOURCE CODE 1,  
WATER USE: SPC: MUN CONSUMP(KGD) 30.00 DISCH(KGD) 10.00 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL COD 90, COD 4.3 SOL 16, NIT 60E-02  
WATER USE: CR 20E-02 ZN 20E-02  
LOCATION# 5093, SIC CODE 3494, NAME: WALKORTH CO INC ADDRESS: 1515 WASHINGTON TOMNI BRA X-LOC 1006, Y-LOC 870,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 375, DATA SOURCE CODE 1,  
WATER USE: SPC: MUN CONSUMP(KGD) 33.00 DISCH(KGD) 2.000 PLC OF DISCH: PUB TRTNMT 1, EFFICNCY 50.0 TNP 60.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL COD 2.8 COD 4.1 SOL 15, NIT 30E-01 PHO 50E-02 GRE 70E-01 PH 6.5  
WATER USE: AL 40 AS 20E-02 CU 10E-01 FE 30E-02 PB 10E-01 MG 30E-01 NA 90 SN 30E-02 ZN 13,  
OTHERS: ALK 2.1 CLD 4.5 SDA 2.7  
LOCATION# 5151, SIC CODE 3567, NAME: HOWAIT INC ADDRESS: 128 MAPLE ST TOMNI DAN X-LOC 1102, Y-LOC 1202,  
SEASONAL PRODUCTION SPR 24.0 SUM 24.0 FLL 24.0 WIN 28.0 EMPLOYEES 250, DATA SOURCE CODE 5,  
WATER USE: SPC: MUN CONSUMP(KGD) 4,000 DISCH(KGD) 1,000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5165, SIC CODE 3589, NAME: MARKET FORGE CO ADDRESS: 35 GARVEY ST TOMNI EVE X-LOC 959, Y-LOC 946,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
WATER USE: SPC: MUN CONSUMP(KGD) 156.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNMT 0, EFFICNCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9189, SIC CODE 3411, NAME: SEVEN CAN CO, ADDRESS: 31 CROSS ST, TOWN: EVE, X-LOC 910, Y-LOC 971,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 250, DATA SOURCE CODE 2,  
WATER USE: SRC1 MUN CONSUMP(KGD) 10.00 DISCH(KGD) 9.000 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 9.0 COD 6.0 SOL 5.0, NIT 1.0 PHO 1.0 PH 8.6  
METALS: AL .40E-01 FE .10 MN .46E-01  
OTHERS: CLD 6.0 PNL .30E-03 SFD .30E-01

LOCATION: 9171, SIC CODE 3711, NAME: G M ASSEMBLY, ADDRESS: WESTERN AVE, TOWN: FPM, X-LOC 400, Y-LOC 703,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 3500, DATA SOURCE CODE 1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 330.0 DISCH(KGD) 250.0 PLC OF DISCH: PUB TMTNT 3, EFFICIENCY 99.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: BOD 1.3 COD 9.1 SOL 46, NIT 1.1 PHO .50E-01 GME 1.8  
METALS: AL .40E-01 FE .10 MN .46E-01  
OTHERS: CLD 6.0 PNL .30E-03 SFD .30E-01

LOCATION: 9176, SIC CODE 3599, NAME: GLO ENGINEERING, ADDRESS: BLACKBURN IND P, TOWN: GLO, X-LOC 1493, Y-LOC 1479,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 280, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 8.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9180, SIC CODE 3562, NAME: MERRINAN INC, ADDRESS: 100 IND PARK, TOWN: HIN, X-LOC 1140, Y-LOC 939,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 300, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 30.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9197, SIC CODE 3722, NAME: ENVIROTECH CO, ADDRESS: BIGLON ST, TOWN: HUD, X-LOC 108, Y-LOC 941,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 3, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9220, SIC CODE 3509, NAME: DESIGNPAK INC, ADDRESS: 175 MAPLE ST, TOWN: HLB, X-LOC 319, Y-LOC 797,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9226, SIC CODE 3571, NAME: DIGITAL EQUIP, ADDRESS: 140 MAIN ST, TOWN: MAY, X-LOC 399, Y-LOC 1011,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 4000, DATA SOURCE CODE 35,  
WATER USE: SRC1 MUN CONSUMP(KGD) 500.0 DISCH(KGD) 200.0 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: COD 70, SOL .60E-03 NIT .25E-03 PHO 90, PH 7.2  
METALS: CU 1.2 Pb 1.3 Zn 3.0

LOCATION: 9232, SIC CODE 3573, NAME: INCOINTERN CORP, ADDRESS: 8 STRATHMORE RD, TOWN: MAY, X-LOC 409, Y-LOC 709,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 270, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 5.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 3, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION: 9285, SIC CODE 3494, NAME: WASCHELIAN INTP, ADDRESS: 63 MANAHO, TOWN: NOR, X-LOC 701, Y-LOC 874,  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 IN 25.0 EMPLOYEES 100, DATA SOURCE CODE -1,  
WATER USE: SRC1 MUN CONSUMP(KGD) 16.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TMTNT 0, EFFICIENCY 0.0 TWP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5292, SIC CODE 3724, NAME# WALBAR INC ADDRESS# FIFTH ST TOWN# PEA X-LOC 1052, Y-LOC 1175,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5296, SIC CODE 3566, NAME# BOSTON GEAR ADDRESS# 14 HAYWARD ST TOWN# QUI X-LOC 986, Y-LOC 722,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 550, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 50.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5298, SIC CODE 3569, NAME# PNEUMATIC SCALE ADDRESS# 65 NEWPORT AVE TOWN# QUI X-LOC 983, Y-LOC 720,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 570, DATA SOURCE CODE 3,  
 WATER USE# SPC# MUN CONSUMP(KGD) 35.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRTMT 2, EFFICIENCY 80.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5303, SIC CODE 3579, NAME# ELLIOTT BUS MAC ADDRESS# PAN IND PARK TOWN# RAN X-LOC 950, Y-LOC 594,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 1000, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH# PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5310, SIC CODE 3732, NAME# BOSTON WHALER I ADDRESS# 119 HINGHAM ST TOWN# RCL X-LOC 1163, Y-LOC 528,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 250, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 3.000 DISCH(KGD) .0000 PLC OF DISCH# SUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5331, SIC CODE 3726, NAME# METAL BELLOCS ADDRESS# 1075 PROVIDENCE TOWN# SHA X-LOC 707, Y-LOC 454,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 200, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 37.00 DISCH(KGD) .0000 PLC OF DISCH# SUR TRTMT 1, EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5346, SIC CODE 3573, NAME# DATA GENERAL ADDRESS# ROUTE 9 TOWN# SBR X-LOC 256, Y-LOC 757,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 1200, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 40.00 DISCH(KGD) .0000 TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5358, SIC CODE 3571, NAME# KANG LABS ADDRESS# 836 NORTH ST TOWN# TEN X-LOC 689, Y-LOC 1385,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 900, DATA SOURCE CODE 3,  
 WATER USE# SPC# MUN CONSUMP(KGD) 34.00 DISCH(KGD) 17.00 PLC OF DISCH# PUB TRTMT 2, EFFICIENCY 80.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL# COD 4.0 ROL 50, MIT 15, PHO 5.0 PH 7.2

LOCATION# 5370, SIC CODE 3534, NAME# BIRD MACHINE CO ADDRESS# NEWPORT ST TOWN# MLP X-LOC 572, Y-LOC 489,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 493, DATA SOURCE CODE 1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 75.00 DISCH(KGD) 30.00 PLC OF DISCH# SUR TRTMT 1, EFFICIENCY 50.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5380, SIC CODE 3559, NAME# COMPO IND INC ADDRESS# 125 ROBERTS RD TOWN# WAL X-LOC 655, Y-LOC 809,  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WLN 25.0 EMPLOYEES 500, DATA SOURCE CODE -1,  
 WATER USE# SPC# MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH# PUB TRTMT 0, EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5303. SIC CODE 3569. NAME: LIFE CORP ADDRESS: 1601 TRAPELO RD TOWN: WAL X-LOC 604, Y-LOC 986.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 350. DATA SOURCE CODE 5.  
 WATER USE: SRC: MUN CONSUMP(KGD) 6.000 DISCH(KGD) 6.000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

GENERAL: PHO .30  
 OTHERS: FLR .48

LOCATION# 5304. SIC CODE 3541. NAME: NICHOLS W H CO ADDRESS: 48 MOERD AVE TOWN: WAL X-LOC 606, Y-LOC 987.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 598. DATA SOURCE CODE 34.  
 WATER USE: SRC: MUN CONSUMP(KGD) 112.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5307. SIC CODE 3443. NAME: STANBRO-THONSON ADDRESS: 152 GROVE ST TOWN: WAL X-LOC 724, Y-LOC 905.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 700. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 115.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5308. SIC CODE 3452. NAME: THOMPSON J L ADDRESS: 5 SAWYER RD TOWN: WAL X-LOC 667, Y-LOC 885.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 400. DATA SOURCE CODE 4.  
 WATER USE: SRC: MUN CONSUMP(KGD) 206.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5400. SIC CODE 3499. NAME: BARRY DIV ADDRESS: 700 PLEASANT ST TOWN: WAL X-LOC 726, Y-LOC 896.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 300. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 150.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5430. SIC CODE 3769. NAME: AVCO SYSTEMS DV ADDRESS: 201 LOWELL ST TOWN: WAL X-LOC 811, Y-LOC 1208.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 1600. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 190.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5431. SIC CODE 3551. NAME: GREER IND INC ADDRESS: MAIN & EAHES ST TOWN: WAL X-LOC 806, Y-LOC 1191.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 7.000 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5433. SIC CODE 3555. NAME: PHOTON INC ADDRESS: 355 MIDDLESEX A TOWN: WAL X-LOC 802, Y-LOC 1260.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 500. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 15.00 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5440. SIC CODE 3469. NAME: HINN J H INC DV ADDRESS: 620 WASHINGTON TOWN: WAL X-LOC 852, Y-LOC 1082.  
 SEASONAL PRODUCTION SPR 25.0 SUM 25.0 WIN 25.0 EMPLOYEES 250. DATA SOURCE CODE -1.  
 WATER USE: SRC: MUN CONSUMP(KGD) 140.0 DISCH(KGD) .0000 PLC OF DISCH: PUB TRTNNT 0. EFFICIENCY 0.0 TNP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5446. SIC CODE 3561. NAME: CORY COFFEE SER ADDRESS: GILL ST TOWN: WAL X-LOC 703, Y-LOC 1078.

SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 1600. DATA SOURCE CODE -1. 0.  
WATER USEI SRCI MUN CONSUMP(KGD) 80.00 DISCH(KGD) .0000 PLC OF DISCHI PUB INTNMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

LOCATION# 5450. SIC CODE 3494. NAMEI ASHTON VALVE CO ADDRESSI 43 KENDRICK ST TOWNI WRE X-LOC 571. Y-LOC 348.  
SEASONAL PRODUCTION SPR 25.0 SUM 25.0 FLL 25.0 WIN 25.0 EMPLOYEES 381. DATA SOURCE CODE -1.  
WATER USEI SRCI MUN CONSUMP(KGD) 42.00 DISCH(KGD) .0000 PLC OF DISCHI PUB INTNMT 0. EFFICNCY 0.0 TMP 0.

POLLUTANTS IN POUNDS/DAY (ONLY THOSE FOR WHICH VALUES ARE KNOWN)

RECORDS PLAD - 253  
 MAX X-COORD - 1493  
 MIN X-COORD - 188

RECORDS SELECTED - 47  
 MAX Y-COORD - 1479  
 MIN Y-COORD - 348

NAME	COUNT	TOTAL	AVERAGE
EMP	47	14353.0000	730.9149
CNS	47	45285.3999	963.5191
DIB	47	19033.7000	40.5043
BOD	7	123.7000	17.6714
CCD	10	637.9000	63.7900
SOL	11	6520.3000	592.7545
NIT	10	617.8360	61.7836
PHO	10	257.0550	25.7055
GRE	4	3.2700	0.8175
PH	10	62.7000	6.2700
AL	2	0.4400	0.2200
AS	1	0.0020	0.0020
B	1	1.0000	1.0000
CD	1	0.5400	0.5400
CR	2	0.0520	0.0260
CU	4	1.7400	0.4350
FE	3	0.3130	0.1043
PB	3	1.8100	0.6033
MG	1	0.0300	0.0300
MN	2	0.0900	0.0450
NI	2	2.3500	1.1750
AC	1	0.2000	0.2000
NA	2	4.4000	2.2000
SN	4	4.3030	1.0758
ZH	3	13.5820	4.5273
ALK	2	57.6000	28.8000
CLD	4	48.5000	12.1250
CND	2	1.8000	0.9000
DEI	1	10.0000	10.0000
FLR	1	0.4800	0.4800
PHL	2	0.4003	0.2001
SO4	3	10.1000	3.3667
SPD	2	0.1300	0.0650

APPENDIX I  
POINTS LOST FROM PLOTS

Figures 4 through 11 of this report were prepared from computer plots at a scale of 1:150,000. In the final preparation, some points overlapped with others and could not be shown. This appendix contains a listing of points lost in this manner.

Figure 4. All Industries

Points lost due to collision:

418	5048	5112	5128
5035	5080	5119	

Figure 5. Industries Discharging  
Greater than 50,000  
Gallons Per Day

No points lost due to collision.

Figure 6. Industries Discharging  
Zero Gallons Per Day

Points lost due to collision:

5080	5112	5120	5128
------	------	------	------

Figure 7. Food Industries

Points lost due to collision:

172

Figure 8. Textiles Industries

No points lost due to collision.

Figure 9. Paper Industries

No points lost due to collision.

**Figure 10. Chemical Industries**

**No points lost due to collision.**

**Figure 11. Metals Industries**

**No points lost due to collision.**

**APPENDIX J**  
**BIBLIOGRAPHY**

## BIBLIOGRAPHY

Anderson, J. and J.J. Beres, Collection and Disposal of Hospital Solid Wastes, Thesis, Rensselaer Polytechnic Inst., Troy, New York, June, 1970.

Anonymous, Alloy and Stainless Steel Industry, Draft-Development Document for Effluent Limitations Guidelines and Standards of Performance, EPA.

An Industrial Guide to the Cane Sugar Industry, U. S. Public Health Service, 1959.

An Industrial Waste Guide to the Meat Industry, U. S. Department of Health, Education and Welfare, Technical Report, Washington, D. C., 1965.

Canned and Preserved Fish and Seafoods Processing Industry, Draft-Development Document for Effluent Limitations Guidelines and Standards of Performance, EPA, July, 1973.

Canned and Preserved Fruits and Vegetables Industry - Apples, Citrus, Potato Processing, Draft-Development Document for Effluent Limitations Guidelines and Standards of Performance, EPA, July, 1973.

Inorganic Chemicals, Draft-Development Document for Effluent Limitations Guidelines and Standards of Performance, EPA.

Leather Tanning and Finishing, Development Document for Proposed Effluent Limitations Guidelines and New Source Performance Standards, EPA, 440/1-73/015.

Pulp, Paper and Paperboard Industry, Draft-Development Document for Effluent Limitations Guidelines and Standards of Performance, EPA, June, 1973.

Rubber Processing Industry, Draft-Development Document for Proposed Effluent Limitations Guidelines and Standards of Performance, EPA, January, 1974.

Textile Industry, Draft-Development Document for Proposed Effluent Limitations Guidelines and Standards of Performance, EPA.

Water in Industry, National Association of Manufacturers, New York, and Chamber of Commerce of the U.S., January, 1965.

Arnold, Lionel K., Introduction to Plastics, Iowa State University Press, Ames, Iowa, 1968.

Associated Water and Air Resource Engineers, Inc., Draft, Wastewater Management Study for Cleveland-Akron Metropolitan and Three Rivers Watershed Areas, U. S. Army Corps of Engineers, Buffalo, New York, May, 1973.

Alternatives for Managing Wastewater in the Three Rivers Watershed Area, U. S. Army Corps of Engineers, Nashville, Tennessee, May, 1972.

Barkley, W.A. et al., "Chemical Treatment of Spent Vegetable Tan Liquor," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., 1971.

Barzler, R.P., D.J. Giffeler and E. Willoughby, "Pollution Control in Foundry Operations," Industrial Pollution Control Handbook, McGraw-Hill Book Co., New York, 1971.

Battelle Memorial Institute, An Investigation of Techniques for Removal of Chromium From Electroplating Wastes, Industrial Pollution Control Branch, EPA, 12010EIE, March, 1971.

An Investigation of Techniques for Removal of Cyanide From Electroplating Wastes, EPA, 12010EIE, November, 1971.

A State-of-The Art Review of Metal Finishing Waste Treatment, Federal Water Quality Administration, Water Pollution Control Research Series, 12010EIE, November, 1968.

Besselievue, P.E., The Treatment of Industrial Wastes, McGraw-Hill Book Co., New York, 1969.

Booz-Allen Applied Research, Inc., A Study of Hazardous Waste Materials, Hazardous Effects and Disposal Methods, Vols. I-III, Bethesda, Md., 1973.

Bramer, H.C., "Iron and Steel," Industrial Wastewater Control, Academic Press, Chicago, Illinois, 1965.

Burchinal, J.C. and L.P. Wallace, A Study of Institutional Solid Wastes, Final Report, West Virginia Univ., Morgantown, West Virginia, 1971.

Camin, Kathleen, "Cost of Waste Treatment in the Meat Packing Industry," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Carpenter, William L., "Removal of White Water Effluent Turbidity by Biological Treatment Processes," in Proceedings of the 24th Industrial Waste Conference, Purdue Univ., May, 1969.

Carrol-Porczynski, Charles A., Asbestos From Rock to Fabric, The Textile Institute, Manchester, Great Britain, 1956.

Christianson, G. et al., Industrial Waste Guide on Thermal Pollution, Federal Water Pollution Control Administration, Washington, D.C., September, 1968.

Collection, Reduction, and Disposal of Solid Waste in Multi-family Dwellings, Interim Report, U. S. Environmental Protection Agency, 1971.

Copeland, G.G., "The Clarification of Paper Mill Effluents by Activated Carbon," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Dague, R.R., "Alternatives in Cattle Feedlot Waste Management," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Ehrlich, Paul R. and A.H. Ehrlich, Population, Resources, Environment, Issues in Human Ecology, W.H. Freeman and Co., San Francisco, California, 1972.

Environmental Protection Agency, Permit Application for Surface Water Waste Disposal.

Fletcher, B.A., "The Use of Individual Nursing Station Compactors as a Part of a Hospital's Solid Waste Disposal System," Thesis, Univ. of West Virginia, Morgantown, West Virginia, 1971.

Gaede, H.W. Jr., R.L. Christensen and N. Eugene, Land Application of Livestock Wastes in Massachusetts: Potential Effects and Economic Considerations, Univ. of Massachusetts, Amherst, Mass., Publ. #79, September, 1972.

Gail, A.A., Chemical Analysis of Solid Wastes From a Teaching Hospital, Problem Report, Univ. of West Virginia, Morgantown, West Virginia, 1971.

Garner, W. and J.C. Smith, Disposal of Cattle Feedlot Wastes by Pyrolysis, EPA Report # R2-73-096, 1973.

Gurnham, C. Fred, Editor, Industrial Wastewater Control, Academic Press, Chicago, Illinois, 1965.

Principles of Solid Waste, John Wiley and Sons, Inc., New York, 1955.

Harper, W.J. and J.L. Blaisdell, "State of the Art of Dairy Food Plant Wastes and Waste Treatment," in Proceedings Second National Symposium on Food Processing Wastes, March 23-26, 1971, Denver, Colorado, Water Pollution Control Research Series 12060, 1971.

Heid, J.L. and M.A. Joslyn, Fundamentals of Food Processing Operations, Ingredients, Methods, Packaging, Avi Publishing Co., Inc., Westport, Conn., 1967.

Hester, Barnette et al., "Operation of a Packing Plant Waste Treatment Plant, Cherokee, Iowa," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Hewson, J.L., Water in the Chemical Allied Industries, Society of Chemical Industry, London, 1970.

Hileman, L.H., "Pollution Factors Associated With Excessive Poultry Litter (Manure) Application in Arkansas," Relationship of Agriculture to Soil and Water Pollution, Cornell Univ., 1970.

Holbrook, W.C. and J.C. Land, "Study and Design of Secondary Treatment Facilities for a Polyvinyl Fluoride Production Plant," Recent Developments in Industrial Pollution Control, in Proceedings of the 4th Annual Northeastern Regional Antipollution Conference, Univ. of Rhode Island, 1971.

Hospitals, Journal of American Hospital Associations, Vols. 43-46, 1971, 1972.

Iglar, Albert F. and R.G. Bone, Hospital Solid Waste Disposal in Community Facilities, Final Report, School of Public Health, Univ. of Minnesota, Minneapolis, May, 1971.

Kemmer, F.N., "Pollution Control in the Steel Industry," Industrial Pollution Control Handbook, McGraw-Hill Book Co., New York, 1971.

Knowlton, W.T., "Effects of Industrial Waste From Fish Canneries on Sewage Treatment Plants," Sewage Works Journal, 17, January - December, 1945.

Koelliker, J.K. and J.R. Miner, "Reduction of Nitrogen Concentrations in Swine Lagoon Effluent by Biological Denitrification," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., 1970.

Kreis, R.D., M. Scalf and J.Z. McNaff, Characteristics of a Rainfall From a Beef Cattle Feedlot, EPA Report # R2-72-061, 1972.

Kreis, R.D. and L.R. Shuyler, Beef Cattle Feedlot Site Selection, EPA Report, # R2-72-129, 1972.

Lancy, Leslie E., "Pollution Control in Plating Operations," Industrial Pollution Control Handbook, McGraw-Hill Book Co., New York, 1971.

Lea, R.M., The Chemistry of Cement and Concrete, Edward Arnold Ltd., London, 1956.

Loehr, R.C., Development and Demonstration of Nutrient Removal From Animal Wastes, EPA Report # R2-72-095, Cornell Univ., Ithaca, New York, 1972.

- Pollution Implications of Animal Wastes - A Forward Oriented View, EPA Report # 13040, Cornell Univ., Ithaca, New York, July, 1968.
- Lund, Herbert, Editor, Industrial Pollution Control Handbook, McGraw-Hill Book Co., New York, 1971.
- Masselli, J. et al., "Tannery Wastes-Pollution Sources and Methods of Treatment," Prepared for New England Interstate Water Pollution Control Commission, Wesleyan Univ., June, 1958.
- McGraw-Hill Encyclopedia of Science & Technology, McGraw-Hill Book Co., New York, 1966.
- McKenna, M.F. and J.H. Clark, "The Economics of Storing, Handling, and Spreading of Liquid Hog Manure for Confined Feeder Hog Enterprises," Relationship of Agriculture to Soil and Water Pollution, Cornell Univ., Ithaca, New York, 1970.
- Metcalf and Eddy, Inc., "Report to Dept. of the Army, North Atlantic Division, Corps of Engineers, New York, New York, on Industrial Wastes Profiles of Metal Plating," in The Merrimack: Designs for a Clean River, Annex C, Boston, Mass., 1971.
- Michaelson, G.S., "Waste Handling," in Proceedings: National Conference Institutionally Acquired Infections, Sept. 4-6, 1963, Public Health Service.
- Mielke, L.N. et al., "Groundwater Quality and Fluctuation in a Shallow Unconfined Aquifer Under a Level Feedlot," Relationship of Agriculture to Soil and Water Pollution, Cornell Univ., Ithaca, New York, 1970.
- National Association of Manufacturers and Chamber of Commerce in the U. S., Water in Industry, New York, 1965.
- Nemerow, Nelson L., Liquid Waste of Industry, Addison-Wesley Pub. Co., Reading, Mass., 1971.
- Neville, A.M., Properties of Concrete, John Wiley and Sons, Inc., Interscience, New York, 1963.

Ngoddy, D.O. et al., Closed System Waste Management for Livestock, EPA Report # 13040DKPO, June, 1971.

Niles, C.F. and H.P. Gordon, "Operation of a Anaerobic Pond on Hog Abattoir Waste Water," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Overman, A.R., C.C. Hortenstein and J.M. Wing, "Land Disposal of Dairy Farm Wastes," Relationship of Agriculture to Soil and Water Pollution, Cornell University Conference on Agricultural Waste Management, Rochester, New York, January, 1970.

Parker, Clinton E., "Biological Treatment of Spent Vegetable Tannins," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., Part I, May, 1970.

Parker, D. and J. Moser, "Unit Process Performance Modeling and Economics for Cannery Waste Treatments," in Proceedings of the 23rd Industrial Conference, Purdue Univ., Part 2, 1968.

Parker, H., "How to Determine Requirements for Rinse Waters in Plating Processes," Metal Progress, Vol. 77, No. 2, 1960.

Perry, J.H., Chemical Engineer's Handbook, McGraw-Hill Book Co., New York, 1963.

Porges, R. and E.J. Struzeski, Jr., "Wastes From the Poultry Processing Industry," Technical Report No. W62, Robert A. Taft Sanitary Engineering Center, U. S. Public Health Service, Cincinnati, Ohio, 1962.

Raytheon Company, "Study of Solid Waste Disposal for Program Plan Development for the Commonwealth of Massachusetts," in Solid Waste Management Study Report, Vol. III, Burlington, Massachusetts, May 15, 1972.

Rebhun, M., A. Weinberg and N. Narkis, "Treatment of Wastewater From Cotton Dyeing and Finishing Works for Reuse," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

"Report on Merrimack River Basin Wastewater Management,"  
Prepared for Corps of Engineers by Anderson-Nichols and  
Co., Inc., Boston, September, 1971.

Rey, G. and G. Keeler, "Projects in the Industrial Pollution  
Control Program," Environmental Protection Technology  
Series, EPA-R2-72-120, U. S. Environmental Protection  
Agency, Washington, D.C., July, 1972.

Rudolfs, W., Industrial Waste Treatment, Rheinhold Publishing  
Corp., New York, 1953.

Salvato, Joseph A., Jr., Environmental Engineering and San-  
itation, John Wiley and Sons, Inc., Interscience, New  
York, 1972.

Scaif, M.R., W.R. Duffer and R.D. Kreis, "Characteristics  
and Effects of Cattle Feedlot Runoff," in Proceedings of  
the 25th Industrial Waste Conference, Purdue Univ., May,  
1970.

Scott, J.R., "Disposal of Wastes in the Rubber Industries,"  
Society of Chemical Industries, London, 1957.

Selected References on Hospital Solid Wastes, Office of Con-  
sultation on Hospital Functions, Health Facilities Planning  
Public Health Service.

Sheffield, C.W. and B. Beville, "Feedlot Waste in Florida,"  
in Proceedings of the 25th Industrial Waste Conference,  
Purdue Univ., May, 1970.

Shreve, R.N., Chemical Process Industries, 3rd Edition,  
McGraw-Hill Book Co., New York, 1956.

Shuyler, L.R., National Animal Feedlot Wastes Research Pro-  
gram, EPA Report # R2-73-157, Robert S. Kerr Environmental  
Research Laboratory, Ada, Oklahoma, 1973.

Small, Wm. E., "Solid Waste: Please Burn, Chop, Compact or  
Otherwise Destroy This Problem," Modern Hospital, Sept.,  
1971.

Third Pollution, Praeger Publishers, New York,  
1971.

Soderquist, M.R., K.J. Williamson and G.I. Blanton, "Seafood Processing: Pollution Problems and Guidelines for Improvement," in Proceedings First National Symposium on Food Processing Wastes, April 6-8, 1970, Portland, Oregon, Water Pollution Control Research Series 12060-4/70.

Spihans, Athelston, Waste Management and Control, National Academy of Sciences - National Research Council, Publication 1400, Washington, D.C.

Spruill, Edgar L., "Color Removal From Paper Mill Waste," in Proceedings of the 25th Industrial Waste Conference, Purdue Univ., May, 1970.

Steffes, F.J. and J.F. Floretta, "Study Shows Most Hospitals Still Haul and Dump, But Compaction May Be Cheaper," Modern Hospital, September, 1971.

Study of Economics of Hospital Solid Wastes, Progress Report, June 1, 1970, Division of Environmental Health, School of Public Health, Univ. of Minnesota, 1971.

Tallmadge, J.A., "Nonferrous Metals," Industrial Wastewater Control, Academic Press, Chicago, Illinois, 1965.

Thalkston, Edward L., "Secondary Waste Treatment in a Small Diversified Tannery," Environmental Protection Technology Series, EPA R2-73-209, April, 1973.

Thorstensen, T.C., "The Nature and Treatment of Paper Effluent," in The Merrimack: Designs for a Clean River, Annex C, Westford, Mass., July, 1971.

\_\_\_\_\_, "The Nature and Treatment of Tannery Effluent," in The Merrimack: Designs for a Clean River, Annex C, Westford, Mass., July, 1971.

\_\_\_\_\_, "The Nature and Treatment of Textile Effluent," in The Merrimack: Designs for a Clean River, Annex C, Westford, Mass., July, 1971.

Trigs, J.A., "Microbial Examination of Hospital Solid Wastes," Thesis, Univ. of West Virginia, Morgantown, West Virginia, 1971.

Ullman, John E., Editor, Waste Disposal Problems in Selected Industries, Hofstra Univ., Hempstead, New York, 1969.

U. S. Army Engineering Division, New England, Draft Environmental Statement Addition of Unit No. 7 Mystic Electric Generating Station, Everett, Mass., June, 1973.

U. S. Dept. of Health, Education, and Welfare, Public Health Service, Division of Water Supply and Pollution Control, Meat Industry, Washington, D.C.

Wallace, L.P., R. Zaltzman and J.C. Burchinal, "Where Solid Waste Comes From; Where It Should Go," Modern Hospital, February, 1972.

Walter, C.W., "Disposables, Now and Tomorrow," Hospitals, December, 1964.

Weston, R.F., "Brief Overview, Industrial Wastewater Profile, Plastics Industry," in The Merrimack: Designs for a Clean River, Annex C, Westford, Mass., July, 1971.

Whitman, R.L., Effects of Selected Industrial Products and Processes on Public Treatment Facilities, New York, 1971.